



Supplement of

Accelerated estimation of sea-spray-mediated heat flux using Gaussian quadrature: case studies with a coupled CFSv2.0-WW3 system

Ruizi Shi and Fanghua Xu

Correspondence to: Fanghua Xu (fxu@mail.tsinghua.edu.cn)

The copyright of individual parts of the supplement might differ from the article licence.

Contents of this file

Figures S1 to S21

Introduction

Figure S1 is the scatter plot of r_{L3} vs 10-m wind speed.

Figure S2&S3 are the WSP10 of SPRAY-GQ in Jan-Feb, 2017 and Aug-Sep, 2018.

Figure S4 is the global 53-day averaged SST differences between SPRAY-A15 and OISST, and the differences between SPRAY-GQ and SPRAY-A15 in Jan-Feb, 2017.

Figure S5 is the mean error of SPRAY-A15 and SPRAY-GQ in Jan-Feb, 2017 and Aug-Sep, 2018.

Figure S6 is the global 53-day averaged SST differences between SPRAY-A15 and OISST, and the differences between SPRAY-GQ and SPRAY-A15 in Aug-Sep, 2018.

Figure S7&S8 are the global 53-day averaged WSP10 differences between SPRAY-A15 and ERA5, and the differences between SPRAY-GQ and SPRAY-A15 in Jan-Feb, 2017 and Aug-Sep, 2018.

Figure S9-S12 are the average WSP10/SWH differences between SPRAY-A15/SPRAY-GQ and satellite data, differences between SPRAY-A15/SPRAY-GQ and ERA5, and differences between ERA5 and satellite data in Jan-Feb, 2017 and Aug-Sep, 2018.

Figure S13&S14 are the global 53-day averaged SWH differences between SPRAY-A15 and ERA5, and the differences between SPRAY-GQ and SPRAY-A15 in Jan-Feb, 2017 and Aug-Sep, 2018.

Figure S15&S16 are the 53-day average wind and SLP of SPRAY-A15 and SPRAY-GQ, and their differences in Jan-Feb, 2017 and Aug-Sep, 2018.

Figure S17-S21 are the 53-day average SST/WSP10/SWH/T02/SPH differences between CTRL and OISST/ERA5, differences between SPRAY-GQ and CTRL, and MAE differences between SPRAY-GQ and CTRL in Jan-Feb, 2017 and Aug-Sep, 2018.




Figure S1. The scatter plot of r_{L3} (y-axis) vs 10-m wind speed (x-axis)




Figure S2. The WSP10 (m/s) of SPRAY-GQ in Jan-Feb, 2017: (a) the 14th day; (b) the 35th day; (c) the 56th day; (d) the 53-day average, with the first 3-day simulation discarded.




Figure S3. The same as Figure S2, but for Aug-Sep, 2018.




Figure S4. The global 53-day averaged SST ($^{\circ}\text{C}$) differences between SPRAY-A15 and OISST (a; SPRAY-A15 minus OISST) and the differences between SPRAY-GQ and SPRAY-A15 (b; SPRAY-GQ minus SPRAY-A15) in Jan-Feb, 2017. The first 3-day simulation is discarded. The dotted areas are statistically significant at 95% confidence level.




Figure S5. The mean error of SPRAY-A15 (red) and SPRAY-GQ (black) in Jan-Feb, 2017 (a, c, e) and Aug-Sep, 2018 (b, d, f): (a) SST of 0-360°E, 40-75°S; (b) SST of 0-360°E, 20-75°N; (c&d) WSP10 of 0-360°E, 0-60°N; (e&f) SWH of 0-360°E, 0-60°N.




Figure S6. The same as Figure S4, but for Aug-Sep, 2018.




Figure S7. The global 53-day averaged WSP10 (m/s) differences between SPRAY-A15 and ERA5 (a; SPRAY-A15 minus ERA5), and the differences between SPRAY-GQ and SPRAY-A15 (b; SPRAY-GQ minus SPRAY-A15) in Jan-Feb, 2017. The first 3-day simulation is discarded. The dotted areas are statistically significant at 95% confidence level.




Figure S8. The same as Figure S7, but for Aug-Sep, 2018.




Figure S9. The average WSP10 (m/s) differences between SPRAY-A15/SPRAY-GQ and satellite data (a/c; SPRAY-A15/SPRAY-GQ minus satellite data), differences between SPRAY-A15/SPRAY-GQ and ERA5 (b/d; SPRAY-A15/SPRAY-GQ minus ERA5), and differences between ERA5 and satellite data (e; ERA5 minus satellite data) in Jan-Feb, 2017. The dotted areas are statistically significant at 95% confidence level.




Figure S10. The same as Figure S9, but for Aug-Sep, 2018.




Figure S11. The average SWH (m) differences between SPRAY-A15/SPRAY-GQ and satellite data (a/c; SPRAY-A15/SPRAY-GQ minus satellite data), differences between SPRAY-A15/SPRAY-GQ and ERA5 (b/d; SPRAY-A15/SPRAY-GQ minus ERA5), and differences between ERA5 and satellite data (e; ERA5 minus satellite data) in Jan-Feb, 2017. The dotted areas are statistically significant at 95% confidence level.




Figure S12. The same as Figure S11, but for Aug-Sep, 2018.




Figure S13. The global 53-day averaged SWH (m) differences between SPRAY-A15 and ERA5 (a; SPRAY-A15 minus ERA5), and the differences between SPRAY-GQ and SPRAY-A15 (b; SPRAY-GQ minus SPRAY-A15) in Jan-Feb, 2017. The first 3-day simulation is discarded. The dotted areas are statistically significant at 95% confidence level.




Figure S14. The same as Figure S13, but for Aug-Sep, 2018.




Figure S15. The 53-day average wind (m/s) and SLP (hPa) of SPRAY-A15 (a) and SPRAY-GQ (b), and their differences (c; SPRAY-GQ minus SPRAY-A15) in Jan-Feb, 2017.




Figure S16. The same as Figure S15, but for Aug-Sep, 2018.




Figure S17. The 53-day average SST differences between CTRL and OISST (a&b; CTRL minus OISST), differences between SPRAY-GQ and CTRL (c&d; SPRAY-GQ minus CTRL), and MAE differences between SPRAY-GQ and CTRL (e&f) in Jan-Feb, 2017 (a, c, e) and in Aug-Sep, 2018 (b, d, f). The first 3-day simulation is discarded. The dotted areas are statistically significant at 95% confidence level.




Figure S18. The 53-day average WSP10 differences between CTRL and ERA5 (a&b; CTRL minus ERA5), differences between SPRAY-GQ and CTRL (c&d; SPRAY-GQ minus CTRL), and MAE differences between SPRAY-GQ and CTRL (e&f) in Jan-Feb, 2017 (a, c, e) and in Aug-Sep, 2018 (b, d, f). The first 3-day simulation is discarded. The dotted areas are statistically significant at 95% confidence level.




Figure S19. The 53-day average SWH differences between CTRL and ERA5 (a&b; CTRL minus ERA5), differences between SPRAY-GQ and CTRL (c&d; SPRAY-GQ minus CTRL), and MAE differences between SPRAY-GQ and CTRL (e&f) in Jan-Feb, 2017 (a, c, e) and in Aug-Sep, 2018 (b, d, f). The first 3-day simulation is discarded. The dotted areas are statistically significant at 95% confidence level.




Figure S20. The 53-day average T02 differences between CTRL and ERA5 (a&b; CTRL minus ERA5), differences between SPRAY-GQ and CTRL (c&d; SPRAY-GQ minus CTRL), and MAE differences between SPRAY-GQ and CTRL (e&f) in Jan-Feb, 2017 (a, c, e) and in Aug-Sep, 2018 (b, d, f). The first 3-day simulation is discarded. The dotted areas are statistically significant at 95% confidence level.




Figure S21. The 53-day average SPH differences between CTRL and ERA5 (a&b; CTRL minus ERA5), differences between SPRAY-GQ and CTRL (c&d; SPRAY-GQ minus CTRL), and MAE differences between SPRAY-GQ and CTRL (e&f) in Jan-Feb, 2017 (a, c, e) and in Aug-Sep, 2018 (b, d, f). The first 3-day simulation is discarded. The dotted areas are statistically significant at 95% confidence level.