

Table 1: JVAL Photolysis reactions (version from September 24, 2014)

#	reaction	reference for spectrum
J1000	$\text{O}_2 \xrightarrow{h\nu} \text{O} + \text{O}$	Sander et al. (2011), Lyman-alpha from Chabrilat and Kockarts (1997) and Chabrilat and Kockarts (1998), Schumann-Runge band parameterization from Koppers and Murtagh (1996)
J1001b	$\text{O}_3 \xrightarrow{h\nu} \text{O}(^3\text{P}) + \text{O}_2$	Sander et al. (2011)
J1001a	$\text{O}_3 \xrightarrow{h\nu} \text{O}(^1\text{D}) + \text{O}_2$	Sander et al. (2011)
J2101	$\text{H}_2\text{O}_2 \xrightarrow{h\nu} \text{OH} + \text{OH}$	Sander et al. (2011)
J3101	$\text{NO}_2 \xrightarrow{h\nu} \text{NO} + \text{O}$	Sander et al. (2011)
J3103a	$\text{NO}_3 \xrightarrow{h\nu} \text{NO}_2 + \text{O}$	Sander et al. (2011)
J3103b	$\text{NO}_3 \xrightarrow{h\nu} \text{NO} + \text{O}_2$	Sander et al. (2011)
J3104	$\text{N}_2\text{O}_5 \xrightarrow{h\nu} \text{NO}_2 + \text{NO}_3$	Sander et al. (2011)
J3201	$\text{HNO}_3 \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J3202	$\text{HNO}_4 \xrightarrow{h\nu} \text{products}$	Sander et al. (2011), IR overtones from Roehl et al. (2002)
J4204	$\text{PAN} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J3200	$\text{HONO} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J4100	$\text{CH}_3\text{OOH} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J4101a	$\text{HCHO} \xrightarrow{h\nu} \text{CO} + \text{H}_2$	Sander et al. (2011), quantum yields at 300 K and 1 atm
J4101b	$\text{HCHO} \xrightarrow{h\nu} \text{CHO} + \text{H}$	Sander et al. (2011), quantum yields at 300 K and 1 atm
J4202	$\text{CH}_3\text{CO}_3\text{H} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J4201	$\text{CH}_3\text{CHO} \xrightarrow{h\nu} \text{CH}_3 + \text{CHO}$	Sander et al. (2011)
J4301	$\text{CH}_3\text{COCH}_3 \xrightarrow{h\nu} \text{products}$	Hardcoded from old JVAL code. Pressure dependent.
J4303	$\text{MGlyOX} \xrightarrow{h\nu} \text{products}$	Hardcoded from old JVAL code. Pressure dependent.
J6201	$\text{HOCl} \xrightarrow{h\nu} \text{OH} + \text{Cl}$	Sander et al. (2011)
J6101	$\text{OCIO} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011), value at 204 K
J6100	$\text{Cl}_2\text{O}_2 \xrightarrow{h\nu} \text{Cl} + \text{ClO}_2$	Sander et al. (2011)
J6301a	$\text{ClNO}_3 \xrightarrow{h\nu} \text{Cl} + \text{NO}_3$	Sander et al. (2011)
J6300	$\text{ClNO}_2 \xrightarrow{h\nu} \text{products}$	Ghosh et al. (2012)
J6000	$\text{Cl}_2 \xrightarrow{h\nu} 2\text{Cl}$	Sander et al. (2011)
J7100	$\text{BrO} \xrightarrow{h\nu} \text{Br} + \text{O}$	Sander et al. (2011)
J7200	$\text{HOBr} \xrightarrow{h\nu} \text{OH} + \text{Br}$	Sander et al. (2011)
J7600	$\text{BrCl} \xrightarrow{h\nu} \text{Br} + \text{Cl}$	Sander et al. (2011), based on formula by Maric et al. (1994)
J7301	$\text{BrNO}_3 \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J7300	$\text{BrNO}_2 \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J7000	$\text{Br}_2 \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J6401	$\text{CCl}_4 \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J6400	$\text{CH}_3\text{Cl} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J6402	$\text{CH}_3\text{CCl}_3 \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J6500	$\text{CFCl}_3 \xrightarrow{h\nu} \text{products}$	Sander et al. (2011), formula for temperature-dependence from DeMore et al. (1997)
J6501	$\text{CF}_2\text{Cl}_2 \xrightarrow{h\nu} \text{products}$	Sander et al. (2011), formula for temperature-dependence from DeMore et al. (1997)
J7400	$\text{CH}_3\text{Br} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)

Table 1: Photolysis reactions (... continued)

#	reaction	reference for spectrum
J7601	$\text{CF}_2\text{ClBr} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J7500	$\text{CF}_3\text{Br} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J8401	$\text{CH}_3\text{I} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011), using data at 298 K, temperature dependence not considered
J8402	$\text{C}_3\text{H}_7\text{I} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J8403	$\text{CH}_2\text{ClI} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011), using data for 298 K, temperature dependence not considered
J8400	$\text{CH}_2\text{I}_2 \xrightarrow{h\nu} \text{products}$	Sander et al. (2011), using data for 298 K, temperature dependence not considered
J8100	$\text{IO} \xrightarrow{h\nu} \text{I} + \text{O}$	Sander et al. (2011)
J8200	$\text{HOI} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J8000	$\text{I}_2 \xrightarrow{h\nu} 2\text{I}$	Keller-Rudek et al. (2013), based on Sander et al. (2006)
J8600	$\text{ICl} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011), values shown as “< 1” in their Table 4H-10 were set to 0
J8700	$\text{IBr} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J8300	$\text{INO}_2 \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J8301	$\text{INO}_3 \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
	$\text{SO}_2 \xrightarrow{h\nu} \text{SO}_2^*$	Danielache et al. (2008), quantum yield for dissociation is unknown.
	$\text{SO}_3 \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J9000	$\text{OCS} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J2100	$\text{H}_2\text{O} \xrightarrow{h\nu} \text{H} + \text{OH}$	Sander et al. (2011)
J3100	$\text{N}_2\text{O} \xrightarrow{h\nu} \text{N}_2 + \text{O}(^1\text{D})$	Sander et al. (2011)
J3102	$\text{NO} \xrightarrow{h\nu} \text{N} + \text{O}$	Hardcoded from old JVAL code.
J4102	$\text{CO}_2 \xrightarrow{h\nu} \text{CO} + \text{O}$	Shemansky (1972), Lyman-alpha from Inn et al. (1953)
J6200	$\text{HCl} \xrightarrow{h\nu} \text{H} + \text{Cl}$	Sander et al. (2011)
J7603	$\text{CHCl}_2\text{Br} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J7604	$\text{CHClBr}_2 \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J7602	$\text{CH}_2\text{ClBr} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J7401	$\text{CH}_2\text{Br}_2 \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J7402	$\text{CHBr}_3 \xrightarrow{h\nu} \text{products}$	Sander et al. (2011), formula for temperature-dependence not only used for 290-340 nm but also for > 340 nm.
J9002	$\text{SF}_6 \xrightarrow{h\nu} \text{products}$	Lyman-alpha from Ravishankara et al. (1993)
J6301b	$\text{ClNO}_3 \xrightarrow{h\nu} \text{ClO} + \text{NO}_2$	Sander et al. (2011)
J4411	$\text{MACR} \xrightarrow{h\nu} \text{products}$	Hardcoded from old JVAL code. Pressure dependent.
J4401	$\text{MVK} \xrightarrow{h\nu} \text{products}$	Hardcoded from old JVAL code. Pressure dependent.
J4208	$\text{CHOCHO} \xrightarrow{h\nu} 2\text{CHO}$	Hardcoded from old JVAL code. Pressure dependent.
J4205	$\text{HOCH}_2\text{CHO} \xrightarrow{h\nu} \text{products}$	Sander et al. (2011)
J4103	$\text{CH}_4 \xrightarrow{h\nu} \text{products}$	Lyman-alpha from Fig. 1 of Turco (1975)
	$\text{H}_2\text{SO}_4 \xrightarrow{h\nu} \text{SO}_3 + \text{H}_2\text{O}$	Hardcoded from old JVAL code.

References

- Chabrillat, S. and Kockarts, G.: Simple parameterization of the absorption of the solar Lyman-alpha line, *Geophys. Res. Lett.*, 24, 2659–2662, 1997.
- Chabrillat, S. and Kockarts, G.: Correction to “Simple parameterization of the absorption of the solar Lyman-alpha line”, *Geophys. Res. Lett.*, 25, 79, 1998.
- Danielache, S. O., Eskebjerg, C., Johnson, M. S., Ueno, Y., and Yoshida, N.: High-precision spectroscopy of ^{32}S , ^{33}S , and ^{34}S sulfur dioxide: Ultraviolet absorption cross sections and isotope effects, *J. Geophys. Res.*, 113D, D17314, doi:10.1029/2007JD009695, 2008.
- DeMore, W. B., Sander, S. P., Golden, D. M., Hampson, R. F., Kurylo, M. J., Howard, C. J., Ravishankara, A. R., Kolb, C. E., and Molina, M. J.: Chemical kinetics and photochemical data for use in stratospheric modeling. Evaluation number 12, JPL Publication 97-4, Jet Propulsion Laboratory, Pasadena, CA, 1997.
- Ghosh, B., Papanastasiou, D. K., Talukdar, R. K., Roberts, J. M., and Burkholder, J. B.: Nitryl chloride (ClNO_2): UV/Vis absorption spectrum between 210 and 296 K and $\text{O}(^3\text{P})$ quantum yield at 193 and 248 nm, *J. Phys. Chem. A*, 116, 5796–5805, 2012.
- Inn, E. C. Y., Watanabe, K., and Zelikoff, M.: Absorption coefficients of gases in the vacuum ultraviolet. Part III. CO_2 , *J. Chem. Phys.*, 21, 1648–1650, 1953.
- Keller-Rudek, H., Moortgat, G. K., Sander, R., and Sörensen, R.: The MPI-Mainz UV/VIS spectral atlas of gaseous molecules of atmospheric interest, *Earth Syst. Sci. Data*, 5, 365–373, <http://www.earth-syst-sci-data.net/5/365>, 2013.
- Koppers, G. A. A. and Murtagh, D. P.: Model studies of the influence of O_2 photodissociation parameterizations in the Schumann-Runge bands on ozone related photolysis in the upper atmosphere, *Ann. Geophys.*, 14, 68–79, 1996.
- Maric, D., Burrows, J. P., and Moortgat, G. K.: A study of the UV-visible absorption spectra of Br_2 and BrCl , *J. Photochem. Photobiol. A: Chem.*, 83, 179–192, 1994.
- Ravishankara, A. R., Solomon, S., Turnipseed, A. A., and Warren, R. F.: Atmospheric lifetimes of long-lived halogenated species, *Science*, 259, 194–199, 1993.
- Roehl, C. M., Nizkorodov, S. A., Zhang, H., Blake, G. A., and Wennberg, P. O.: Photodissociation of peroxyxynitric acid in the near-IR, *J. Phys. Chem. A*, 106, 3766–3772, 2002.
- Sander, S. P., Friedl, R. R., Golden, D. M., Kurylo, M. J., Moortgat, G. K., Keller-Rudek, H., Wine, P. H., Ravishankara, A. R., Kolb, C. E., Molina, M. J., Finlayson-Pitts, B. J., Huie, R. E., and Orkin, V. L.: Chemical Kinetics and Photochemical Data for Use in Atmospheric Studies, Evaluation Number 15, JPL Publication 06-2, Jet Propulsion Laboratory, Pasadena, CA, <http://jpldataeval.jpl.nasa.gov>, 2006.
- Sander, S. P., Abbatt, J., Barker, J. R., Burkholder, J. B., Friedl, R. R., Golden, D. M., Huie, R. E., Kolb, C. E., Kurylo, M. J., Moortgat, G. K., Orkin, V. L., and Wine, P. H.: Chemical Kinetics and Photochemical Data for Use in Atmospheric Studies, Evaluation No. 17, JPL Publication 10-6, Jet Propulsion Laboratory, Pasadena, <http://jpldataeval.jpl.nasa.gov>, 2011.
- Shemansky, D. E.: CO_2 extinction coefficient 1700–3000 Å, *J. Chem. Phys.*, 56, 1582–1587, 1972.
- Turco, R. P.: Photodissociation rates in the atmosphere below 100 km, *Geophys. Surv.*, 2, 153–192, 1975.