Supplemental Material:

The Chemical Mechanism of MECCA

S. Gromov, P. Jöckel, R. Sander and
C.A.M. Brenninkmeijer

Correspondence to:
S. Gromov
Air Chemistry Department
Max Planck Institute for Chemistry
PO Box 3060, 55020 Mainz, Germany
sergey.gromov@mpic.de

This document is part of the electronic supplement of our article "A kinetic chemistry tagging technique and its application to modelling the stable isotopic composition of atmospheric trace gases." in Geosci. Model Dev. Disc. (2010), available at: http://www.geosci-model-dev-discuss.net

Date: 02/02/2010

The Chemical Mechanism of MECCA

KPP version: 2.2.1_rs3

MECCA version: 2.5

Date: February 2, 2010.

Selected reactions:
"((Tr || St) && G) && !Br && !I && !Hg && !Het"

Number of aerosol phases: 0

Number of species in selected mechanism:

Gas phase:	99
Aqueous phase:	0
All species:	99

Number of reactions in selected mechanism:

Gas phase (Gnnn):	406
Aqueous phase (Annn):	0
Henry (Hnnn):	0
Photolysis (Jnnn):	100
Heterogeneous (HETnnn):	0
Equilibria (EQnn):	0
Isotope exchange (IEXann):	7
Dummy (Dnn):	2
All equations:	515

Further information can be found in the article "Technical Note: The new comprehensive atmospheric chemistry module MECCA" by R. Sander et al. (Atmos. Chem. Phys. **5**, 445-450, 2005), available at http://www.atmos-chem-phys.net/5/445.

Table 1: Gas phase reactions

#	labels	reaction	rate coefficient	reference
G1000	StTrG	$O_2 + O(^1D) \rightarrow O(^3P) + O_2$	3.3E-11*EXP(55./temp)	Sander et al. (2006)
G1001	StTrG	$O_2 + O(^3P) \rightarrow O_3$	6.E-34*((temp/300.)**(-2.4))*cair	Sander et al. (2006)
G1002	StG	$O_3 + O(^1D) \rightarrow 2\ O_2$	1.2E-10	Sander et al. (2006)*
G1003	StG	$O_3 + O(^3P) \rightarrow 2\ O_2$	8.E-12*EXP(-2060./temp)	Sander et al. (2006)
G2100	StTrG	$H + O_2 \rightarrow HO_2$	k_3rd(temp,cair,4.4E-32,1.3,4.7E-11,0.2, 0.6)	Sander et al. (2006)
G2101	StG	$H + O_3 \rightarrow OH + O_2$	1.4E-10*EXP(-470./temp)	Sander et al. (2006)
G2102	StG	$H_2 + O(^1D) \rightarrow H + OH$	1.1E-10	Sander et al. (2006)
G2103	StG	$OH + O(^3P) \rightarrow H + O_2$	2.2E-11*EXP(120./temp)	Sander et al. (2006)
G2104	StTrG	$OH + O_3 \rightarrow HO_2 + O_2$ O isotope transfer: $OH \rightarrow 0.5\ HO_2$ O isotope transfer: $O_3 \rightarrow 0.5\ HO_2 + O_2$	1.7E-12*EXP(-940./temp)	Sander et al. (2006)
G2105	StTrG	$OH + H_2 \rightarrow H_2O + H$	2.8E-12*EXP(-1800./temp)	Sander et al. (2006)
G2106	StG	$HO_2 + O(^3P) \rightarrow OH + O_2$ O isotope transfer: $HO_2 \rightarrow OH + 0.5\ O_2$ O isotope transfer: $O(^3P) \rightarrow 0.5\ O_2$	3.E-11*EXP(200./temp)	Sander et al. (2006)
G2107	StTrG	$HO_2 + O_3 \rightarrow OH + 2\ O_2$ O isotope transfer: $HO_2 \rightarrow OH + 0.25\ O_2$ O isotope transfer: $O_3 \rightarrow 0.75\ O_2$	1.E-14*EXP(-490./temp)	Sander et al. (2006)
G2108a	StG	$HO_2 + H \rightarrow 2\ OH$	7.2E-11	Sander et al. (2006)
G2108b	StG	$HO_2 + H \rightarrow H_2 + O_2$	6.9E-12	Sander et al. (2006)
G2108c	StG	$HO_2 + H \rightarrow O(^3P) + H_2O$	1.6E-12	Sander et al. (2006)
G2109	StTrG	$HO_2 + OH \rightarrow H_2O + O_2$ O isotope transfer: $OH \rightarrow H_2O$ O isotope transfer: $HO_2 \rightarrow O_2$	4.8E-11*EXP(250./temp)	Sander et al. (2006)
G2110	StTrG	$HO_2 + HO_2 \rightarrow H_2O_2 + O_2$	k_HO2_HO2	Christensen et al. (2002), Kircher and Sander (1984)*
G2111	StTrG	$H_2O + O(^1D) \rightarrow 2\ OH$	1.63E-10*EXP(60./temp)	Sander et al. (2006)
G2112	StTrG	$H_2O_2 + OH \rightarrow H_2O + HO_2$ O isotope transfer: $OH \rightarrow H_2O$ O isotope transfer: $H_2O_2 \rightarrow HO_2$	1.8E-12	Sander et al. (2006)

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
G3100	StGN	$N + O_2 \rightarrow NO + O(^3P)$	1.5E-11*EXP(-3600./temp)	Sander et al. (2006)
G3101	StTrG	$N_2 + O(^1D) \rightarrow O(^3P) + N_2$	2.15E-11*EXP(110./temp)	Sander et al. (2006)
G3102a	StGN	$N_2O + O(^1D) \rightarrow 2\ NO$	6.7E-11*EXP(20./temp)	Sander et al. (2006)
G3102b	StGN	$N_2O + O(^1D) \rightarrow N_2 + O_2$	4.7E-11*EXP(20./temp)	Sander et al. (2006)
G3103	StTrGN	$NO + O_3 \rightarrow NO_2 + O_2$	3.E-12*EXP(-1500./temp)	Sander et al. (2006)
		O isotope transfer: $O_3 \rightarrow O_2 + 0.5\ NO_2$		
		O isotope transfer: $NO \rightarrow 0.5\ NO_2$		
G3104	StGN	$NO + N \rightarrow O(^3P) + N_2$	2.1E-11*EXP(100./temp)	Sander et al. (2006)
G3105	StGN	$NO_2 + O(^3P) \rightarrow NO + O_2$	5.1E-12*EXP(210./temp)	Sander et al. (2006)
		O isotope transfer: $NO_2 \rightarrow NO + 0.5\ O_2$		
		O isotope transfer: $O(^3P) \rightarrow 0.5\ O_2$		
G3106	StTrGN	$NO_2 + O_3 \rightarrow NO_3 + O_2$	1.2E-13*EXP(-2450./temp)	Sander et al. (2006)
		O isotope transfer: $NO_2 \rightarrow 0.667\ NO_3$		
		O isotope transfer: $O_3 \rightarrow 0.333\ NO_3 + O_2$		
G3107	StGN	$NO_2 + N \rightarrow N_2O + O(^3P)$	5.8E-12*EXP(220./temp)	Sander et al. (2006)
G3108	StTrGN	$NO_3 + NO \rightarrow 2\ NO_2$	1.5E-11*EXP(170./temp)	Sander et al. (2006)
G3109	StTrGN	$NO_3 + NO_2 \rightarrow N_2O_5$	k_NO3_NO2	Sander et al. (2006)*
G3110	StTrGN	$N_2O_5 \rightarrow NO_2 + NO_3$	k_NO3_NO2/(2.7E-27*EXP(11000./temp))	Sander et al. (2006)*
G3200	TrGN	$NO + OH \rightarrow HONO$	k_3rd(temp,cair,7.0E-31,2.6,3.6E-11,0.1, 0.6)	Sander et al. (2006)
G3201	StTrGN	$NO + HO_2 \rightarrow NO_2 + OH$	3.5E-12*EXP(250./temp)	Sander et al. (2006)
		O isotope transfer: $NO \rightarrow 0.5\ NO_2$		
		O isotope transfer: $HO_2 \rightarrow 0.5\ NO_2 + OH$		
G3202	StTrGN	$NO_2 + OH \rightarrow HNO_3$	k_3rd(temp,cair,1.8E-30,3.0,2.8E-11,0.,0.6)	Sander et al. (2006)
G3203	StTrGN	$NO_2 + HO_2 \rightarrow HNO_4$	k_NO2_HO2	Sander et al. (2006)*
G3204	TrGN	$NO_3 + HO_2 \rightarrow NO_2 + OH + O_2$	3.5E-12	Sander et al. (2006)
		O isotope transfer: $NO_3 \rightarrow NO_2 + OH$		
		O isotope transfer: $HO_2 \rightarrow O_2$		
G3205	TrGN	$HONO + OH \rightarrow NO_2 + H_2O$	1.8E-11*EXP(-390./temp)	Sander et al. (2006)
		O isotope transfer: $HONO \rightarrow NO_2$		
		O isotope transfer: $OH \rightarrow H_2O$		

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
G3206	StTrGN	$HNO_3 + OH \rightarrow H_2O + NO_3$	k_HNO3_OH	Sander et al. (2006)*
		O isotope transfer: $HNO_3 \rightarrow NO_3$		
		O isotope transfer: $OH \rightarrow H_2O$		
G3207	StTrGN	$HNO_4 \rightarrow NO_2 + HO_2$	k_NO2_HO2/(2.1E-27*EXP(10900./temp))	Sander et al. (2006)*
G3208	StTrGN	$HNO_4 + OH \rightarrow NO_2 + H_2O$	1.3E-12*EXP(380./temp)	Sander et al. (2006)
		O isotope transfer: $HNO_4 \rightarrow NO_2 + O_2$		
		O isotope transfer: $OH \rightarrow H_2O$		
G4100	StG	$CH_4 + O(^1D) \rightarrow 0.75\ CH_3O_2 + 0.75\ OH + 0.25\ HCHO + 0.4\ H + 0.05\ H_2$	1.5E-10	Sander et al. (2006)
		O isotope transfer: $O_2 \rightarrow CH_3O_2$		
		O isotope transfer: $O(^1D) \rightarrow OH + HCHO$		
G4101	StTrG	$CH_4 + OH \rightarrow CH_3O_2 + H_2O$	1.85E-20*EXP(2.82*log(temp)-987./temp)	Atkinson (2003)*
		O isotope transfer: $O_2 \rightarrow CH_3O_2$		
		O isotope transfer: $OH \rightarrow H_2O$		
G4102	TrG	$CH_3OH + OH \rightarrow HCHO + HO_2$	2.9E-12*EXP(-345./temp)	Sander et al. (2006)
G4103	StTrG	$CH_3O_2 + HO_2 \rightarrow CH_3OOH + O_2$	4.1E-13*EXP(750./temp)	Sander et al. (2006)*
G4104	StTrGN	$CH_3O_2 + NO \rightarrow HCHO + NO_2 + HO_2$	2.8E-12*EXP(300./temp)	Sander et al. (2006)
		O isotope transfer: $CH_3O_2 \rightarrow 0.5\ NO_2 + HCHO$		
		O isotope transfer: $NO \rightarrow 0.5\ NO_2$		
		O isotope transfer: $O_2 \rightarrow HO_2$		
G4105	TrGN	$CH_3O_2 + NO_3 \rightarrow HCHO + HO_2 + NO_2$	1.3E-12	Atkinson et al. (1999)
		O isotope transfer: $CH_3O_2 \rightarrow 0.5\ NO_2 + HCHO$		
		O isotope transfer: $NO_3 \rightarrow 0.5\ NO_2 + HO_2$		
G4106a	StTrG	$CH_3O_2 + CH_3O_2 \rightarrow 2\ HCHO + 2\ HO_2$	9.5E-14*EXP(390./temp)/(1.+1./26.2*EXP(1130./temp))	Sander et al. (2006)
G4106b	StTrG	$CH_3O_2 + CH_3O_2 \rightarrow HCHO + CH_3OH + O_2$	9.5E-14*EXP(390./temp)/(1.+26.2*EXP(-1130./temp))	Sander et al. (2006)
G4107	StTrG	$CH_3OOH + OH \rightarrow 0.7\ CH_3O_2 + 0.3\ HCHO + 0.3\ OH + H_2O$	k_CH3OOH_OH	Sander et al. (2006)*
		O isotope transfer: $CH_3OOH \rightarrow CH_3O_2 + HCHO + OH$		
		O isotope transfer: $OH \rightarrow H_2O$		
G4108	StTrG	$HCHO + OH \rightarrow CO + H_2O + HO_2$	9.52E-18*EXP(2.03*log(temp)+636./temp)	Sivakumaran et al. (2003)

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
		O isotope transfer: HCHO → CO		
		O isotope transfer: OH → H_2O		
		O isotope transfer: O_2 → HO_2		
G4109	TrGN	HCHO + NO_3 → HNO_3 + CO + HO_2	3.4E-13*EXP(-1900./temp)	Sander et al. (2006)*
G4110	StTrG	CO + OH → H + CO_2	1.57E-13 + cair*3.54E-33	McCabe et al. (2001)
G4111	TrG	HCOOH + OH → HO_2	4.0E-13	Sander et al. (2006)
G4200	TrGC	C_2H_6 + OH → $C_2H_5O_2$ + H_2O	1.49E-17*temp*temp*EXP(-499./temp)	Atkinson (2003)
		O isotope transfer: OH → H_2O		
		O isotope transfer: O_2 → $C_2H_5O_2$		
G4201	TrGC	C_2H_4 + O_3 → HCHO + 0.22 HO_2 + 0.12 OH + 0.23 CO + 0.54 HCOOH + 0.1 H_2	1.2E-14*EXP(-2630./temp)	Sander et al. (2006)*
		O isotope transfer: O_3 → HCHO + OH + CO + 0.5 HCOOH + CO_2 + 0.5 H_2O_2		
		O isotope transfer: O_2 → HO_2		
		O isotope transfer: H_2O → 0.5 HCOOH + 0.5 H_2O_2		
G4202	TrGC	C_2H_4 + OH → 0.6666667 $CH_3CH(O_2)CH_2OH$	k_3rd(temp,cair,1.0E-28,4.5,8.8E-12,0.85, 0.6)	Sander et al. (2006)
		O isotope transfer: O_2 → $CH_3CH(O_2)CH_2OH$		
G4203	TrGC	$C_2H_5O_2$ + HO_2 → C_2H_5OOH	7.5E-13*EXP(700./temp)	Sander et al. (2006)
		O isotope transfer: $C_2H_5O_2$ → C_2H_5OOH		
		O isotope transfer: HO_2 → O_2		
G4204	TrGNC	$C_2H_5O_2$ + NO → CH_3CHO + HO_2 + NO_2	2.6E-12*EXP(365./temp)	Sander et al. (2006)
		O isotope transfer: $C_2H_5O_2$ → 0.5 NO_2 + CH_3CHO		
		O isotope transfer: NO → 0.5 NO_2		
		O isotope transfer: O_2 → HO_2		
G4205	TrGNC	$C_2H_5O_2$ + NO_3 → CH_3CHO + HO_2 + NO_2	2.3E-12	Atkinson et al. (1999)
		O isotope transfer: $C_2H_5O_2$ → CH_3CHO + 0.5 O_2		
		O isotope transfer: NO_3 → NO_2 + 0.5 O_2		
		O isotope transfer: O_2 → HO_2		
G4206	TrGC	$C_2H_5O_2$ + CH_3O_2 → 0.75 HCHO + HO_2 + 0.75 CH_3CHO + 0.25 CH_3OH	1.6E-13*EXP(195./temp)	see note

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
		O isotope transfer: $C_2H_5O_2 \rightarrow CH_3CHO + 0.5\ O_2$		
		O isotope transfer: $CH_3O_2 \rightarrow HCHO + CH_3OH + 0.5\ O_2$		
		O isotope transfer: $O_2 \rightarrow HO_2$		
		C isotope transfer: $C_2H_5O_2 \rightarrow CH_3CHO$		
		C isotope transfer: $CH_3O_2 \rightarrow HCHO + CH_3OH$		
G4207	TrGC	$C_2H_5OOH + OH \rightarrow 0.3\ C_2H_5O_2 + 0.7\ CH_3CHO + 0.7\ OH$	k_CH3OOH_OH	see note
		O isotope transfer: $C_2H_5OOH \rightarrow C_2H_5O_2 + CH_3CHO + OH$		
		O isotope transfer: $OH \rightarrow H_2O$		
G4208	TrGC	$CH_3CHO + OH \rightarrow CH_3C(O)OO + H_2O$	4.4E-12*EXP(365./temp)	Atkinson et al. (2006)
		O isotope transfer: $OH \rightarrow H_2O$		
		O isotope transfer: $CH_3CHO \rightarrow 0.333\ CH_3C(O)OO$		
		O isotope transfer: $O_2 \rightarrow 0.667\ CH_3C(O)OO$		
G4209	TrGNC	$CH_3CHO + NO_3 \rightarrow CH_3C(O)OO + HNO_3$	1.4E-12*EXP(-1900./temp)	Sander et al. (2006)
		O isotope transfer: $NO_3 \rightarrow HNO_3$		
		O isotope transfer: $CH_3CHO \rightarrow 0.333\ CH_3C(O)OO$		
		O isotope transfer: $O_2 \rightarrow 0.667\ CH_3C(O)OO$		
G4210	TrGC	$CH_3COOH + OH \rightarrow CH_3O_2 + CO_2 + H_2O$	4.2E-14*EXP(855./temp)	Atkinson et al. (2006)
		O isotope transfer: $CH_3COOH \rightarrow CO_2$		
		O isotope transfer: $OH \rightarrow H_2O$		
		O isotope transfer: $O_2 \rightarrow CH_3O_2$		
G4211a	TrGC	$CH_3C(O)OO + HO_2 \rightarrow CH_3C(O)OOH$	4.3E-13*EXP(1040./temp)/(1.+1./37.*EXP(660./temp))	Tyndall et al. (2001)
		O isotope transfer: $CH_3C(O)OO \rightarrow CH_3C(O)OOH$		
		O isotope transfer: $HO_2 \rightarrow O_2$		
G4211b	TrGC	$CH_3C(O)OO + HO_2 \rightarrow CH_3COOH + O_3$	4.3E-13*EXP(1040./temp)/(1.+37.*EXP(-660./temp))	Tyndall et al. (2001)
		O isotope transfer: $HO_2 \rightarrow 0.667\ O_3$		
		O isotope transfer: $CH_3C(O)OO \rightarrow 0.333\ O_3 + CH_3COOH$		
G4212	TrGNC	$CH_3C(O)OO + NO \rightarrow CH_3O_2 + NO_2$	8.1E-12*EXP(270./temp)	Tyndall et al. (2001)
		O isotope transfer: $CH_3C(O)OO \rightarrow 0.5\ NO_2 + CO_2$		
		O isotope transfer: $NO \rightarrow 0.5\ NO_2$		

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
		O isotope transfer: $O_2 \rightarrow CH_3O_2$		
G4213	TrGNC	$CH_3C(O)OO + NO_2 \rightarrow PAN$	k_PA_NO2	Sander et al. (2006)
G4214	TrGNC	$CH_3C(O)OO + NO_3 \rightarrow CH_3O_2 + NO_2$	4.E-12	Canosa-Mas et al. (1996)
		O isotope transfer: $CH_3C(O)OO \rightarrow CO_2 + 0.5\ O_2$		
		O isotope transfer: $NO_3 \rightarrow NO_2 + 0.5\ O_2$		
		O isotope transfer: $O_2 \rightarrow CH_3O_2$		
G4215a	TrGC	$CH_3C(O)OO + CH_3O_2 \rightarrow HCHO + HO_2 + CH_3O_2 + CO_2$	0.9*2.E-12*EXP(500./temp)	Sander et al. (2006)
		O isotope transfer: $CH_3C(O)OO \rightarrow CO_2$		
		O isotope transfer: $CH_3O_2 \rightarrow HCHO$		
		O isotope transfer: $O_2 \rightarrow CH_3O_2 + HO_2$		
		C isotope transfer: $CH_3C(O)OO \rightarrow CH_3O_2 + CO_2$		
		C isotope transfer: $CH_3O_2 \rightarrow HCHO$		
G4215b	TrGC	$CH_3C(O)OO + CH_3O_2 \rightarrow CH_3COOH + HCHO$	0.1*2.E-12*EXP(500./temp)	Sander et al. (2006)
		O isotope transfer: $CH_3C(O)OO \rightarrow CH_3COOH$		
		O isotope transfer: $CH_3O_2 \rightarrow HCHO$		
		C isotope transfer: $CH_3C(O)OO \rightarrow CH_3COOH$		
		C isotope transfer: $CH_3O_2 \rightarrow HCHO$		
G4216	TrGC	$CH_3C(O)OO + C_2H_5O_2 \rightarrow 0.82\ CH_3O_2 + CH_3CHO + 0.82\ HO_2 + 0.18\ CH_3COOH$	4.9E-12*EXP(211./temp)	Atkinson et al. (1999), Kirchner and Stockwell (1996)*
		O isotope transfer: $CH_3C(O)OO \rightarrow CH_3COOH + CH_3O_2 + 0.5\ CO_2$		
		O isotope transfer: $C_2H_5O_2 \rightarrow CH_3CHO + 0.5\ CO_2$		
		O isotope transfer: $O_2 \rightarrow HO_2$		
		C isotope transfer: $CH_3C(O)OO \rightarrow CH_3COOH + CH_3O_2 + CO_2$		
		C isotope transfer: $C_2H_5O_2 \rightarrow CH_3CHO$		
G4217	TrGC	$CH_3C(O)OO + CH_3C(O)OO \rightarrow 2\ CH_3O_2 + 2\ CO_2 + O_2$	2.5E-12*EXP(500./temp)	Tyndall et al. (2001)
G4218	TrGC	$CH_3C(O)OOH + OH \rightarrow CH_3C(O)OO$	k_CH3OOH_OH	see note
		O isotope transfer: $CH_3C(O)OOH \rightarrow CH_3C(O)OO$		
		O isotope transfer: $OH \rightarrow H_2O$		
G4219	TrGNC	$NACA + OH \rightarrow NO_2 + HCHO + CO$	5.6E-12*EXP(270./temp)	see note

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
		O isotope transfer: NACA → NO_2 + HCHO + CO		
		O isotope transfer: OH → H_2O		
G4220	TrGNC	PAN + OH → HCHO + NO_2	2.E-14	see note
		O isotope transfer: PAN → HCHO + NO_2 + CO		
		O isotope transfer: OH → H_2O		
G4221	TrGNC	PAN → $CH_3C(O)OO$ + NO_2	k_PAN_M	Sander et al. (2006)*
G4300	TrGC	C_3H_8 + OH → 0.82 $C_3H_7O_2$ + 0.18 $C_2H_5O_2$ + H_2O	1.65E-17*temp*temp*EXP(-87./temp)	Atkinson (2003)
		O isotope transfer: OH → H_2O		
		O isotope transfer: O_2 → $C_3H_7O_2$ + $C_2H_5O_2$		
G4301	TrGC	C_3H_6 + O_3 → 0.57 HCHO + 0.47 CH_3CHO + 0.33 OH + 0.26 HO_2 + 0.07 CH_3O_2 + 0.06 $C_2H_5O_2$ + 0.23 $CH_3C(O)OO$ + 0.04 CH_3COCHO + 0.06 CH_4 + 0.31 CO + 0.22 HCOOH + 0.03 CH_3OH	6.5E-15*EXP(-1900./temp)	Sander et al. (2006)*
		O isotope transfer: O_3 → HCHO + CH_3CHO + OH + 0.5 $C_2H_5O_2$ + 0.333 $CH_3C(O)OO$ + 0.5 CH_3COCHO + CO + 0.5 HCOOH		
		O isotope transfer: O_2 → HO_2 + 0.5 $C_2H_5O_2$ + 0.667 $CH_3C(O)OO$ + 0.5 CH_3COCHO + CH_3O_2 + CH_3OH		
		O isotope transfer: H_2O → 0.5 HCOOH		
G4302	TrGC	C_3H_6 + OH → $CH_3CH(O_2)CH_2OH$	k_3rd(temp,cair,8.E-27,3.5,3.E-11,0.,0.5)	Atkinson et al. (1999)
		O isotope transfer: O_2 → $CH_3CH(O_2)CH_2OH$		
G4303	TrGNC	C_3H_6 + NO_3 → ONIT	4.6E-13*EXP(-1155./temp)	Atkinson et al. (1999)
G4304	TrGC	$C_3H_7O_2$ + HO_2 → C_3H_7OOH	k_PrO2_HO2	Atkinson (1997)*
		O isotope transfer: $C_3H_7O_2$ → C_3H_7OOH		
		O isotope transfer: HO_2 → O_2		
G4305	TrGNC	$C_3H_7O_2$ + NO → 0.96 CH_3COCH_3 + 0.96 HO_2 + 0.96 NO_2 + 0.04 $C_3H_7ONO_2$	k_PrO2_NO	Atkinson et al. (1999)*
		O isotope transfer: $C_3H_7O_2$ → 0.5 NO_2 + $C_3H_7ONO_2$ + CH_3COCH_3		
		O isotope transfer: NO → 0.5 NO_2		
		O isotope transfer: O_2 → HO_2		

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
G4306	TrGC	$C_3H_7O_2$ + CH_3O_2 → CH_3COCH_3 + 0.8 HCHO + 0.8 HO_2 + 0.2 CH_3OH O isotope transfer: $C_3H_7O_2$ → CH_3COCH_3 O isotope transfer: CH_3O_2 → HCHO + CH_3OH O isotope transfer: O_2 → HO_2 C isotope transfer: $C_3H_7O_2$ → CH_3COCH_3 C isotope transfer: CH_3O_2 → HCHO + CH_3OH	k_PrO2_CH3O2	Kirchner and Stockwell (1996)
G4307	TrGC	C_3H_7OOH + OH → 0.3 $C_3H_7O_2$ + 0.7 CH_3COCH_3 + 0.7 OH O isotope transfer: C_3H_7OOH → $C_3H_7O_2$ + CH_3COCH_3 + OH O isotope transfer: OH → H_2O	k_CH3OOH_OH	see note
G4308	TrGC	$CH_3CH(O_2)CH_2OH$ + HO_2 → $CH_3CH(OOH)CH_2OH$ O isotope transfer: $CH_3CH(O_2)CH_2OH$ → $CH_3CH(OOH)CH_2OH$ O isotope transfer: HO_2 → O_2	6.5E-13*EXP(650./temp)	Müller and Brasseur (1995)
G4309	TrGNC	$CH_3CH(O_2)CH_2OH$ + NO → 0.98 CH_3CHO + 0.98 HCHO + 0.98 HO_2 + 0.98 NO_2 + 0.02 ONIT O isotope transfer: $CH_3CH(O_2)CH_2OH$ → 0.5 NO_2 + CH_3CHO + HCHO + ONIT O isotope transfer: NO → 0.5 NO_2 O isotope transfer: O_2 → HO_2	4.2E-12*EXP(180./temp)	Müller and Brasseur (1995)*
G4310	TrGC	$CH_3CH(OOH)CH_2OH$ + OH → 0.5 $CH_3CH(O_2)CH_2OH$ + 0.5 CH_3COCH_2OH + 0.5 OH + H_2O O isotope transfer: $CH_3CH(OOH)CH_2OH$ → $CH_3CH(O_2)CH_2OH$ + CH_3COCH_2OH + OH O isotope transfer: OH → H_2O	3.8E-12*EXP(200./temp)	Müller and Brasseur (1995)
G4311	TrGC	CH_3COCH_3 + OH → $CH_3COCH_2O_2$ + H_2O O isotope transfer: CH_3COCH_3 → 0.333 $CH_3COCH_2O_2$ O isotope transfer: O_2 → 0.667 $CH_3COCH_2O_2$ O isotope transfer: OH → H_2O	1.33E-13+3.82E-11*EXP(-2000./temp)	Sander et al. (2006)
G4312	TrGC	$CH_3COCH_2O_2$ + HO_2 → $CH_3COCH_2O_2H$ O isotope transfer: $CH_3COCH_2O_2$ → $CH_3COCH_2O_2H$	8.6E-13*EXP(700./temp)	Tyndall et al. (2001)

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
		O isotope transfer: $HO_2 \rightarrow O_2$		
G4313	TrGNC	$CH_3COCH_2O_2 + NO \rightarrow NO_2 + CH_3C(O)OO + HCHO$	2.9E-12*EXP(300./temp)	Sander et al. (2006)
		O isotope transfer: $CH_3COCH_2O_2 \rightarrow 0.5\ NO_2 + HCHO + 0.333\ CH_3C(O)OO$		
		O isotope transfer: $NO \rightarrow 0.5\ NO_2$		
		O isotope transfer: $O_2 \rightarrow 0.667\ CH_3C(O)OO$		
G4314	TrGC	$CH_3COCH_2O_2 + CH_3O_2 \rightarrow 0.5\ CH_3COCHO + 0.5\ CH_3OH + 0.3\ CH_3C(O)OO + 0.8\ HCHO + 0.3\ HO_2 + 0.2\ CH_3COCH_2OH$	7.5E-13*EXP(500./temp)	Tyndall et al. (2001)
		O isotope transfer: $CH_3COCH_2O_2 \rightarrow CH_3COCHO + 0.333\ CH_3C(O)OO + 0.3\ HCHO + CH_3COCH_2OH$		
		O isotope transfer: $CH_3O_2 \rightarrow CH_3OH + 0.5\ HCHO$		
		O isotope transfer: $O_2 \rightarrow 0.667\ CH_3C(O)OO + HO_2$		
		C isotope transfer: $CH_3COCH_2O_2 \rightarrow CH_3COCHO + CH_3C(O)OO + HCHO + CH_3COCH_2OH$		
		C isotope transfer: $CH_3O_2 \rightarrow CH_3OH$		
G4315	TrGC	$CH_3COCH_2O_2H + OH \rightarrow 0.3\ CH_3COCH_2O_2 + 0.7\ CH_3COCHO + 0.7\ OH$	k_CH3OOH_OH	see note
		O isotope transfer: $CH_3COCH_2O_2H \rightarrow CH_3COCH_2O_2 + CH_3COCHO + OH$		
		O isotope transfer: $OH \rightarrow H_2O$		
G4316	TrGC	$CH_3COCH_2OH + OH \rightarrow CH_3COCHO + HO_2$	2.15E-12*EXP(305./temp)	Dillon et al. (2006)
		O isotope transfer: $CH_3COCH_2OH \rightarrow CH_3COCHO$		
		O isotope transfer: $O_2 \rightarrow HO_2$		
		O isotope transfer: $OH \rightarrow H_2O$		
G4317	TrGC	$CH_3COCHO + OH \rightarrow CH_3C(O)OO + CO$	8.4E-13*EXP(830./temp)	Tyndall et al. (1995)
		O isotope transfer: $CH_3COCHO \rightarrow 0.333\ CH_3C(O)OO + CO$		
		O isotope transfer: $O_2 \rightarrow 0.667\ CH_3C(O)OO$		
		O isotope transfer: $OH \rightarrow H_2O$		
G4318	TrGNC	$MPAN + OH \rightarrow CH_3COCH_2OH + NO_2$	3.2E-11	Orlando et al. (2002)
		O isotope transfer: $MPAN \rightarrow CH_3COCH_2OH + NO_2$		
		O isotope transfer: $OH \rightarrow H_2O$		

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
G4319	TrGNC	MPAN → MVKO2 + NO_2	k_PAN_M	see note
G4320	TrGNC	$C_3H_7ONO_2$ + OH → CH_3COCH_3 + NO_2 O isotope transfer: $C_3H_7ONO_2$ → CH_3COCH_3 + NO_2 O isotope transfer: OH → H_2O	6.2E-13*EXP(-230./temp)	Atkinson et al. (1999)
G4400	TrGC	C_4H_{10} + OH → $C_4H_9O_2$ + H_2O O isotope transfer: O_2 → $C_4H_9O_2$ O isotope transfer: OH → H_2O	1.81E-17*temp*temp*EXP(114./temp)	Atkinson (2003)
G4401	TrGC	$C_4H_9O_2$ + CH_3O_2 → 0.88 $CH_3COC_2H_5$ + 0.68 HCHO + 1.23 HO_2 + 0.12 CH_3CHO + 0.12 $C_2H_5O_2$ + 0.18 CH_3OH O isotope transfer: $C_4H_9O_2$ → $CH_3COC_2H_5$ + CH_3CHO + $C_2H_5O_2$ O isotope transfer: CH_3O_2 → HCHO + CH_3OH O isotope transfer: O_2 → HO_2 C isotope transfer: $C_4H_9O_2$ → $CH_3COC_2H_5$ + CH_3CHO + $C_2H_5O_2$ C isotope transfer: CH_3O_2 → HCHO + CH_3OH	k_PrO2_CH3O2	see note
G4402	TrGC	$C_4H_9O_2$ + HO_2 → C_4H_9OOH O isotope transfer: $C_4H_9O_2$ → C_4H_9OOH O isotope transfer: HO_2 → O_2	k_PrO2_HO2	see note
G4403	TrGNC	$C_4H_9O_2$ + NO → 0.84 NO_2 + 0.56 $CH_3COC_2H_5$ + 0.56 HO_2 + 0.28 $C_2H_5O_2$ + 0.84 CH_3CHO + 0.16 ONIT O isotope transfer: $C_4H_9O_2$ → 0.5 NO_2 + $CH_3COC_2H_5$ + CH_3CHO + 0.667 ONIT O isotope transfer: NO → 0.5 NO_2 + 0.333 ONIT O isotope transfer: O_2 → HO_2 + $C_2H_5O_2$	k_PrO2_NO	see note
G4404	TrGC	C_4H_9OOH + OH → 0.15 $C_4H_9O_2$ + 0.85 $CH_3COC_2H_5$ + 0.85 OH + 0.85 H_2O O isotope transfer: C_4H_9OOH → $C_4H_9O_2$ + $CH_3COC_2H_5$ + OH O isotope transfer: OH → H_2O	k_CH3OOH_OH	see note

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
G4405	TrGC	MVK + O_3 → 0.45 HCOOH + 0.9 CH_3COCHO + 0.1 $CH_3C(O)OO$ + 0.19 OH + 0.22 CO + 0.32 HO_2 O isotope transfer: MVK → 0.5 CH_3COCHO + 0.333 $CH_3C(O)OO$ O isotope transfer: O_3 → 0.5 CH_3COCHO + 0.5 HCOOH + OH + CO O isotope transfer: O_2 → HO_2 + 0.667 $CH_3C(O)OO$ O isotope transfer: H_2O → 0.5 HCOOH	.5*(1.36E-15*EXP(-2112./temp) +7.51E-16*EXP(-1521./temp))	Pöschl et al. (2000)
G4406	TrGC	MVK + OH → MVKO2 O isotope transfer: MVK → 0.25 MVKO2 O isotope transfer: OH → 0.25 MVKO2 O isotope transfer: O_2 → 0.5 MVKO2	.5*(4.1E-12*EXP(452./temp)+1.9E-11*EXP(175./ temp))	Pöschl et al. (2000)
G4407	TrGC	MVKO2 + HO_2 → MVKOOH O isotope transfer: MVKO2 → MVKOOH O isotope transfer: HO_2 → O_2	1.82E-13*EXP(1300./temp)	Pöschl et al. (2000)
G4408	TrGNC	MVKO2 + NO → NO_2 + 0.25 $CH_3C(O)OO$ + 0.25 CH_3COCH_2OH + 0.75 HCHO + 0.25 CO + 0.75 HO_2 + 0.5 CH_3COCHO O isotope transfer: MVKO2 → 0.5 NO_2 + 0.333 $CH_3C(O)OO$ + CH_3COCH_2OH + HCHO + CO + CH_3COCHO O isotope transfer: NO → 0.5 NO_2 O isotope transfer: O_2 → HO_2 + 0.667 $CH_3C(O)OO$	2.54E-12*EXP(360./temp)	Pöschl et al. (2000)
G4409	TrGNC	MVKO2 + NO_2 → MPAN O isotope transfer: MVKO2 → 0.8 MPAN O isotope transfer: NO_2 → 0.2 MPAN	.25*k_3rd(temp,cair,9.7E-29,5.6,9.3E-12, 1.5,0.6)	Pöschl et al. (2000)*
G4410	TrGC	MVKO2 + CH_3O_2 → 0.5 CH_3COCHO + 0.375 CH_3COCH_2OH + 0.125 $CH_3C(O)OO$ + 1.125 HCHO + 0.875 HO_2 + 0.125 CO + 0.25 CH_3OH	2.E-12	von Kuhlmann (2001)

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
		O isotope transfer: MVKO2 → CH_3COCHO + CH_3COCH_2OH		
		+ 0.333 $CH_3C(O)OO$ + 0.778 HCHO + CO		
		O isotope transfer: CH_3O_2 → 0.222 HCHO + CH_3OH		
		O isotope transfer: O_2 → 0.667 $CH_3C(O)OO$ + HO_2		
		C isotope transfer: MVKO2 → CH_3COCHO + CH_3COCH_2OH		
		+ $CH_3C(O)OO$ + 0.778 HCHO + CO		
		C isotope transfer: CH_3O_2 → 0.222 HCHO + CH_3OH		
G4411	TrGC	MVKO2 + MVKO2 → CH_3COCH_2OH + CH_3COCHO + 0.5	2.E-12	Pöschl et al. (2000)
		CO + 0.5 HCHO + HO_2		
G4412	TrGC	MVKOOH + OH → MVKO2	3.E-11	Pöschl et al. (2000)
		O isotope transfer: MVKOOH → MVKO2		
		O isotope transfer: OH → H_2O		
G4413	TrGC	$CH_3COC_2H_5$ + OH → MEKO2	1.3E-12*EXP(-25./temp)	Atkinson et al. (1999)
		O isotope transfer: $CH_3COC_2H_5$ → 0.333 MEKO2		
		O isotope transfer: OH → H_2O		
		O isotope transfer: O_2 → 0.667 MEKO2		
G4414	TrGC	MEKO2 + HO_2 → MEKOOH	k_PrO2_HO2	see note
		O isotope transfer: MEKO2 → MEKOOH		
		O isotope transfer: HO_2 → O_2		
G4415	TrGNC	MEKO2 + NO → 0.985 CH_3CHO + 0.985 $CH_3C(O)OO$ + 0.985	k_PrO2_NO	see note
		NO_2 + 0.015 ONIT		
		O isotope transfer: MEKO2 → 0.5 NO_2 + CH_3CHO + 0.333		
		$CH_3C(O)OO$ + 0.75 ONIT		
		O isotope transfer: NO → 0.5 NO_2 + 0.25 ONIT		
		O isotope transfer: O_2 → 0.667 $CH_3C(O)OO$		
G4416	TrGC	MEKOOH + OH → 0.8 MeCOCO + 0.8 OH + 0.2 MEKO2	k_CH3OOH_OH	see note
		O isotope transfer: MEKOOH → MeCOCO + MEKO2 + OH		
		O isotope transfer: OH → H_2O		
G4417	TrGNC	ONIT + OH → $CH_3COC_2H_5$ + NO_2 + H_2O	1.7E-12	Atkinson et al. (1999)*
		O isotope transfer: ONIT → $CH_3COC_2H_5$ + NO_2		
		O isotope transfer: OH → H_2O		

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
G4500	TrGC	ISOP + O_3 → 0.28 HCOOH + 0.65 MVK + 0.1 MVKO2 + 0.1 $CH_3C(O)OO$ + 0.14 CO + 0.58 HCHO + 0.09 H_2O_2 + 0.08 CH_3O_2 + 0.25 OH + 0.25 HO_2 O isotope transfer: O_3 → 0.5 HCOOH + MVK + 0.333 MVKO2 + 0.333 $CH_3C(O)OO$ + CO + 0.081 HCHO + 0.5 H_2O_2 + OH O isotope transfer: O_2 → 0.667 MVKO2 + 0.667 $CH_3C(O)OO$ + 0.919 HCHO + CH_3O_2 + HO_2 O isotope transfer: H_2O → 0.5 HCOOH + 0.5 H_2O_2	7.86E-15*EXP(-1913./temp)	Pöschl et al. (2000)
G4501	TrGC	ISOP + OH → ISO2 O isotope transfer: O_2 → ISO2	2.54E-11*EXP(410./temp)	Pöschl et al. (2000)
G4502	TrGNC	ISOP + NO_3 → ISON O isotope transfer: O_2 → 0.4 ISON O isotope transfer: NO_3 → 0.6 ISON	3.03E-12*EXP(-446./temp)	Pöschl et al. (2000)
G4503	TrGC	ISO2 + HO_2 → ISOOH O isotope transfer: ISO2 → ISOOH O isotope transfer: HO_2 → O_2	2.22E-13*EXP(1300./temp)	Boyd et al. (2003)*
G4504a	TrGNC	ISO2 + NO → 0.956 NO_2 + 0.956 MVK + 0.956 HCHO + 0.956 HO_2 + 0.044 ISON	2.54E-12*EXP(360./temp)	Pöschl et al. (2000)*
G4505	TrGC	ISO2 + CH_3O_2 → 0.5 MVK + 1.25 HCHO + HO_2 + 0.25 CH_3COCHO + 0.25 CH_3COCH_2OH + 0.25 CH_3OH O isotope transfer: ISO2 → MVK + 0.8 HCHO + CH_3COCHO + CH_3COCH_2OH O isotope transfer: CH_3O_2 → 0.2 HCHO + CH_3OH O isotope transfer: O_2 → HO_2	2.E-12	von Kuhlmann (2001)
G4506	TrGC	ISO2 + ISO2 → 2 MVK + HCHO + HO_2 O isotope transfer: ISO2 → MVK + HCHO O isotope transfer: O_2 → HO_2	2.E-12	Pöschl et al. (2000)
G4507	TrGC	ISOOH + OH → MVK + OH O isotope transfer: ISOOH → OH + MVK O isotope transfer: O_2 → H_2O	1.E-10	Pöschl et al. (2000)
G4508	TrGNC	ISON + OH → CH_3COCH_2OH + NACA	1.3E-11	Pöschl et al. (2000)

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
		O isotope transfer: ISON → CH_3COCH_2OH + NACA		
		O isotope transfer: OH → H_2O		
G6100	StTrGCl	Cl + O_3 → ClO + O_2	2.8E-11*EXP(-250./temp)	Atkinson et al. (2007)
G6101	StGCl	ClO + O(^{3}P) → Cl + O_2	2.5E-11*EXP(110./temp)	Atkinson et al. (2007)
G6102a	StTrGCl	ClO + ClO → Cl_2 + O_2	1.0E-12*EXP(-1590./temp)	Atkinson et al. (2007)
G6102b	StTrGCl	ClO + ClO → 2 Cl + O_2	3.0E-11*EXP(-2450./temp)	Atkinson et al. (2007)
G6102c	StTrGCl	ClO + ClO → Cl + OClO	3.5E-13*EXP(-1370./temp)	Atkinson et al. (2007)
G6102d	StTrGCl	ClO + ClO → Cl_2O_2	k_ClO_ClO	Atkinson et al. (2007)
G6103	StTrGCl	Cl_2O_2 → ClO + ClO	k_ClO_ClO/(9.3E-28*EXP(8835./temp))	Atkinson et al. (2007), Sander et al. (2006)*
G6200	StGCl	Cl + H_2 → HCl + H	3.9E-11*EXP(-2310./temp)	Atkinson et al. (2007)
G6201a	StGCl	Cl + HO_2 → HCl + O_2	4.4E-11-7.5E-11*EXP(-620./temp)	Atkinson et al. (2007)
G6201b	StGCl	Cl + HO_2 → ClO + OH	7.5E-11*EXP(-620./temp)	Atkinson et al. (2007)
G6202	StTrGCl	Cl + H_2O_2 → HCl + HO_2	1.1E-11*EXP(-980./temp)	Atkinson et al. (2007)
G6203	StGCl	ClO + OH → 0.94 Cl + 0.94 HO_2 + 0.06 HCl + 0.06 O_2	7.3E-12*EXP(300./temp)	Atkinson et al. (2007)
G6204	StTrGCl	ClO + HO_2 → HOCl	2.2E-12*EXP(340./temp)	Atkinson et al. (2007)
G6205	StTrGCl	HCl + OH → Cl + H_2O	1.7E-12*EXP(-230./temp)	Atkinson et al. (2007)
G6206	StGCl	HOCl + OH → ClO + H_2O	3.0E-12*EXP(-500./temp)	Sander et al. (2006)
G6300	StTrGNCl	ClO + NO → NO_2 + Cl	6.2E-12*EXP(295./temp)	Atkinson et al. (2007)
G6301	StTrGNCl	ClO + NO_2 → $ClNO_3$	k_3rd_iupac(temp,cair,1.6E-31,3.4,7.E-11, 0.,0.4)	Atkinson et al. (2007)
G6302	TrGCl	$ClNO_3$ → ClO + NO_2	6.918E-7*exp(-10909./temp)*cair	Anderson and Fahey (1990)
G6303	StGNCl	$ClNO_3$ + O(^{3}P) → ClO + NO_3	4.5E-12*EXP(-900./temp)	Atkinson et al. (2007)
G6304	StTrGNCl	$ClNO_3$ + Cl → Cl_2 + NO_3	6.2E-12*EXP(145./temp)	Atkinson et al. (2007)
G6400	StTrGCl	Cl + CH_4 → HCl + CH_3O_2	6.6E-12*EXP(-1240./temp)	Atkinson et al. (2006)
		O isotope transfer: O_2 → CH_3O_2		
G6401	StTrGCl	Cl + HCHO → HCl + CO + HO_2	8.1E-11*EXP(-34./temp)	Atkinson et al. (2006)
		O isotope transfer: HCHO → CO		
		O isotope transfer: O_2 → HO_2		
G6402	StTrGCl	Cl + CH_3OOH → HCHO + HCl + OH	5.9E-11	Atkinson et al. (2006)*
G6403	StTrGCl	ClO + CH_3O_2 → HO_2 + Cl + HCHO	3.3E-12*EXP(-115./temp)	Sander et al. (2006)

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
G6404	StGCl	$CCl_4 + O(^1D) \rightarrow ClO + 3\ Cl$	3.3E-10	Sander et al. (2006)
G6405	StGCl	$CH_3Cl + O(^1D) \rightarrow OH + Cl$	1.65E-10	see note
G6406	StGCl	$CH_3Cl + OH \rightarrow H_2O + Cl$	2.4E-12*EXP(-1250./temp)	Sander et al. (2006)
G6407	StGCCl	$CH_3CCl_3 + O(^1D) \rightarrow OH + 3\ Cl$	3.E-10	see note
G6408	StTrGCCl	$CH_3CCl_3 + OH \rightarrow H_2O + 3\ Cl$	1.64E-12*EXP(-1520./temp)	Sander et al. (2006)
G6409	TrGCCl	$Cl + C_2H_4 \rightarrow 0.6666667\ CH_3CH(O_2)CH_2OH + HCl$	k_3rd_iupac(temp,cair,1.85E-29,3.3,6.0E-10, 0.0,0.4)	Atkinson et al. (2006)
		O isotope transfer: $O_2 \rightarrow CH_3CH(O_2)CH_2OH$		
G6410	TrGCCl	$Cl + CH_3CHO \rightarrow HCl + CH_3C(O)OO$	7.9e-11	Atkinson et al. (2006)*
G6500	StGFCl	$CF_2Cl_2 + O(^1D) \rightarrow ClO + Cl$	1.4E-10	Sander et al. (2006)
G6501	StGFCl	$CFCl_3 + O(^1D) \rightarrow ClO + 2\ Cl$	2.3E-10	Sander et al. (2006)
G7405	TrGCCl	$Br + CH_3CHO \rightarrow HBr + CH_3C(O)OO$	1.8e-11*EXP(-460./temp)	Atkinson et al. (2006)
		O isotope transfer: $O_2 \rightarrow 0.667\ CH_3C(O)OO$		
		O isotope transfer: $CH_3CHO \rightarrow 0.333\ CH_3C(O)OO$		
G9200	StTrGS	$SO_2 + OH \rightarrow H_2SO_4 + HO_2$	k_3rd(temp,cair,3.3E-31,4.3,1.6E-12,0.,0.6)	Sander et al. (2006)
		O isotope transfer: $SO_2 \rightarrow 0.5\ H_2SO_4$		
		O isotope transfer: $OH \rightarrow 0.25\ H_2SO_4$		
		O isotope transfer: $H_2O \rightarrow 0.25\ H_2SO_4$		
		O isotope transfer: $O_2 \rightarrow HO_2$		
G9400a	TrGS	$DMS + OH \rightarrow CH_3SO_2 + HCHO$	1.13E-11*EXP(-253./temp)	Atkinson et al. (2004)*
		O isotope transfer: $O_2 \rightarrow CH_3SO_2 + HCHO$		
G9400b	TrGS	$DMS + OH \rightarrow DMSO + HO_2$	k_DMS_OH	Atkinson et al. (2004)*
		O isotope transfer: $OH \rightarrow DMSO$		
		O isotope transfer: $O_2 \rightarrow HO_2$		
G9401	TrGNS	$DMS + NO_3 \rightarrow CH_3SO_2 + HNO_3 + HCHO$	1.9E-13*EXP(520./temp)	Atkinson et al. (2004)
		O isotope transfer: $NO_3 \rightarrow HNO_3$		
		O isotope transfer: $O_2 \rightarrow CH_3SO_2 + HCHO$		
G9402	TrGS	$DMSO + OH \rightarrow 0.6\ SO_2 + HCHO + 0.6\ CH_3O_2 + 0.4\ HO_2 + 0.4\ CH_3SO_3H$	1.E-10	Hynes and Wine (1996)
		O isotope transfer: $OH \rightarrow 0.5\ SO_2 + 0.333\ CH_3SO_3H$		
		O isotope transfer: $DMSO \rightarrow 0.5\ SO_2 + 0.333\ CH_3SO_3H$		

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
		O isotope transfer: $O_2 \rightarrow CH_3O_2 + HCHO + HO_2 + 0.333\ CH_3SO_3H$		
G9403	TrGS	$CH_3SO_2 \rightarrow SO_2 + CH_3O_2$	1.9E13*EXP(-8661./temp)	Barone et al. (1995)
		O isotope transfer: $CH_3SO_2 \rightarrow SO_2$		
		O isotope transfer: $O_2 \rightarrow CH_3O_2$		
G9404	TrGS	$CH_3SO_2 + O_3 \rightarrow CH_3SO_3$	3.E-13	Barone et al. (1995)
		O isotope transfer: $CH_3SO_2 \rightarrow 0.667\ CH_3SO_3$		
		O isotope transfer: $O_3 \rightarrow 0.333\ CH_3SO_3$		
G9405	TrGS	$CH_3SO_3 + HO_2 \rightarrow CH_3SO_3H$	5.E-11	Barone et al. (1995)
		O isotope transfer: $CH_3SO_3 \rightarrow CH_3SO_3H$		
G9600	TrGSCl	$DMS + Cl \rightarrow CH_3SO_2 + HCl + HCHO$	3.3E-10	Atkinson et al. (2004)
		O isotope transfer: $O_2 \rightarrow CH_3SO_2 + HCHO$		

*Notes:

Rate coefficients for three-body reactions are defined via the function k_3rd(T, M, k_0^{300}, n, $k_{\rm inf}^{300}$, m, $f_{\rm c}$). In the code, the temperature T is called temp and the concentration of "air molecules" M is called cair. Using the auxiliary variables $k_0(T)$, $k_{\rm inf}(T)$, and $k_{\rm ratio}$, k_3rd is defined as:

$$k_0(T) = k_0^{300} \times \left(\frac{300{\rm K}}{T}\right)^n \quad (1)$$

$$k_{\rm inf}(T) = k_{\rm inf}^{300} \times \left(\frac{300{\rm K}}{T}\right)^m \quad (2)$$

$$k_{\rm ratio} = \frac{k_0(T)M}{k_{\rm inf}(T)} \quad (3)$$

$$\texttt{k\_3rd} = \frac{k_0(T)M}{1+k_{\rm ratio}} \times f_{\rm c}^{\left(\frac{1}{1+(\log_{10}(k_{\rm ratio}))^2}\right)} \quad (4)$$

A similar function, called k_3rd_iupac here, is used by Atkinson et al. (2005) for three-body reactions. It has the same function parameters as k_3rd and it is defined as:

$$k_0(T) = k_0^{300} \times \left(\frac{300{\rm K}}{T}\right)^n \quad (5)$$

$$k_{\rm inf}(T) = k_{\rm inf}^{300} \times \left(\frac{300{\rm K}}{T}\right)^m \quad (6)$$

$$k_{\rm ratio} = \frac{k_0(T)M}{k_{\rm inf}(T)} \quad (7)$$

$$N = 0.75 - 1.27 \times \log_{10}(f_{\rm c}) \quad (8)$$

$$\texttt{k\_3rd\_iupac} = \frac{k_0(T)M}{1+k_{\rm ratio}} \times f_{\rm c}^{\left(\frac{1}{1+(\log_{10}(k_{\rm ratio})/N)^2}\right)} \quad (9)$$

G1002: The path leading to 2 O(^{3}P) + O_2 results in a null cycle regarding odd oxygen and is neglected.

G2110: The rate coefficient is: k_HO2_HO2 = (1.5E-12*EXP(19./temp)+1.7E-33*EXP(1000./temp)*cair)* (1.+1.4E-21*EXP(2200./temp)*C(ind_H2O)). The value for the first (pressure-independent) part is from Christensen et al. (2002), the water term from Kircher and Sander (1984).

G3109: The rate coefficient is: k_NO3_NO2 = k_3rd(temp,cair,2.E-30,4.4,1.4E-12,0.7,0.6).

G3110: The rate coefficient is defined as backward reaction divided by equilibrium constant.

G3203: The rate coefficient is: `k_NO2_HO2 = k_3rd(temp,cair,1.8E-31,3.2,4.7E-12,1.4,0.6)`.

G3206: The rate coefficient is: `k_HNO3_OH = 2.4E-14 * EXP(460./temp) + 1./ ( 1./(6.5E-34 * EXP(1335./temp)*cair) + 1./(2.7E-17 * EXP(2199./temp)) )`

G3207: The rate coefficient is defined as backward reaction divided by equilibrium constant.

G4103: Sander et al. (2006) recommend a zero product yield for HCHO.

G4107: The rate coefficient is: `k_CH3OOH_OH = 3.8E-12*EXP(200./temp)`.

G4109: The same temperature dependence assumed as for $CH_3CHO+NO_3$.

G4201: The product distribution is from von Kuhlmann (2001) (see also Neeb et al. (1998)).

G4206: The rate coefficient was calculated by von Kuhlmann (pers. comm. 2004) using self reactions of CH_3OO and C_2H_5OO from Sander et al. (2003) and geometric mean as suggested by Madronich and Calvert (1990) and Kirchner and Stockwell (1996). The product distribution (branching=0.5/0.25/0.25) is calculated by von Kuhlmann (pers. comm. 2004) based on Villenave and Lesclaux (1996) and Tyndall et al. (2001).

G4207: Same value as for G4107: $CH_3OOH+OH$ assumed.

G4216: The value `1.0E-11` is from Atkinson et al. (1999), the temperature dependence from Kirchner and Stockwell (1996).

G4218: Same value as for G4107: $CH_3OOH+OH$ assumed.

G4219: According to Pöschl et al. (2000), the same value as for $CH_3CHO+OH$ can be assumed.

G4220: This is 50% of the upper limit given by Sander et al. (2003), as suggested by von Kuhlmann (2001).

G4221: The rate coefficient is: `k_PAN_M = k_PA_NO2/9.E-29*EXP(-14000./temp)`, i.e. the rate coefficient is defined as backward reaction divided by equilibrium constant.

G4301: The product distribution is for terminal olefin carbons from Zaveri and Peters (1999).

G4304: The rate coefficient is: `k_PrO2_HO2 = 1.9E-13*EXP(1300./temp)`. Value for generic $RO_2 + HO_2$ reaction from Atkinson (1997) is used.

G4305: The rate coefficient is: `k_PrO2_NO = 2.7E-12*EXP(360./temp)`.

G4307: Same value as for G4107: $CH_3OOH+OH$ assumed.

G4309: The products are from von Kuhlmann (2001).

G4315: Same value as for G4107: $CH_3OOH+OH$ assumed.

G4319: Same value as for PAN assumed.

G4401: Same value as for propyl group assumed (`k_PrO2_CH3O2`).

G4402: Same value as for propyl group assumed (`k_PrO2_HO2`).

G4403: Same value as for propyl group assumed (`k_PrO2_NO`).

G4404: Same value as for G4107: $CH_3OOH+OH$ assumed.

G4409: The factor 0.25 was recommended by Uli Poeschl (pers. comm. 2004).

G4414: Same value as for propyl group assumed (`k_PrO2_HO2`).

G4415: Same value as for propyl group assumed (`k_PrO2_NO`).

G4416: Same value as for G4107: $CH_3OOH+OH$ assumed.

G4417: Value for $C_4H_9ONO_2$ used here.

G4503: Same temperature dependence assumed as for other RO_2+HO_2 reactions.

G4504: Yield of 12 % $RONO_2$ assumed as suggested in Table 2 of Sprengnether et al. (2002).

G6103: The rate coefficient is defined as backward reaction divided by equilibrium constant.

G6402: The initial products are probably HCl and CH_2OOH (Atkinson et al., 2006). It is assumed that CH_2OOH dissociates into HCHO and OH.

G6405: Average of reactions with CH_3Br and CH_3F from Sander et al. (2006) (B. Steil, pers. comm.).

G6407: Rough extrapolation from reactions with CH_3CF_3, CH_3CClF_2, and CH_3CCl_2F from Sander et al. (2006).

G9400: Addition path. The rate coefficient is: `k_DMS_OH = 1.0E-39*EXP(5820./temp) *C(ind_O2)/ (1.+5.0E-30*EXP(6280./temp)*C(ind_O2))`.

Table 2: Photolysis reactions

#	labels	reaction	rate coefficient	reference
J1000	StTrGJ	$O_2 + h\nu \rightarrow O(^3P) + O(^3P)$	jx(ip_O2)	see note
J1001a	StTrGJ	$O_3 + h\nu \rightarrow O(^1D)$	jx(ip_O1D)	see note
J1001b	StTrGJ	$O_3 + h\nu \rightarrow O(^3P)$	jx(ip_O3P)	see note
J2100	StGJ	$H_2O + h\nu \rightarrow H + OH$	jx(ip_H2O)	see note
J2101	StTrGJ	$H_2O_2 + h\nu \rightarrow 2\ OH$	jx(ip_H2O2)	see note
J3100	StGNJ	$N_2O + h\nu \rightarrow O(^1D)$	jx(ip_N2O)	see note
J3101	StTrGNJ	$NO_2 + h\nu \rightarrow NO + O(^3P)$	jx(ip_NO2)	see note
J3102	StGNJ	$NO + h\nu \rightarrow N + O(^3P)$	jx(ip_NO)	see note
J3103a	StTrGNJ	$NO_3 + h\nu \rightarrow NO_2 + O(^3P)$	jx(ip_NO2O)	see note
J3103b	StTrGNJ	$NO_3 + h\nu \rightarrow NO$	jx(ip_NOO2)	see note
J3104a	StTrGNJ	$N_2O_5 + h\nu \rightarrow NO_2 + NO_3$	jx(ip_N2O5)	see note
J3104b	StGNJ	$N_2O_5 + h\nu \rightarrow NO + O(^3P) + NO_3$	jx(ip_NO3NOO)	see note
J3200	TrGJ	$HONO + h\nu \rightarrow NO + OH$	jx(ip_HONO)	see note
J3201	StTrGNJ	$HNO_3 + h\nu \rightarrow NO_2 + OH$	jx(ip_HNO3)	see note
J3202	StTrGNJ	$HNO_4 + h\nu \rightarrow 0.667\ NO_2 + 0.667\ HO_2 + 0.333\ NO_3 + 0.333\ OH$	jx(ip_HNO4)	see note
J4100	StTrGJ	$CH_3OOH + h\nu \rightarrow HCHO + OH + HO_2$	jx(ip_CH3OOH)	see note
		O isotope transfer: $CH_3OOH \rightarrow OH + HCHO$		
		O isotope transfer: $O_2 \rightarrow HO_2$		
J4101a	StTrGJ	$HCHO + h\nu \rightarrow H_2 + CO$	jx(ip_COH2)	see note
J4101b	StTrGJ	$HCHO + h\nu \rightarrow H + CO + HO_2$	jx(ip_CHOH)	see note
		O isotope transfer: $HCHO \rightarrow CO$		
		O isotope transfer: $O_2 \rightarrow HO_2$		
J4102	StGJ	$CO_2 + h\nu \rightarrow CO + O(^3P)$	jx(ip_CO2)	see note
J4103	StGJ	$CH_4 + h\nu \rightarrow CO + 0.31\ H + 0.69\ H_2 + 1.155\ H_2O$	jx(ip_CH4)	see note
		O isotope transfer: $O_2 \rightarrow CO + H_2O$		
J4200	TrGCJ	$C_2H_5OOH + h\nu \rightarrow CH_3CHO + HO_2 + OH$	jx(ip_CH3OOH)	see note
		O isotope transfer: $C_2H_5OOH \rightarrow CH_3CHO + OH$		
		O isotope transfer: $O_2 \rightarrow HO_2$		
J4201	TrGCJ	$CH_3CHO + h\nu \rightarrow CH_3O_2 + HO_2 + CO$	jx(ip_CH3CHO)	see note
		O isotope transfer: $CH_3CHO \rightarrow CO$		
		O isotope transfer: $O_2 \rightarrow CH_3O_2 + HO_2$		

Table 2: Photolysis reactions (... continued)

#	labels	reaction	rate coefficient	reference
J4202	TrGCJ	$CH_3C(O)OOH + h\nu \rightarrow CH_3O_2 + OH$	jx(ip_PAA)	see note
		O isotope transfer: $CH_3C(O)OOH \rightarrow OH$		
		O isotope transfer: $O_2 \rightarrow CH_3O_2$		
J4203	TrGNCJ	$NACA + h\nu \rightarrow NO_2 + HCHO + CO$	0.19*jx(ip_CHOH)	see note
J4204	TrGNCJ	$PAN + h\nu \rightarrow 0.6\ CH_3C(O)OO + 0.6\ NO_2 + 0.4\ CH_3O_2 + 0.4\ NO_3 + 0.4\ CO_2$	jx(ip_PAN)	see note
		O isotope transfer: $PAN \rightarrow CH_3C(O)OO + NO_2 + NO_3 + CO_2$		
		O isotope transfer: $O_2 \rightarrow CH_3O_2$		
J4300	TrGCJ	$C_3H_7OOH + h\nu \rightarrow CH_3COCH_3 + HO_2 + OH$	jx(ip_CH3OOH)	see note
		O isotope transfer: $C_3H_7OOH \rightarrow CH_3COCH_3 + OH$		
		O isotope transfer: $O_2 \rightarrow HO_2$		
J4301	TrGCJ	$CH_3COCH_3 + h\nu \rightarrow CH_3C(O)OO + CH_3O_2$	jx(ip_CH3COCH3)	see note
		O isotope transfer: $CH_3COCH_3 \rightarrow 0.333\ CH_3C(O)OO$		
		O isotope transfer: $O_2 \rightarrow 0.667\ CH_3C(O)OO + CH_3O_2$		
J4302	TrGCJ	$CH_3COCH_2OH + h\nu \rightarrow CH_3C(O)OO + HCHO + HO_2$	0.074*jx(ip_CHOH)	see note
		O isotope transfer: $CH_3COCH_2OH \rightarrow 0.333\ CH_3C(O)OO + HCHO$		
		O isotope transfer: $O_2 \rightarrow 0.667\ CH_3C(O)OO + HO_2$		
J4303	TrGCJ	$CH_3COCHO + h\nu \rightarrow CH_3C(O)OO + CO + HO_2$	jx(ip_CH3COCHO)	see note
		O isotope transfer: $CH_3COCHO \rightarrow 0.333\ CH_3C(O)OO + CO$		
		O isotope transfer: $O_2 \rightarrow 0.667\ CH_3C(O)OO + HO_2$		
J4304	TrGCJ	$CH_3COCH_2O_2H + h\nu \rightarrow CH_3C(O)OO + HO_2 + OH$	jx(ip_CH3OOH)	see note
		O isotope transfer: $CH_3COCH_2O_2H \rightarrow 0.333\ CH_3C(O)OO + OH$		
		O isotope transfer: $O_2 \rightarrow 0.667\ CH_3C(O)OO + HO_2$		
J4305	TrGNCJ	$MPAN + h\nu \rightarrow CH_3COCH_2OH + NO_2$	jx(ip_PAN)	see note
J4306	TrGNCJ	$C_3H_7ONO_2 + h\nu \rightarrow CH_3COCH_3 + NO_2 + HO_2$	3.7*jx(ip_PAN)	see note
		O isotope transfer: $C_3H_7ONO_2 \rightarrow CH_3COCH_3 + NO_2$		
		O isotope transfer: $O_2 \rightarrow HO_2$		
J4400	TrGCJ	$C_4H_9OOH + h\nu \rightarrow OH + 0.67\ CH_3COC_2H_5 + 0.67\ HO_2 + 0.33\ C_2H_5O_2 + 0.33\ CH_3CHO$	jx(ip_CH3OOH)	see note
		O isotope transfer: $C_4H_9OOH \rightarrow OH + CH_3COC_2H_5 + CH_3CHO$		
		O isotope transfer: $O_2 \rightarrow HO_2 + C_2H_5O_2$		

Table 2: Photolysis reactions (... continued)

#	labels	reaction	rate coefficient	reference
J4401	TrGCJ	MVK + hν → $CH_3C(O)OO$ + HCHO + CO + HO_2	0.019*jx(ip_COH2)+.015*jx(ip_CH3COCHO)	see note
		O isotope transfer: MVK → 0.333 $CH_3C(O)OO$ + CO		
		O isotope transfer: O_2 → 0.667 $CH_3C(O)OO$ + HCHO + HO_2		
J4402	TrGCJ	MVKOOH + hν → OH + 0.5 CH_3COCHO + 0.25 CH_3COCH_2OH + 0.75 HCHO + 0.75 HO_2 + 0.25 $CH_3C(O)OO$ + 0.25 CO	jx(ip_CH3OOH)	see note
		O isotope transfer: MVKOOH → OH + CH_3COCHO + CH_3COCH_2OH + 0.5 HCHO + 0.333 $CH_3C(O)OO$ + CO		
		O isotope transfer: O_2 → HO_2 + 0.5 HCHO + 0.667 $CH_3C(O)OO$		
J4403	TrGCJ	$CH_3COC_2H_5$ + hν → $CH_3C(O)OO$ + $C_2H_5O_2$	0.42*jx(ip_CHOH)	see note
		O isotope transfer: $CH_3COC_2H_5$ → 0.333 $CH_3C(O)OO$		
		O isotope transfer: O_2 → 0.667 $CH_3C(O)OO$ + $C_2H_5O_2$		
J4404	TrGCJ	MEKOOH + hν → $CH_3C(O)OO$ + CH_3CHO + OH	jx(ip_CH3OOH)	see note
		O isotope transfer: MEKOOH → 0.333 $CH_3C(O)OO$ + CH_3CHO + OH		
		O isotope transfer: O_2 → 0.667 $CH_3C(O)OO$		
J4405	TrGCJ	MeCOCO + hν → 2 $CH_3C(O)OO$	2.15*jx(ip_CH3COCHO)	see note
		O isotope transfer: MeCOCO → 0.333 $CH_3C(O)OO$		
		O isotope transfer: O_2 → 0.667 $CH_3C(O)OO$		
J4406	TrGNCJ	ONIT + hν → NO_2 + 0.67 $CH_3COC_2H_5$ + 0.67 HO_2 + 0.33 $C_2H_5O_2$ + 0.33 CH_3CHO	3.7*jx(ip_PAN)	see note
		O isotope transfer: ONIT → NO_2 + $CH_3COC_2H_5$ + CH_3CHO		
		O isotope transfer: O_2 → HO_2 + $C_2H_5O_2$		
J4500	TrGCJ	ISOOH + hν → MVK + HCHO + HO_2 + OH	jx(ip_CH3OOH)	see note
		O isotope transfer: ISOOH → MVK + HCHO + OH		
		O isotope transfer: O_2 → HO_2		
J4501	TrGNCJ	ISON + hν → MVK + HCHO + NO_2 + HO_2	3.7*jx(ip_PAN)	see note
		O isotope transfer: ISON → MVK + HCHO + NO_2		
		O isotope transfer: O_2 → HO_2		
J6000	StTrGClJ	Cl_2 + hν → Cl + Cl	jx(ip_Cl2)	see note
J6100	StTrGClJ	Cl_2O_2 + hν → 2 Cl	1.4*jx(ip_Cl2O2)	see note

Table 2: Photolysis reactions (... continued)

#	labels	reaction	rate coefficient	reference
J6101	StTrGClJ	$OClO + h\nu \rightarrow ClO + O(^3P)$	jx(ip_OClO)	see note
J6200	StGClJ	$HCl + h\nu \rightarrow Cl + H$	jx(ip_HCl)	see note
J6201	StTrGClJ	$HOCl + h\nu \rightarrow OH + Cl$	jx(ip_HOCl)	see note
J6300	TrGNClJ	$ClNO_2 + h\nu \rightarrow Cl + NO_2$	jx(ip_ClNO2)	see note
J6301a	StTrGNClJ	$ClNO_3 + h\nu \rightarrow Cl + NO_3$	jx(ip_ClNO3)	see note
J6301b	StTrGNClJ	$ClNO_3 + h\nu \rightarrow ClO + NO_2$	jx(ip_ClONO2)	see note
J6400	StGClJ	$CH_3Cl + h\nu \rightarrow Cl + CH_3O_2$	jx(ip_CH3Cl)	see note
		O isotope transfer: $O_2 \rightarrow CH_3O_2$		
J6401	StGClJ	$CCl_4 + h\nu \rightarrow 4\ Cl$	jx(ip_CCl4)	see note
J6402	StGCClJ	$CH_3CCl_3 + h\nu \rightarrow 3\ Cl$	jx(ip_CH3CCl3)	see note
J6500	StGFClJ	$CFCl_3 + h\nu \rightarrow 3\ Cl$	jx(ip_CFCl3)	see note
J6501	StGFClJ	$CF_2Cl_2 + h\nu \rightarrow 2\ Cl$	jx(ip_CF2Cl2)	see note
J8401a	TrGJ	$CH_3I + h\nu \rightarrow CH_3O_2$	JX(ip_CH3I)	see note
J9002	StGSJ	$SF_6 + h\nu \rightarrow$ products	JX(ip_SF6)	see note

*Notes:

J-values are calculated with an external module and then supplied to the MECCA chemistry

J6100: Stimpfle et al. (2004) claim that the combination of absorption cross sections from Burkholder et al. (1990) and the Cl_2O_2 formation rate coefficient by Sander et al. (2003) can approximately reproduce the observed Cl_2O_2/ClO ratios and ozone depletion. They give an almost zenith-angle independent ratio of 1.4 for Burkholder et al. (1990) to Sander et al. (2003) J-values. The IUPAC recommendation for the Cl_2O_2 formation rate is about 5 to 15 % less than the value by Sander et al. (2003) but more than 20 % larger than the value by Sander et al. (2000). The J-values by Burkholder et al. (1990) are within the uncertainty range of the IUPAC recommendation.

Table 3: Isotope exchange reactions

#	labels	reaction	rate coefficient	reference
IEX001	StTrG	$OH + H_2O \rightleftharpoons H_2O + OH$	1.6E-13*exp(-2100./temp)	Greenblatt and Howard (1989)
IEX002	StTrG	$OH + HO_2 \rightleftharpoons HO_2 + OH$	1.7E-11*exp(+400./temp)	Dransfeld and Wagner
IEX003	StTrG	$OH + NO \rightleftharpoons NO + OH$	1.8E-11	Dubey et al. (1997)
IEX004	StTrG	$OH + NO_2 \rightleftharpoons NO_2 + OH$	1.0E-11	Greenblatt and Howard (1989)
IEX005	StTrG	$O(^3P) + O_2 \rightleftharpoons O_2 + O(^3P)$	2.9E-12	Anderson et al. (1985)*
IEX006	StTrG	$O(^3P) + NO \rightleftharpoons NO + O(^3P)$	3.7E-11	Anderson et al. (1985)
IEX007	StTrG	$NO + NO_2 \rightleftharpoons NO_2 + NO$	3.6E-14	Klein et al. (1963)

*Notes:

IEXO05: Fractionation values for exchange are assigned to those calculated by Johnston et al. (2000).

Table 4: Kinetic isotope effects

#	reaction	isotopologue	fractionation factor α	reference
G1001	$O_2 + O(^3P) \rightarrow O_3$	$^{18}O_2$	1.099	Johnston et al. (2000)*
		$^{17}O_2$	1.094	
J1001a	$O_3 + h\nu \rightarrow O(^1D)$	$^{18}O_3$	0.978	Johnston et al. (2000)
		$^{17}O_3$	0.976	
J1001b	$O_3 + h\nu \rightarrow O(^3P)$	$^{18}O_3$	0.978	Johnston et al. (2000)
		$^{17}O_3$	0.976	
G4100	$CH_4 + O(^1D) \rightarrow 0.75\ CH_3O_2 + 0.75\ OH + 0.25\ HCHO + 0.4\ H + 0.05\ H_2$	$^{13}CH_4$	1.013	Saueressig et al. (2001)*
		^{18}OH	0.9765	
		^{18}OH	0.9876	
G4101	$CH_4 + OH \rightarrow CH_3O_2 + H_2O$	$^{13}CH_4$	1.0039	Saueressig et al. (2001)*
		^{18}OH	0.9765	
		^{18}OH	0.9876	
G6400	$Cl + CH_4 \rightarrow HCl + CH_3O_2$	$^{13}CH_4$	1.0658	Saueressig et al. (1995)*
G4110	$CO + OH \rightarrow H + CO_2$	^{13}CO	1.0065	Röckmann et al. (1998)*
	$CO + OH \rightarrow H + CO_2$	$C^{18}O$	1.0094	
	$CO + OH \rightarrow H + CO_2$	$C^{17}O$	1.0002	

*Notes:

G1001: Yields $\delta^{18}O(O_3) = 90.0‰$ and $\delta^{17}O(O_3) = 78.0‰$, respectively, when combined with J1001a, J1001b and IEXO05 reactions kinetic isotope effects.

G4100: Yields $\delta^{18}O = 0‰$ and $\delta^{18}O = 0‰$ in products from O_2.

G4101: Same as for G4100.

G4110: Pressure dependent; given is approximate value at 1 bar pressure.

G6400: Temperature dependent; given is approximate value at 298K.

References

Abbatt, J. P. D. and Waschewsky, G. C. G.: Heterogeneous interactions of HOBr, HNO_3, O_3, and NO_2 with deliquescent NaCl aerosols at room temperature, J. Phys. Chem. A, 102, 3719–3725, 1998.

Anderson, L. C. and Fahey, D. W.: Studies with $ClONO_2$: Thermal dissociation rate and catalytic conversion to NO using an NO/O_3 chemiluminescence detector, J. Phys. Chem., 94, 644–652, 1990.

Anderson, S. M., Klein, F. S., and Kaufman, F.: Kinetics of the isotope exchange reaction of ^{18}O with NO and O2 at 298 K, J. Chem. Phys., 83, 1648–1656, 1985.

Atkinson, R.: Gas-phase tropospheric chemistry of volatile organic compounds: 1. Alkanes and alkenes, J. Phys. Chem. Ref. Data, 26, 215–290, 1997.

Atkinson, R.: Kinetics of the gas-phase reactions of OH radicals with alkanes and cycloalkanes, Atmos. Chem. Phys., 3, 2233–2307, 2003.

Atkinson, R., Baulch, D. L., Cox, R. A., Hampson, Jr., R. F., Kerr, J. A., Rossi, M. J., and Troe, J.: Summary of evaluated kinetic and photochemical data for atmospheric chemistry: Web version August 1999, `http://www.iupac-kinetic.ch.cam.ac.uk/`, 1999.

Atkinson, R., Baulch, D. L., Cox, R. A., Crowley, J. N., Hampson, R. F., Hynes, R. G., Jenkin, M. E., Rossi, M. J., and Troe, J.: Evaluated kinetic and photochemical data for atmospheric chemistry: Volume I – gas phase reactions of O_x, HO_x, NO_x and SO_x species, Atmos. Chem. Phys., 4, 1461–1738, 2004.

Atkinson, R., Baulch, D. L., Cox, R. A., Crowley, J. N., Hampson, Jr., R. F., Hynes, R. G., Jenkin, M. E., Kerr, J. A., Rossi, M. J., and Troe, J.: Summary of evaluated kinetic and photochemical data for atmospheric chemistry: Web version March 2005, `http://www.iupac-kinetic.ch.cam.ac.uk/`, 2005.

Atkinson, R., Baulch, D. L., Cox, R. A., Crowley, J. N., Hampson, R. F., Hynes, R. G., Jenkin, M. E., Rossi, M. J., and Troe, J.: Evaluated kinetic and photochemical data for atmospheric chemistry: Volume II - gas phase reactions of organic species, Atmos. Chem. Phys., 6, 3625–4055, 2006.

Atkinson, R., Baulch, D. L., Cox, R. A., Crowley, J. N., Hampson, R. F., Hynes, R. G., Jenkin, M. E., Rossi, M. J., and Troe, J.: Evaluated kinetic and photochemical data for atmospheric chemistry: Volume III — gas phase reactions of inorganic halogens, Atmos. Chem. Phys., 7, 981–1191, 2007.

Barone, S. B., Turnipseed, A. A., and Ravishankara, A. R.: Role of adducts in the atmospheric oxidation of dimethyl sulfide, Faraday Discuss., 100, 39–54, 1995.

Bartlett, W. P. and Margerum, D. W.: Temperature dependencies of the Henry's law constant and the aqueous phase dissociation constant of bromine chloride, Environ. Sci. Technol., 33, 3410–3414, 1999.

Boyd, A. A., Flaud, P.-M., Daugey, N., and Lesclaux, R.: Rate constants for $RO_2 + HO_2$ reactions measured under a large excess of HO_2, J. Phys. Chem. A, 107, 818–821, 2003.

Brimblecombe, P. and Clegg, S. L.: Erratum, J. Atmos. Chem., 8, 95, 1989.

Burkholder, J. B., Orlando, J. J., and Howard, C. J.: Ultraviolet absorption cross sections of Cl_2O_2 between 210 and 410 nm, J. Phys. Chem., 94, 687–695, 1990.

Canosa-Mas, C. E., King, M. D., Lopez, R., Percival, C. J., Wayne, R. P., Shallcross, D. E., Pyle, J. A., and Daele, V.: Is the reaction between $CH_3(O)O_2$ and NO_3 important in the night-time troposphere?, J. Chem. Soc. Faraday Trans., 92, 2211–2222, 1996.

Chameides, W. L.: The photochemistry of a remote marine stratiform cloud, J. Geophys. Res., 89D, 4739–4755, 1984.

Christensen, L. E., Okumura, M., Sander, S. P., Salawitch, R. J., Toon, G. C., Sen, B., Blavier, J.-F., and Jucks, K. W.: Kinetics of $HO_2 + HO_2 \rightarrow H_2O_2 + O_2$: Implications for stratospheric H_2O_2, Geophys. Res. Lett., 29, doi:10.1029/2001GL014525, 2002.

Davis, Jr., W. and de Bruin, H. J.: New activity coefficients of 0-100 per cent aqueous nitric acid, J. Inorg. Nucl. Chem., 26, 1069–1083, 1964.

De Bruyn, W. J., Shorter, J. A., Davidovits, P., Worsnop, D. R., Zahniser, M. S., and Kolb, C. E.: Uptake of gas-phase sulfur species methanesulfonic acid, dimethylsulfoxide, and dimethyl sulfone by aqueous surfaces, J. Geophys. Res., 99D, 16 927–16 932, 1994.

Deiber, G., George, C., Le Calvé, S., Schweitzer, F., and Mirabel, P.: Uptake study of $ClONO_2$ and $BrONO_2$ by halide containing droplets, Atmos. Chem. Phys., 4, 1291–1299, 2004.

DeMore, W. B., Sander, S. P., Golden, D. M., Hampson, R. F., Kurylo, M. J., Howard, C. J., Ravishankara, A. R., Kolb, C. E., and Molina, M. J.: Chemical kinetics and

photochemical data for use in stratospheric modeling. Evaluation number 12, JPL Publication 97-4, Jet Propulsion Laboratory, Pasadena, CA, 1997.

Dillon, T. J., Horowitz, A., Hölscher, D., Crowley, J. N., Vereecken, L., and Peeters, J.: Reaction of HO with hydroxyacetone ($HOCH_2C(O)CH_3$): rate coefficients (233-363 K) and mechanism, Phys. Chem. Chem. Phys., 8, 236–246, 2006.

Dransfeld, P. and Wagner, H. G.: Comparative study of the reactions of ^{16}OH and ^{18}OH with $H^{16}O_2$, Z. Naturforsch., 42.

Dubey, M. K., Mohrschlad, R., Donahue, N. M., and Anderson, J. G.: Isotope specific kinetics of hydroxyl radical (OH) with water (H2O): testing models of reactivity and atmosphere fractionation, J. Phys. Chem., 101, 1494–1500, 1997.

Greenblatt, G. D. and Howard, C. J.: Oxygen atom exchange in the interaction of ^{18}O with several small molecules, J. Phys. Chem., 93, 1035–1042, 1989.

Hanson, D. R., Burkholder, J. B., Howard, C. J., and Ravishankara, A. R.: Measurement of OH and HO_2 radical uptake coefficients on water and sulfuric acid surfaces, J. Phys. Chem., 96, 4979–4985, 1992.

Hu, J. H., Shi, Q., Davidovits, P., Worsnop, D. R., Zahniser, M. S., and Kolb, C. E.: Reactive uptake of Cl_2(g) and Br_2(g) by aqueous surfaces as a function of Br^- and I^- ion concentration: The effect of chemical reaction at the interface, J. Phys. Chem., 99, 8768–8776, 1995.

Huthwelker, T., Clegg, S. L., Peter, T., Carslaw, K., Luo, B. P., and Brimblecombe, P.: Solubility of HOCl in water and aqueous H_2SO_4 to stratospheric temperatures, J. Atmos. Chem., 21, 81–95, 1995.

Hynes, A. J. and Wine, P. H.: The atmospheric chemistry of dimethylsulfoxide (DMSO) kinetics and mechanism of the OH + DMSO reaction, J. Atmos. Chem., 24, 23–37, 1996.

Jacob, D. J.: Chemistry of OH in remote clouds and its role in the production of formic acid and peroxymonosulfate, J. Geophys. Res., 91D, 9807–9826, 1986.

Jayne, J. T., Duan, S. X., Davidovits, P., Worsnop, D. R., Zahniser, M. S., and Kolb, C. E.: Uptake of gas-phase alcohol and organic acid molecules by water surfaces, J. Phys. Chem., 95, 6329–6336, 1991.

Johnston, J. C., Röckmann, T., and Brenninkmeijer, C. A. M.: CO_2+O^1D isotopic exchange: Laboratory and modeling studies, J. Geophys. Res., 105, 15 213–15 229, 2000.

Kircher, C. C. and Sander, S. P.: Kinetics and mechanism of HO_2 and DO_2 disproportionations, J. Phys. Chem., 88, 2082–2091, 1984.

Kirchner, F. and Stockwell, W. R.: Effect of peroxy radical reactions on the predicted concentrations of ozone, nitrogenous compounds, and radicals, J. Geophys. Res., 101D, 21 007–21 022, 1996.

Klein, F., Spindel, W., and Stern, M. J.: Catalysts of isotopic exchange in nitric oxide, J. Chim. Phys, 60, 148–153, 1963.

Lax, E.: Taschenbuch für Chemiker und Physiker, Springer Verlag, Berlin, 1969.

Lee, Y.-N. and Schwartz, S. E.: Reaction kinetics of nitrogen dioxide with liquid water at low partial pressure, J. Phys. Chem., 85, 840–848, 1981.

Lind, J. A. and Kok, G. L.: Correction to "Henry's law determinations for aqueous solutions of hydrogen peroxide, methylhydroperoxide, and peroxyacetic acid" by John A. Lind and Gregory L. Kok, J. Geophys. Res., 99D, 21 119, 1994.

Madronich, S. and Calvert, J. G.: Permutation reactions of organic peroxy radicals in the troposphere, J. Geophys. Res., 95D, 5697–5715, 1990.

Magi, L., Schweitzer, F., Pallares, C., Cherif, S., , Mirabel, P., and George, C.: Investigation of the uptake rate of ozone and methyl hydroperoxide by water surfaces, J. Phys. Chem. A, 101, 4943–4949, 1997.

McCabe, D. C., Gierczak, T., Talukdar, R. K., and Ravishankara, A. R.: Kinetics of the reaction OH + CO under atmospheric conditions, Geophys. Res. Lett., 28, 3135–3138, 2001.

Müller, J.-F. and Brasseur, G.: IMAGES: A three-dimensional chemical transport model of the global troposphere, J. Geophys. Res., 100D, 16 445–16 490, 1995.

Neeb, P., Horie, O., and Moortgat, G. K.: The ethene-ozone reaction in the gas phase, J. Phys. Chem. A, 102, 6778–6785, 1998.

Orlando, J. J., Tyndall, G. S., Bertman, S. B., Chen, W., and Burkholder, J. B.: Rate coefficient for the reaction of OH with CH_2=$C(CH_3)C(O)OONO_2$ (MPAN), Atmos. Environ., 36, 1895–1900, 2002.

Ponche, J. L., George, C., and Mirabel, P.: Mass transfer at the air/water interface: Mass accommodation coefficients of SO_2, HNO_3, NO_2 and NH_3, J. Atmos. Chem., 16, 1–21, 1993.

Pöschl, U., Canagaratna, M., Jayne, J. T., Molina, L. T., Worsnop, D. R., Kolb, C. E., and Molina, M. J.: Mass accommodation coefficient of H_2SO_4 vapor on aqueous sulfuric acid surfaces and gaseous diffusion coefficient of H_2SO_4 in N_2/H_2O, J. Phys. Chem. A, 102, 10 082–10 089, 1998.

Pöschl, U., von Kuhlmann, R., Poisson, N., and Crutzen, P. J.: Development and intercomparison of condensed isoprene oxidation mechanisms for global atmospheric modeling, J. Atmos. Chem., 37, 29–52, 2000.

Régimbal, J.-M. and Mozurkewich, M.: Peroxynitric acid decay mechanisms and kinetics at low pH, J. Phys. Chem. A, 101, 8822–8829, 1997.

Röckmann, T., Brenninkmeijer, C. A. M., Saueressig, G., Bergamaschi, P., Crowley, J. N., Fischer, H., and Crutzen, P. J.: Mass-independent oxygen isotope fractionation in atmospheric CO as a result of the reaction CO+OH, Science, 281, 544–546, 1998.

Rudich, Y., Talukdar, R. K., Imamura, T., Fox, R. W., and Ravishankara, A. R.: Uptake of NO_3 on KI solutions: Rate coefficient for the $NO_3 + I^-$ reaction and gas-phase diffusion coefficients for NO_3, Chem. Phys. Lett., 261, 467–473, 1996.

Saastad, O. W., Ellermann, T., and Nielsen, C. J.: On the adsorption of NO and NO_2 on cold H_2O/H_2SO_4 surfaces, Geophys. Res. Lett., 20, 1191–1193, 1993.

Sander, S. P., Friedl, R. R., DeMore, W. B., Golden, D. M., Kurylo, M. J., Hampson, R. F., Huie, R. E., Moortgat, G. K., Ravishankara, A. R., Kolb, C. E., and Molina, M. J.: Chemical kinetics and photochemical data for use in stratospheric modeling. Supplement to evaluation 12: Update of key reactions. Evaluation number 13, JPL Publication 00-3, Jet Propulsion Laboratory, Pasadena, CA, `http://jpldataeval.jpl.nasa.gov/`, 2000.

Sander, S. P., Finlayson-Pitts, B. J., Friedl, R. R., Golden, D. M., Huie, R. E., Kolb, C. E., Kurylo, M. J., Molina, M. J., Moortgat, G. K., Orkin, V. L., and Ravishankara, A. R.: Chemical Kinetics and Photochemical Data for Use in Atmospheric Studies, Evaluation Number 14, JPL Publication 02-25, Jet Propulsion Laboratory, Pasadena, CA, 2003.

Sander, S. P., Friedl, R. R., Golden, D. M., Kurylo, M. J., Moortgat, G. K., Keller-Rudek, H., Wine, P. H., Ravishankara, A. R., Kolb, C. E., Molina, M. J., Finlayson-Pitts, B. J., Huie, R. E., and Orkin, V. L.: Chemical Kinetics and Photochemical Data for Use in Atmospheric Studies, Evaluation Number 15, JPL Publication 06-2, Jet Propulsion Laboratory, Pasadena, CA, 2006.

Saueressig, G., Bergamaschi, P., Crowley, J. N., Fischer, H., and Harris, G. W.: Carbon Kinetic Isotope Effect in the Reaction of CH_4 with Cl Atoms, 22, 1225–1228, 1995.

Saueressig, G., Crowley, J. N., Bergamaschi, P., Bruhl, C., Brenninkmeijer, C. A. M., and Fischer, H.: Carbon 13 and D kinetic isotope effects in the reactions of CH_4 with O^1D and OH: New laboratory measurements and their implications for the isotopic composition of stratospheric methane, J. Geophys. Res., 106, 23 127–23 138, 2001.

Schwartz, S. E. and White, W. H.: Solubility equilibria of the nitrogen oxides and oxyacids in dilute aqueous solution, in: Advances in Environmental Science and Engineering, edited by Pfafflin, J. R. and Ziegler, E. N., vol. 4, pp. 1–45, Gordon and Breach Science Publishers, NY, 1981.

Schweitzer, F., Mirabel, P., and George, C.: Uptake of hydrogen halides by water droplets, J. Phys. Chem. A, 104, 72–76, 2000.

Sivakumaran, V., Hölscher, D., Dillon, T. J., and Crowley, J. N.: Reaction between OH and HCHO: temperature dependent rate coefficients (202-399 K) and product pathways (298 K), Phys. Chem. Chem. Phys., 5, 4821–4827, 2003.

Sprengnether, M., Demerjian, K. L., Donahue, N. M., and Anderson, J. G.: Product analysis of the OH oxidation of isoprene and 1,3-butadiene in the presence of NO, J. Geophys. Res., 107D, doi:10.1029/2001JD000716, 2002.

Stimpfle, R. M., Wilmouth, D. M., Salawitch, R. J., and Anderson, J. G.: First measurements of ClOOCl in the stratosphere: The coupling of ClOOCl and ClO in the Arctic polar vortex, J. Geophys. Res., 109, doi:10.1029/2003JD003811, 2004.

Takami, A., Kato, S., Shimono, A., and Koda, S.: Uptake coefficient of OH radical on aqueous surface, Chem. Phys., 231, 215–227, 1998.

Thomas, K., Volz-Thomas, A., and Kley, D.: Zur Wechselwirkung von NO_3-Radikalen mit wässrigen Lösungen: Bestimmung des Henry- und des Massenakkomodationskoeffizienten, Ph.D. thesis, Institut für Chemie und

Dynamik der Geosphäre 2, Forschungszentrum Jülich GmbH, Germany, 1993.

Thornton, J. and Abbatt, J. P. D.: Measurements of HO_2 uptake to aqueous aerosol: Mass accommodation coefficients and net reactive loss, J. Geophys. Res., 110D, doi: 10.1029/2004JD005402, 2005.

Tyndall, G. S., Staffelbach, T. A., Orlando, J. J., and Calvert, J. G.: Rate coefficients for the reactions of OH radicals with methylglyoxal and acetaldehyde, Int. J. Chem. Kinetics, 27, 1009–1020, 1995.

Tyndall, G. S., Cox, R. A., Granier, C., Lesclaux, R., Moortgat, G. K., Pilling, M. J., Ravishankara, A. R., and Wallington, T. J.: The atmospheric chemistry of small organic peroxy radicals, J. Geophys. Res., 106D, 12 157–12 182, 2001.

Villenave, E. and Lesclaux, R.: Kinetics of the cross reactions of CH_3O_2 and $C_2H_5O_2$ radicals with selected peroxy radicals, J. Phys. Chem., 100, 14 372–14 382, 1996.

von Kuhlmann, R.: Tropospheric photochemistry of ozone, its precursors and the hydroxyl radical: A 3D-modeling study considering non-methane hydrocarbons, Ph.D. thesis, Johannes Gutenberg-Universität, Mainz, Germany, 2001.

Wilhelm, E., Battino, R., and Wilcock, R. J.: Low-pressure solubility of gases in liquid water, Chem. Rev., 77, 219–262, 1977.

Worsnop, D. R., Zahniser, M. S., Kolb, C. E., Gardner, J. A., Watson, L. R., van Doren, J. M., Jayne, J. T., and Davidovits, P.: The temperature dependence of mass accommodation of SO_2 and H_2O_2 on aqueous surfaces, J. Phys. Chem., 93, 1159–1172, 1989.

Zaveri, R. A. and Peters, L. K.: A new lumped structure photochemical mechanism for large-scale applications, J. Geophys. Res., 104D, 30 387–30 415, 1999.