
Geosci. Model Dev. Discuss., 5, C559–C560, 2012 www.geosci-model-dev-discuss.net/5/C559/2012/ © Author(s) 2012. This work is distributed under the Creative Commons Attribute 3.0 License.



## Interactive comment on "The OASIS3 coupler: a European climate modelling community software" by S. Valcke

## J. Jungclaus

johann.jungclaus@zmaw.de

Received and published: 16 August 2012

Some small corrections regarding the description of the MPI-ESM in section 6.5: Entire paragraph: The atmosphere model in MPI-ESM is ECHAM6, not ECHAM5. page 2164, line 22: In MPI-ESM-LR/P, the ocean does not have a tri-polar grid, but a bi-polar grid with grid poles located over Greenland and Antarctica (1.5 degree nominal resolution is correct).

recently submitted papers on MPI-ESM (can be made available by the authors):

Giorgetta, M.A. et al., Climate change from 1850 to 2100 in MPI-ESM simulations for the Coupled Model Intercomparison Project 5. Submitted to Journal of Advances in Modeling the Earth System.

C559

Jungclaus, J. H., et al.: Characteristics of the ocean simulations in MPIOM, the ocean component of the MPI-Earth System Model. Submitted to Journal of Advances in Modeling the Earth System.

Interactive comment on Geosci. Model Dev. Discuss., 5, 2139, 2012.