

Supplementary materials for

**Calibration and analysis of the uncertainty in downscaling global land use and
land cover projections from GCAM**

Min Chen^{1*}, Chris R. Vernon², Maoyi Huang², Katherine V. Calvin¹, and Ian P. Kraucunas²


¹ Joint Global Change Research Institute, Pacific Northwest National Laboratory, College Park, Maryland
20740

² Atmospheric Sciences and Global Change Division, Pacific Northwest National Laboratory, P.O. Box
999, Richland, Washington 99352

13 Table S1. Conversion table from CCI-LC product groups to Final Land Types (FLTs).


CCI-LC groups	FLTs
no_data	No data
cropland_rainfed	Crop
cropland_rainfed_herbaceous_cover	Crop
cropland_rainfed_tree_or_shrub_cover	Crop
cropland_irrigated	Crop
mosaic_cropland	Crop
mosaic_natural_vegetation	Crop
tree_broadleaved_evergreen_closed_to_open	Forest
tree_broadleaved_deciduous_closed_to_open	Forest
tree_broadleaved_deciduous_closed	Forest
tree_broadleaved_deciduous_open	Forest
tree_needleleaved_evergreen_closed_to_open	Forest
tree_needleleaved_evergreen_closed	Forest
tree_needleleaved_evergreen_open	Forest
tree_needleleaved_deciduous_closed_to_open	Forest
tree_needleleaved_deciduous_closed	Forest
tree_needleleaved_deciduous_open	Forest
tree_mixed	Forest
mosaic_tree_and_shrub	Forest
mosaic_herbaceous	Grass
shrubland	Shrub
shrubland_evergreen	Shrub
shrubland_deciduous	Shrub
grassland	Grass
lichens_and_mosses	Grass
sparse_vegetation	Sparse
sparse_shrub	Sparse
sparse_herbaceous	Sparse
tree_cover_flooded_fresh_or_brakish_water	Sparse
tree_cover_flooded_saline_water	Forest
shrub_or_herbaceous_cover_flooded	Shrub
urban	Urban
bare_areas	Sparse
bare_areas_consolidated	Sparse
bare_areas_unconsolidated	Sparse
water	No data
snow_and_ice	Snow

15 Figure S1. An overview illustration of the key processes in Demeter.




16


17 Figure S2. Spatial pattern of the observed and downscaled Forest density (measured by
18 percentage fraction of the grid cell), and their differences in 2015.




20 Figure S3. Spatial pattern of the observed and downscaled Shrub density (measured by
21 percentage fraction of the grid cell), and their differences in 2015.



23 Figure S4. Spatial pattern of the observed and downscaled Grass density (measured by
24 percentage fraction of the grid cell), and their differences in 2015.



26 Figure S5. Spatial pattern of the observed and downscaled Urban density (measured by
27 percentage fraction of the grid cell), and their differences in 2015.



29 Figure S6. Spatial pattern of the observed and downscaled Snow density (measured by
30 percentage fraction of the grid cell), and their differences in 2015.




Figure S7. Mean and standard deviations (σ) for the downscaled Final Land Type (FLT) densities (measured by the percentage fraction of the grid cells) for each FLT and year, when propagating the parameter uncertainties (indicated by the top 5% parameters) into the GCAM-projected land use and land cover change downscaling in the 21st century. The color and the height of the bars indicated the mean and standard deviation, respectively.






Figure S8. Mean and standard deviations (σ) for the downscaled Final Land Type (FLT) densities (measured by the percentage fraction of the grid cells) for each FLT and year, when propagating the parameter uncertainties (indicated by the top 10% parameters) into the GCAM-projected land use and land cover change downscaling in the 21st century. The color and the height of the bars indicated the mean and standard deviation, respectively.




46 Figure S9. Possibility distributions of the ‘best’ 5% parameters for India (a) and United States
 47 (b). The red lines show the optimal values for the two regions. Note that the values of D were
 48 divided by 100 for the purpose of illustration.



49
 50

51 Fig S10. Soil nutrient availability normalized between 0 to 1 from the Harmonized world soil
52 database.



53