



1 **Efficient surrogate modeling methods for large-scale Earth system models based on**
2 **machine learning techniques**

3

4 **Dan Lu^{1,*}, Daniel Ricciuto²**

5

6

7 ¹Computational Sciences and Engineering Division, Climate Change Science Institute, Oak
8 Ridge National Laboratory, Oak Ridge, TN, USA;

9 ²Environmental Sciences Division, Climate Change Science Institute, Oak Ridge National
10 Laboratory, Oak Ridge, TN, USA;

11

12

13 * Corresponding Author: Dan Lu, lud1@ornl.gov

14

15

16

17

18

19

December 2018

20

For Publication in Geoscientific Model Development

21



22

Abstract

23 Improving predictive understanding of Earth system variability and change requires data-model
24 integration. Efficient data-model integration for complex models requires surrogate modeling to
25 reduce model evaluation time. However, building a surrogate of a large-scale Earth system
26 model (ESM) with many output variables is computationally intensive because it involves a large
27 number of expensive ESM simulations. In this effort, we propose an efficient surrogate method
28 capable of using a few ESM runs to build an accurate and fast-to-evaluate surrogate system of
29 model outputs over large spatial and temporal domains. We first use singular value
30 decomposition to reduce the output dimensions, and then use Bayesian optimization techniques
31 to generate an accurate neural network surrogate model based on limited ESM simulation
32 samples. Our machine learning based surrogate methods can build and evaluate a large surrogate
33 system of many variables quickly. Thus, whenever the quantities of interest change such as a
34 different objective function, a new site, and a longer simulation time, we can simply extract the
35 information of interest from the surrogate system without rebuilding new surrogates, which
36 significantly saves computational efforts. We apply the proposed method to a regional ecosystem
37 model to approximate the relationship between 8 model parameters and 42660 carbon flux
38 outputs. Results indicate that using only 20 model simulations, we can build an accurate
39 surrogate system of the 42660 variables, where the consistency between the surrogate prediction
40 and actual model simulation is 0.93 and the mean squared error is 0.02. This highly-accurate and
41 fast-to-evaluate surrogate system will greatly enhance the computational efficiency in data-
42 model integration to improve predictions and advance our understanding of the Earth system.



43 **1 Introduction**

44 Improving predictive understanding of Earth system variability and change requires data-
45 model integration. For example, Bilonis et al. (2015) improved Community Land Model (CLM)
46 prediction of crop productivity after model calibration; Müller et al. (2015) improved the CLM
47 prediction of methane emission after parameter optimization; and Fox et al. (2009) and Lu et al.
48 (2017) improved the terrestrial ecosystem model predictive credibility of carbon fluxes after
49 uncertainty quantification. However, data-model integration methods are usually
50 computationally expensive involving a large ensemble of model simulations, which prohibits
51 their application to complex Earth system models (ESMs) with lengthy simulation time. To
52 reduce computational costs, surrogate modeling is widely used (Razavi et al., 2012; Gong et al.,
53 2015; Ray et al., 2015; Huang et al., 2016, Lu et al., 2018; Ricciuto et al., 2018). The surrogate
54 model, which is a set of mathematical functions, approximates the actual simulation model based
55 on pairs of simulation model input-output samples, and then replaces the simulation model in the
56 data-model integration. As the ESMs evaluation is expensive, it is desired to use a limited
57 number of ESM simulation samples to build an accurate surrogate. As the surrogate model needs
58 to be calculated many times in data-model integration, it is required to build a fast-to-evaluate
59 surrogate. In this study, we use a very few simulation model runs to build an accurate and fast
60 evaluated surrogate system of a large scale problem based on advanced machine learning
61 methods.

62 In Earth system modeling, we usually need to build a surrogate system of many output
63 variables over large spatial and temporal domains. ESMs tend to be simulated in a regional or
64 global scale with many grid cells for several years, producing a large number of output variables.
65 In addition, ESMs are used to solve versatile scientific problems, so the quantities of interest



66 (QoIs) often change. Moreover, the development of a surrogate requires expensive ESM runs,
67 and a large number of runs are often needed to capture the complex model input-output
68 relationship. Therefore, it is reasonable to build a surrogate system for all possible model outputs
69 to reduce the efforts of rerunning ESMs for a new surrogate development when the QoIs change.
70 In this way, whenever we simulate the outputs in a new site or for additional sites, at a different
71 time or for a longer period, we can simply extract the information of interest from the large
72 surrogate system without spending extra efforts in building new surrogates, which significantly
73 saves the computational costs.

74 Building and evaluating a surrogate system of a large number of model outputs can be very
75 computationally intensive for almost all the surrogate methods. Polynomials and artificial neural
76 networks are widely used for surrogate modeling (Razavi et al., 2012; Viana et al., 2014).
77 Polynomial methods, such as polynomial regression and radial basis functions, need to solve
78 polynomial coefficients in the surrogate construction and to calculate matrix multiplications in
79 the surrogate evaluation. Using a p th-order polynomial to approximate a model with d
80 parameters, $M = (p+d)!/(p!d!)$ coefficients need to be solved, i.e., the number of coefficients
81 increases factorially fast with the parameter size and polynomial order. When $d=40$, a second-
82 order polynomial involves 861 coefficients and a third-order polynomial involves 12341
83 coefficients. ESMs have many uncertain parameters and a high-order polynomial is usually
84 needed to approximate complex ESMs, which can easily lead to a prohibitive number of model
85 evaluations, up to $\sim 10^5$, necessary to compute the polynomial coefficients. To reduce the
86 computational costs, some regularization techniques such as Bayesian compressive sensing have
87 been used (Sargsyan et al., 2014; Ricciuto et al., 2018). These regularization techniques can use a
88 few samples to solve a large number of coefficients (i.e., an underdetermined system) by



89 iteratively minimizing the L1 norm of the coefficient vector. But they usually perform
90 minimization once for one model output, so for a large model outputs problem, significant
91 computing effort is required. To reduce the computing burden in building polynomial-based
92 surrogates, we need to reduce the output dimensions.

93 Reducing the model output dimensions also improves computational efficiency in the
94 evaluation of the polynomial-based surrogates. For example, evaluating the third-order
95 polynomial-based surrogate of the model with 40 parameters and 300,000 outputs at 1 parameter
96 sample, we need to calculate two matrix multiplications where matrix A has the size $[1, M]$ and
97 B has the size $[M, N_{out}]$ and $M = 12341$ and $N_{out} = 300,000$. The surrogate evaluation takes about
98 90 seconds and most time is spent on loading the huge matrix. When N_{out} reduces to 20, the
99 surrogate evaluation quickly reduces to less than a second. Note that an ESM can easily have
100 more than 40 parameters and more than 300,000 model outputs. Even using the most advanced
101 supercomputers with GPUs, the data storage and loading are still a bottleneck. Thus, reducing
102 model output dimensions is necessary for both fast building and evaluating polynomial-based
103 surrogates.

104 Neural network (NN) assisted surrogate modeling also suffers from high computational
105 costs when applied to a large-scale problem with many QoIs. To approximate a complex ESM
106 with many outputs, a complicated NN with many wide hidden layers is usually needed to capture
107 the complex relationship between the model inputs and outputs, because each spatial and
108 temporal output variable is driven by different meteorological forcing such as air temperature,
109 humidity, wind speed, precipitation, and radiation. The full connections between nodes in the
110 input layer and the first hidden layer, between nodes of the hidden layers, and between nodes in
111 the last hidden layer and a large number of nodes on the output layer, involve a great amount of



112 NN weights and biases that need to be solved. For the same example discussed above, to
113 approximate the model with 40 parameters and 300,000 model outputs, an NN with two hidden
114 layers and each layer having 100 nodes has over 30 million weights and biases. Calculation of
115 these weights and biases requires many samples to train the NN for a good fit. Each training
116 sample involves one model evaluation. However, ESM simulation is time consuming, which
117 usually takes several hours or days and can be up to months or even years. A limited sample size
118 is not enough to train a deep and wide NN for convergence and a simple NN trained by a small
119 sample size may not capture underlying Earth systems accurately. Thus, reducing model output
120 dimensions is needed to advance the NN-based surrogate modeling. A small output size reduces
121 the width of the output layer and also simplifies the relationship between the model inputs and
122 outputs, so that a simple NN architecture can be appropriate and a small sample size can be
123 sufficient to accurately train the simple NN. In addition, a simple NN can also be fast evaluated
124 with small weight matrix multiplications.

125 In this work, we propose to use singular value decomposition (SVD) to reduce model
126 output dimensions, so as to improve the computational efficiency in both building and evaluating
127 the surrogates. ESM outputs usually show periodic changes along time and strong correlations
128 between locations, which promises a fast decay of singular values. So, we can use a small
129 number of singular value coefficients to capture a great amount of output information, enabling a
130 significant output dimension reduction. We use the NN for surrogate modeling, because
131 compared to polynomial methods, NNs have shown less difficulty in fitting highly nonlinear and
132 discontinuous functions which are usually observed in ESMs response surfaces. For example,
133 carbon flux state variables, such as gross primary productivity (GPP), are strongly affected by
134 vegetation related parameters. When the parameter samples cause zero vegetation growth, GPP



135 has zero values. Whereas when the parameter samples cause high vegetation growth, GPP has
136 large positive values. This leads to a discontinuous GPP response surface jumping from zeros to
137 nonzeros.

138 NNs theoretically can fit any functions, but their practical performance strongly depends
139 on the NN's architectures and hyperparameters. NN has many hyperparameters such as the
140 number of layers, number of nodes in each layer, type of activation functions, and learning rate
141 of the stochastic gradient descent optimization. A slight change in the hyperparameter value can
142 result in dramatically different NN performance. Development of a high-performing NN is time-
143 intensive and usually requires trial-and-error tuning by machine learning experts. In this work,
144 we use Bayesian optimization techniques to optimize the NN architecture and hyperparameters
145 so as to produce an accurate NN model for the training data. Bayesian optimization searches the
146 hyperparameter space to iteratively minimize the validation errors of the NN by balancing
147 exploration and exploitation (Shahriari et al., 2016). Researches suggested that Bayesian
148 hyperparameter optimization of NNs is more efficient than manual, random, or grid search with
149 better overall performance on test data and less time required for optimization (Bergstra et al.,
150 2011; Snoek et al., 2012). Bayesian optimization involves a large ensemble of NN fittings and it
151 is a sequential model-based optimization, thus, fast training of the NN models is important. Our
152 proposed SVD method can simplify the NN architecture so as to advance the NN training and
153 improve the Bayesian optimization performance.

154 In this effort, we propose an SVD-enhanced, Bayesian-optimized, and NN-based surrogate
155 method and aim to build an accurate and fast-to-evaluate surrogate system of a large-scale model
156 using a few model runs, so as to improve computational efficiency in surrogate modeling and
157 thus advance the data-model integration. We apply the method to a simplified land model in the



158 Energy Exascale Earth System Model (sELM) to improve the model predictive capability of
159 carbon fluxes. We build a surrogate system of 42660 model output variables which are annual
160 GPPs at 1422 locations simulated for 30 years. The sELM is a regional-scale terrestrial
161 ecosystem model that simulates terrestrial water, energy, and biogeochemical processes in
162 terrestrial surfaces. Simulation of sELM is important for improving our understanding of
163 ecosystem responses to climate change. However, sELM requires lengthy times for hydrologic
164 and carbon cycle equilibration, and these high computational costs limit the affordable number of
165 simulations in data-model integration thus resulting in poor model performance. The proposed
166 machine learning assisted surrogate method makes the sophisticated data-model integration
167 computationally feasible and promises an improvement of the sELM predictions.

168 The major contributions of this work are (1) using SVD to reduce model output
169 dimensions so as to improve computational efficiency in both building and evaluating an
170 accurate surrogate of a large-scale ESM; (2) using Bayesian optimization techniques to fast
171 generate an accurate NN-based surrogate; and (3) applying the proposed method to build a large
172 surrogate system of a regional-scale ESM to advance data-model integration. To our knowledge,
173 the method of using SVD to enhance surrogate modeling is novel and we have not seen the
174 application of Bayesian optimization to improve NN-based surrogates in Earth system modeling.

175 The paper is organized as follows. In section 2, we first describe the sELM, the model
176 parameters and the QoIs we build surrogates for; following that, we introduce the SVD, NNs,
177 and Bayesian optimization methods. In section 3, we apply the methods to the sELM and analyze
178 the surrogate accuracy. In section 4, we discuss strategies to improve surrogate accuracy and
179 investigate our method's performance in the application of these strategies. In section 5, we end
180 this paper by drawing our conclusions.



181 2 Materials and Methods

182 2.1 Description of sELM and related parameters

183 We developed a simplified version of Energy Exascale Earth System (E3SM) land model
184 (ELM), or sELM, to simulate carbon cycle processes relevant for Earth system models in a
185 computationally efficient framework. This framework allows us to perform large regional
186 ensembles that are computationally infeasible using offline land surface models such as ELM.
187 sELM is a combination of model elements from the Data Assimilation Linked Ecosystem
188 Carbon model (DALEC; Williams et al., 2005) and the Community Land Model version 4.5
189 (CLM4.5; Oleson et al., 2013). sELM consists of five process-based submodels that simulate
190 carbon fluxes between five major carbon pools using 49 overall parameters. Based on previous
191 sensitivity analysis using ELM (Ricciuto et al., 2018), this study considers the most sensitive
192 eight parameters associated with four out of the five submodels. We summarize all five process-
193 based submodels and their interactions below and in Figure 1.

194 sELM consists of five major submodels: photosynthesis, autotrophic respiration,
195 allocation, deciduous phenology, and decomposition. Photosynthesis is driven by the aggregate
196 canopy model (ACM) from the DALEC, which itself is calibrated against the soil-plant-
197 atmosphere model (Williams et al., 2005). ACM predicts GPP as a function of carbon dioxide
198 concentration, leaf area index, maximum and minimum daily temperature, and
199 photosynthetically active radiation. Here the GPP predicted by ACM is modified by BTRAN,
200 which reduces GPP when soil water is insufficient to support transpiration. Because sELM does
201 not predict soil moisture, BTRAN is calculated in a full ELM simulation and is fed into sELM as
202 an input. ACM shares one parameter, the leaf carbon to nitrogen ratio (*leaf C:N*), with the



203 autotrophic respiration model and employs an additional parameter, the specific leaf area at the
204 top of the canopy (*slatop*).

205 The remaining four submodules are based on ELM. The autotrophic respiration model
206 computes the growth and maintenance respiration components and is controlled by four
207 parameters, the *leaf C:N*, the fine root carbon to nitrogen ratio (*froot C:N*), the base rate of
208 maintenance respiration (*br_mr*), and temperature sensitivity for maintenance respiration
209 (*q10_mr*). The allocation model partitions carbon to several vegetation carbon pools following
210 those in ELM: leaves, fine roots, live stem, dead stem, live coarse roots and dead coarse roots. In
211 the allocation model, we only consider one parameter, the fine root to leaf allocation ratio
212 (*froot_leaf*). The deciduous phenology model is used to predict the timing of budbreak and
213 senescence. It considers two parameters, the critical day length to initiate autumn senescence
214 (*crit_dayl*) and the number of accumulated growing degree days needed to initiate spring leaf-out
215 (*crit_onset_gdd*). The last submodel is a decomposition model that simulates heterotrophic
216 respiration and the decomposition of litter into soil organic matter using the converging trophic
217 cascade framework as in the CLM4.5 (Oleson et al., 2013). Because this study focuses on plant
218 carbon uptake, no uncertain parameters are considered in the decomposition model. In sELM,
219 nutrient feedbacks are not represented explicitly, however a constant nitrogen limitation factor is
220 included to downregulate photosynthetic uptake.

221 The sELM can simulate several carbon state and flux variables as shown in Figure 1 with
222 green shapes. GPP, which represents the total plant carbon uptake, is considered in this study.
223 Here we use sELM to predict annual GPP in deciduous forest systems in the eastern region of the
224 United States for 30 years between 1981-2010. The carbon state variables are spun up to steady
225 state by cycling the GSWP3 input meteorology (Kim et al., 2017) from 1981-2010 for 5 cycles,



226 and the 6th cycle is used as the output for our surrogate modeling study. The region of interest
227 covers 1422 land grid cells (locations) as shown in Figure 2. Given 30 outputs at each location
228 (annual values over 30 years), a total of 42660 GPP variables are simulated. The model uses one
229 plant functional type and the phenological drivers such as air temperature, solar radiation, vapor
230 pressure deficit, and CO₂ concentration are used as boundary conditions. One regional sELM run
231 takes about 24 hours on a single processor, which although much faster than ELM is still
232 computationally too expensive to be directly used in model-data integration studies. To improve
233 the computational efficiency in generating the sELM simulation samples to develop the surrogate
234 model, we use high performance computing to perform an ensemble of 2000 sELM model
235 simulations in parallel. The 2000 parameter input samples are randomly drawn from the
236 parameter space defined in Figure 3. The numerical ranges of these parameters are designed to
237 reflect their average values and broad uncertainties associated with the temperate deciduous
238 forest plant functional type. The output samples are sELM simulated GPPs at the 1422 locations
239 for 30 years. In the surrogate modeling, part of the 2000 input-output samples are used for
240 developing the surrogate and part of them are used to evaluate the surrogate accuracy, as
241 discussed in section 3.

242 **2.2 Efficient surrogate modeling methods**

243 In this section, we introduce our SVD-enhanced, Bayesian-optimized, and NN-based
244 surrogate methods. We first describe the SVD for reducing data dimensionality, then introduce
245 the NN techniques for building a surrogate model, and last depict the Bayesian optimization
246 algorithm for producing a high-performing NN-based surrogate.



247 2.2.1 Singular value decomposition for data compression

248 We build a surrogate system of model outputs by fitting a data matrix whose columns are
249 output variables and rows are output samples. For a model with 100000 output variables, the
250 columns of this matrix span a 100000-dimensional space. Encoding this matrix on a computer
251 takes quite a lot of memory and evaluating this matrix takes a large number of calculations. We
252 are interested in approximating this matrix with some low-rank matrix but remaining its most
253 information, so as to reduce data transfer and accelerate matrix calculation.

254 Singular value decomposition (SVD) decomposes a matrix \mathbf{A} with size $m \times n$ into three
255 other matrices, $\mathbf{A} = \mathbf{U}\mathbf{S}\mathbf{V}^T$, where \mathbf{U} is an $m \times m$ orthogonal matrix, \mathbf{V} is an $n \times n$ orthogonal
256 matrix, and \mathbf{S} is an $m \times n$ diagonal matrix saving singular values in descending order on the
257 diagonal. Truncated SVD keeps the K largest singular values and corresponding K column
258 vectors of \mathbf{U} and K row vectors of \mathbf{V}^T to form $\tilde{\mathbf{A}} = \mathbf{U}_K \mathbf{S}_K \mathbf{V}_K^T$. The K -rank matrix $\tilde{\mathbf{A}}$ has proven to
259 be the best approximation of \mathbf{A} in minimizing the Frobenius norm of the difference between \mathbf{A}
260 and $\tilde{\mathbf{A}}$ under the constraint of $\text{rank}(\tilde{\mathbf{A}}) = K$. In addition, the total of the first K singular values
261 divided by the sum of all the singular values is the percentage of information that those singular
262 values contain. For example, if we want to keep 90% of the data information, we just need to
263 compute sums of K largest singular values until we reach 90% of the sum and discard the rest.
264 By dropping all but a few singular values and then recomputing the approximated matrix, the
265 SVD technique compresses the data information and reduces data dimensions. When the matrix
266 \mathbf{A} shows strong correlations between columns (variables), a low-rank matrix $\tilde{\mathbf{A}}$ can make a very
267 accurate approximation of \mathbf{A} .

268 In this study, we use SVD to reduce training data dimensions. The training data matrix \mathbf{A}
269 $[m, n]$ for surrogate construction contains model output samples information. n columns are



270 output variables (e.g., the 42660 temporal and spatial GPPs in this work) and m rows are the
271 samples of these variables (e.g., the sELM simulation results of the 42660 GPPs for the m
272 parameter samples), and usually $n \gg m$ for expensive ESMs with many outputs. In
273 implementation, we first perform truncated SVD to get low-rank matrices $\mathbf{U}_K[m, K]$, $\mathbf{S}_K[K, K]$,
274 and $\mathbf{V}_K^T[K, n]$ with $K \ll n$, we then use the low-dimensional dataset $(\mathbf{V}_K^T \mathbf{A}^T)^T$ with reduced size m
275 $\times K$ as training data to build the surrogate model of the K largest singular value coefficients.
276 Next, we evaluate the surrogate model at q new data points to get results \mathbf{Y}_{new} with size $q \times K$.
277 Lastly, we transform the predicted values back to its original size $q \times n$ through $\mathbf{Y}_{\text{new}} \mathbf{V}_K^T$ to obtain
278 the surrogate approximation of the n variables at the q new data points.

279 2.2.2 Neural networks for surrogate modeling

280 Artificial neural networks (NNs) consist of fully connected hierarchical layers with nodes
281 which can be flexibly used for function approximation (Yegnanarayana, 2009). The first layer is
282 the input layer and each node in the input layer represents one model input variable. The last
283 layer is the output layer and each node in the output layer represents one model output variable.
284 The layers between input and output layers are hidden layers which are used to approximate the
285 relationship between model inputs and outputs. When the relationship is complex, a complicated
286 NN with many wide hidden layers is usually needed. The input layer first assigns model
287 parameter values to its nodes. Then each node in the first hidden layer takes multiple weighted
288 inputs, applies the activation function to the summation of these inputs, and calculates the node's
289 value. Next, the second hidden layer takes the values on the first hidden layer nodes as inputs
290 and calculates its nodes' values in the same way. This process moves forward till we get values
291 of all nodes in the output layer, i.e., obtaining NN predictions for the given model parameter
292 input values. The nodes in each layer are fully connected to all the nodes in its previous and



293 subsequent layers. Each of these connections has an associated weight and bias. A complicated
294 NN results in a large number of weights. By tuning these weights and biases based on some
295 training data, we improve the NN approximation of the underlying simulation model.

296 NN uses stochastic gradient descent (SGD) method to optimize its weights and biases
297 (Bottou, 2012). SGD optimizes variables by minimizing some loss function based on the
298 function's gradients to these variables. The loss function is usually defined as the mean squared
299 error (MSE) between the NN predictions and model simulations for the same set of model
300 parameter samples in the training data. SGD iteratively updates the optimized variables at the
301 end of each training epoch. In the process, the learning rate, which specifies how aggressively
302 the optimization algorithm jumps between iterations, greatly affects the algorithm's performance
303 and has to be tuned. A small learning rate will take a long time to reach the optimum causing a
304 slow convergence, whereas a big learning rate will bounce around the optimum causing unstable
305 results and a difficult convergence. Using SGD to optimize a complex NN with many weights
306 requires a great amount of computational efforts and has difficulty in convergence. First, many
307 training data are required to tune a large number of weights. Small training data can easily cause
308 over-fitting, i.e., the NN "perfectly" fits the training data but performs badly on new data, thus
309 deteriorating the NN prediction accuracy. In addition, a large number of weights involve massive
310 matrix calculations in evaluating the loss function, slowing down the training process.

311 Furthermore, a complicated NN has difficulty in convergence and can easily get stuck in local
312 minima. In this work, we use SVD to reduce the model output dimensions, so as to decrease the
313 number of nodes in the output layer and simplify the NN architecture, thus reducing the size of
314 the weights and enabling a reasonable NN training from small training data, and ultimately
315 improving the computational efficiency.



316 **2.2.3 Bayesian optimization algorithm for NN hyperparameter optimization**

317 NN involves a lot of hyperparameters that dramatically affect its performance such as the
318 number of layers, the number of nodes in each layer, and the learning rate of the SGD algorithm.
319 Hyperparameter optimization is needed to produce a high-performing NN. This requires
320 optimizing an objective function $f(x)$ over a tree-structured configuration spaces $x \in X$, where
321 some leaf variables (e.g., the number of nodes in the third hidden layer of an NN) are only well
322 defined when branch variables (e.g., a discrete choice of how many layers to use) take particular
323 values. In addition, the optimization not only optimizes discrete and continuous variables, but
324 also simultaneously choose which variables to optimize. When the NN is used for surrogate
325 modeling, the objective function is the NN accuracy of predicting some validation data. In this
326 case, the $f(x)$ does not have a simple closed form but can be evaluated at any arbitrary query
327 point x in the configuration space. For such optimization problem, a sequential search method is
328 needed, besides some inefficient grid search and random search approaches (Bergstra and
329 Bengio, 2012). The sequential search method starts with some random points in the search space,
330 and then iteratively evaluates new points based on NN predictions on previously evaluated
331 points. After N evaluations, we choose the optimal combination of the hyperparameters resulting
332 in the highest NN prediction accuracy. Among the sequential search algorithms, Bayesian
333 optimization is able to take advantage of full information provided by the history of the
334 optimization to improve the search efficiency.

335 Tree-structured Parzen estimator (TPE) and Gaussian process are two widely used
336 Bayesian optimization algorithms (Shahriari et al., 2016; Bardenet and Kegl, 2010; Niranjana et
337 al., 2010; Snoek et al., 2012). In comparison to the Gaussian process, TPE works well for all
338 types of NN hyperparameter variables, is robust to NN randomization, has a fast calculation and



339 a straightforward implementation without associated hyperparameters specification (Bergstra et
340 al., 2011). In this work, we use the TPE algorithm for NN hyperparameter optimization.

341 **3 Results**

342 In this section, we present the results of building the surrogate system of 42660 GPP
343 variables of sELM. First, we demonstrate that our method using SVD can efficiently build and
344 evaluate a large surrogate system by comparing the results with and without application of SVD.
345 We then investigate the influence of NN's architecture on surrogate performance and show that
346 our method using hyperparameter optimization can fast generate an accurate NN. Last, we
347 evaluate surrogate accuracy on the large-scale spatial and temporal GPPs.

348 We consider three sets of data, the training data for fitting the NN, the validation data to
349 detect overfitting in the NN training and to select the best-performing NN in the hyperparameter
350 optimization, and the test data to evaluate the NN prediction accuracy. Each data set contains
351 pairs of parameter and GPP samples. The parameter samples are randomly drawn from the
352 parameter space defined in Figure 3. To assess the effectiveness of our proposed surrogate
353 method for a small data set, we consider only 20 training data (Figure 3). The validation data is
354 chosen as 0.3 fractions of the training data. The NN model will not train on the validation data
355 but evaluate the loss function on them at the end of each epoch. In each epoch, the training data
356 is shuffled, and the validation data are always selected from the last 0.3 fraction. Precisely, we
357 only use 14 samples to tune NN weights. Attribute to shuffling, these 14 samples can be a
358 different subset from the 20 training data in each epoch, thus we sufficiently explore the limited
359 20 data information for building the surrogates. We use 1000 test data (Figure 3) to evaluate the
360 NN prediction accuracy, which makes a reasonable assessment of our proposed method within
361 an affordable computational cost. Note that the 1000 test data are not needed for building the



362 surrogates but used to demonstrate the effectiveness and efficiency of our method. When using
363 our method to build the surrogates of the 42660 GPPs, only 20 sELM model simulations are
364 used.

365 We define the loss function as the mean squared error (MSE) between the NN predictions
366 and the sELM simulations based on the parameter samples for training. We use Adam algorithm
367 (Kingma and Ba, 2015) for stochastic optimization of NN and run it for 800 epochs to minimize
368 the loss function and update NN weights. Adam has been shown a superior stochastic
369 optimization algorithm in training NN (Basu et al., 2018). There is no right answer for the
370 optimal number of epochs. A small number of epochs could result in underfitting and a large
371 number of epochs may lead to overfitting. Here we consider a large number of epochs and in the
372 meantime use early stopping to avoid overfitting. During the training, when there is no
373 improvement of loss functions for the validation data in 100 epochs, we stop the training and
374 choose the weights at the epoch resulting in the smallest loss function of the validation data as
375 the optimal weights and the associated NN as the best trained NN under the given setting.

376 We then use the trained NN to predict the 1000 test data and compare the predictions with
377 the corresponding sELM simulation results to evaluate the NN accuracy. We define two metrics
378 for evaluation, the MSE and the coefficient of determination. The MSE computes the expected
379 value of the squared prediction errors; the small the MSE value is, the better the prediction. The
380 coefficient of determination, also called R^2 score, measures how well the unobserved data are
381 likely to be predicted by the NN model. Denote \hat{y}_i as the NN prediction of the i th sample and y_i
382 as the corresponding sELM simulation, the R^2 score estimated over N_s samples is defined as

383 $R^2 = 1 - \frac{\sum_{i=1}^{N_s} (y_i - \hat{y}_i)^2}{\sum_{i=1}^{N_s} (y_i - \bar{y})^2}$, where $\bar{y} = \frac{1}{N_s} \sum_{i=1}^{N_s} y_i$. Best possible value of R^2 score is 1.0, indicating

384 that the NN can perfectly predict the test data. R^2 score can be negative indicating the model is



385 arbitrarily poor. A constant model gets a R^2 score of 0.0. Compared to MSE, the R^2 score
386 considers the variability of the data which provides a more reasonable measure.

387 **3.1 SVD reduces data dimensionality and improves surrogate efficiency**

388 We consider two scenarios when building the surrogate system of the 42660 GPP outputs;
389 Case I: building the surrogates of reduced data after SVD, and Case II: building the surrogates of
390 all GPPs directly. In Case I, we first apply SVD to reduce the training data dimensionality, then
391 build surrogates of the singular value coefficients, and last transfer the surrogate system back to
392 the original QoIs (i.e., the 42660 GPP variables).

393 The goal of this study is to develop a surrogate method that builds an accurate surrogate
394 system with small training data, so as to reduce the computational costs in simulating the
395 expensive ESMs. To demonstrate the effectiveness and efficiency of our method, we compare
396 the surrogate performance of the two cases in predicting the 1000 test data from two aspects: (1)
397 for the same number of training data, the predictive accuracy of the two surrogates, and (2) the
398 number of training data used to achieve the similar predictive accuracy.

399 Figure 4 shows the singular value decay of decomposition of the training data matrix
400 having 20 samples and 42660 GPP variables. The figure indicates that the singular values decay
401 very fast. The first 2 singular values drop about 1 magnitude, and the first 5 singular values can
402 capture 97% information of the training data matrix. To choose a suitable number of singular
403 value coefficients (N_{svd}) to compress the training data and build a surrogate for, we consider a
404 series of N_{svd} s, where $N_{svd}=1, 5, 10, 15,$ and 20 , and investigate their impact on NN
405 performance. To make a fair comparison, the same NN architectures are used for all N_{svd} cases.
406 We consider a simple NN with 2 hidden layers and each hidden layer has 10 nodes. Figure 5
407 shows the prediction performance of the NNs based on the 20 training data. The figure indicates



408 that with considering only 1 singular value coefficient, the averaged MSE of the predictions is
409 about 0.053, and the NN model can fit the sELM simulation data well with the R^2 score of 0.83.
410 When 5 singular value coefficients are considered, the NN prediction accuracy improves with the
411 MSE of 0.02 and the R^2 score of 0.93. After $N_{svd}=5$, the MSE and R^2 score have minor changes,
412 suggesting that for the limited 20 training data, $N_{svd}=5$ is a good choice to compress the GPPs
413 and build a surrogate for. At this time, the surrogate error becomes dominant compared to the
414 SVD approximation error and including more than 5 singular value coefficients would barely
415 improve the NN prediction unless more training data are included to reduce the surrogate error.
416 In the following, we consider $N_{svd}=5$ in Case I and compare its surrogate prediction
417 performance with Case II which builds surrogates for all GPPs directly.

418 In Case I, our method is able to use 20 training data to build a highly accurate surrogate of
419 42660 GPP variables with a small MSE of 0.02 and a high R^2 score of 0.93. The detailed NN
420 performance is explained in Figure 6(a) where the training and validation loss decays in building
421 the surrogates of the 5 singular value coefficients are plotted. The figure indicates that the loss
422 functions of the two data sets have similar decay, decreasing dramatically at the first 10 epochs
423 and then slowly decreasing to the end of training. The closely overlapped two lines in Figure 6(a)
424 suggest that the trained NN captures the relationship between sELM inputs and outputs pretty
425 well and can give reasonable predictions of GPPs for a given parameter sample.

426 To make a fair comparison, we use the same NN architecture in Case II as in Case I except
427 that the output layer of NN in Case II has all the 42660 GPPs and the output layer in Case I has
428 only 5 singular value coefficients. Figure 6(b) indicates that the simple NN with 20 hidden nodes
429 is not sophisticated enough to capture the complex relationship between the 8 inputs and 42660
430 outputs. As we can see in Figure 6(b), both training and validation losses are relatively high



431 suggesting an underfitting. The validation loss is always larger than the training loss suggesting
432 that the fitted NN does not generalize well and may result in poor performance in predicting new
433 data. Figure 7 shows R^2 scores of Case II in predicting the 1000 test data. The figure indicates
434 that the simple NN trained by 20 data in Case II has a very poor prediction accuracy with the R^2
435 score of only 0.05, close to a constant model's performance with a zero R^2 score. However, with
436 the same NN trained by the same 20 data, our SVD-based surrogate method can achieve a high
437 prediction accuracy with the R^2 score of 0.93. This demonstrates our method's capability in using
438 a few training samples to build an accurate surrogate model, greatly reducing the computational
439 costs in generating the expensive model simulation data.

440 On the other hand, the poor performance in Case II suggests that a wider and deeper NN is
441 needed when we consider the large outputs directly. We thus increase the nodes of each hidden
442 layer to 100 and use this complex NN with total 200 hidden nodes to approximate the
443 relationship of the 8 inputs and 42660 outputs in Case II. This complex NN blows up its
444 parameters (including weights and biases) to 4.3 million from 255 in Case I. To fit this wide NN
445 and calibrate its large parameters, 20 training data are way too small to get a reasonable fit. No
446 matter how we adjust the NN hyperparameters, we cannot get a stable solution in training. We
447 then increase the training data to 50, Figure 6(c) shows that the increased data greatly decrease
448 the training and validation losses and the validation loss is slightly higher than the training loss,
449 implying a good fit. Figure 7 indicates that the complex NN with 200 hidden nodes trained by 50
450 data in Case II significantly improves the prediction accuracy with the R^2 score of 0.73.
451 However, Case II's predictive performance is still worse than Case I which has the R^2 score of
452 0.93. We keep increasing the training data (N_{train}) to 100 and 200 in Case II. Figure 6(d) and (e)
453 indicate that the increase of training data brings the validation loss closer and closer to the



454 training loss making the fitted NN represent the underlying sELM better and better. Figure 7
455 shows that the nicely fitted NNs trained by large Ntrains lead to a high prediction accuracy. With
456 Ntrain=100, the R^2 score is about 0.89, and with Ntrain=200, the R^2 score is up to 0.95.
457 However, compared to Case I using 20 training data to get predictive R^2 score of 0.93, Case II
458 uses near 200 data to get the similar accuracy, increasing 10-fold computational costs. Note that,
459 each training data involves one sELM simulation and one regional sELM run takes about 24
460 hours on one processor. Thus, our SVD-based surrogate method greatly improves computational
461 efficiency in the accurate surrogate modeling.

462 Our method, in the means of simplifying NN architecture through data compression, not
463 only reduces the training data but also decreases the training time. Using 20 data to train a simple
464 NN with 255 parameters, our method takes about 4 seconds. In comparison, the traditional
465 surrogate method without data compression spends a great effort in training the complex NN
466 with 4.3 million parameters. As shown in Figure 7, Case II takes 270 seconds to fit the NN based
467 on 50 training data and 967 seconds for the 200 training data, showing a linear increase in
468 computing time. The long training time leads to high computational costs in NN hyperparameter
469 optimization where massive NN training are involved in searching the wide hyperparameter
470 space for a high-performing NN model, as discussed in the following section 3.2.

471 **3.2 NN's hyperparameter optimization improves surrogate accuracy**

472 NN has a large number of hyperparameters. Here we adjust 5 hyperparameters and use
473 Case I to investigate their influence on surrogate prediction accuracy. The 5 hyperparameters are,
474 the number of hidden layers (L) where we consider the most 3 hidden layers, the number of
475 nodes in hidden layer 1 (N1), in hidden layer 2 (N2), and in hidden layer 3 (N3), and the learning
476 rate (lr) of Adam optimization algorithm. We consider the following choices: $L=\{2, 3\}$, $N1=\{10,$



477 20, 40, 60, 80, 100}, $N_2=\{10, 20, 40, 60, 80, 100\}$, $N_3=\{0, 10, 20, 40, 60, 80, 100\}$, and
478 $lr=U[0.001, 0.1]$. The first four hyperparameters are discrete variables and the last one, lr , is a
479 continuous variable with uniform distribution. The choice of L determines the selection of N_3
480 showing a tree-like structure. We use tree-structured Parzen estimator (TPE) to search the 5
481 hyperparameter space and find a set of values that gives the best-performing NN. We fix the
482 activation function as ReLU (Agarap, 2018) which has been widely used and shown to produce
483 good NN predictions.

484 We use TPE to evaluate 100 sets of hyperparameters and the one giving the best validation
485 score, i.e., the smallest MSE on validation data, is chosen as the optimal hyperparameters.
486 Results indicate that the combination of $N_1=10$, $N_2=10$, $N_3=0$, and $lr=0.08$ gives the best
487 validation score. To investigate the impact of hyperparameters on NN prediction accuracy, we
488 show the 100 sets of hyperparameters and their resulting R^2 scores in predicting the 1000 test
489 data in Figure 8. The figure indicates that different hyperparameter values result in dramatically
490 different NN performance. The prediction R^2 scores range from 0.66 to 0.93 where 32
491 hyperparameter sets have the R^2 scores over 0.90. The selected optimal NN producing the
492 smallest MSE on the validation data also gives the best prediction performance on the test data
493 with the R^2 score of 0.93. It is desired that the best NN model chosen by validation data gives the
494 best predictions, however, in practice it is not always the case, especially when the prediction
495 data deviates a lot from the validation data. Extrapolation is always a difficulty in surrogate
496 modeling and several researches are going on to improve the extrapolation accuracy (Gal, 2014).

497 Although NNs perform significantly different with different combination of
498 hyperparameters, the TPE algorithm can efficiently find the high-performing NNs based on
499 previous samples information. As shown in Figure 8, good-performing NNs prefer simple



500 architectures with 2 hidden layers, e.g., most blue lines have N_3 of 0. After TPE finds a good
501 architecture of $N_1=10$ and $N_2=10$, it samples around this architecture in the hyperparameter
502 space to fine tune the learning rate till finds the most suitable lr of 0.08. This work considers 5
503 hyperparameters with limited choices, increasing the dimensions and possible choices of the
504 hyperparameters would make the search more thorough and could produce a better-performing
505 NN. Our surrogate method with SVD can accelerate the optimization process by reducing the
506 NN training time.

507 **3.3 Evaluation of surrogate accuracy on large-scale spatial and temporal data**

508 We, using only 20 expensive sELM runs, fast build an accurate surrogate system of 42660
509 GPPs at 1422 locations for 30 years. Therefore, for a data-model integration problem with the
510 QoIs within the spatial and temporal ranges, we can directly extract the information of interest
511 from the surrogate system to advance the analysis. The best-performing NN generated from our
512 method gives an overall accurate prediction of the 42660 GPPs with averaged MSE of 0.02 and
513 R^2 scores of 0.93. When using the subset of the surrogate system for data-model integration
514 studies, it is desired to analyze the surrogate accuracy at individual locations for specific times.

515 Figure 9 shows averaged R^2 scores over 30 years at 1422 locations. The figure indicates
516 that the surrogate accuracy is not uniformly good for all the locations. We observe that most
517 locations have R^2 scores above 0.9 with the best R^2 score of 0.96, and about 100 locations have
518 R^2 scores below 0.90 with the smallest R^2 score of 0.79. We highlight the locations having zero
519 GPP simulations in blue circles and find that these locations generally have poor predictions with
520 low R^2 scores. Connecting to Figure 2 where we label the locations in column-wise from south to
521 north and from west to east, we identify that those locations with zero GPPs are mostly located in



522 the north where the temperature is relatively low and annual GPPs tend to be zero for parameter
523 samples.

524 We pick 3 locations to closely evaluate the surrogate accuracy (Figure 9). Location 1046
525 has the best prediction with the highest R^2 score, location 1345 has the worst prediction
526 accuracy, and location 428 performs best among the locations with zero GPP simulations. Figure
527 10 shows annual GPP simulations based on sELM and NN-based surrogate in evaluating the
528 1000 test data for 30 years at the 3 locations. It can be seen that NN has difficulty in fitting zero
529 GPP data. At location 1046 where the annual GPPs are relatively high with positive values, NN
530 produces a great fit with a high R^2 score of 0.96 and a small MSE of 0.013. Location 1046
531 (Figure 2) is close to the lake where the variance in atmospheric drivers (e.g., temperature) is
532 moderated. This reduced variance leads to a smooth response surface of GPP for which NN can
533 easily build an accurate surrogate. In contrast, location 1345 has a large number of simulated
534 GPPs less than 1.0 including many zero GPPs. NN shows difficulty in predicting these small
535 GPPs resulting in a relatively poor performance with the R^2 score of 0.79. Location 1345 is
536 sitting in the north and has the lowest mean annual temperature, so the most parameter samples
537 cause low vegetation growth and small GPP values. Moreover, location 1345 is far away from
538 the lakes and has a large variation in atmospheric drivers. Since this location has a climate that is
539 at the extreme end of the range for deciduous forests, the model response is expected and
540 reasonable. However, this leads to a strong nonlinear response surface that casts difficulty in
541 surrogate modeling. In comparison, although location 428 is located in the north with some small
542 GPPs including zero values, it is also close to the lake which has a small variance in the
543 atmospheric drivers. Thus, the NN prediction performance in location 428 is not bad with the R^2
544 score of 0.91.



545 Figure 11 plots the averaged R^2 scores over all locations for 30 years. The R^2 scores have
546 small fluctuations between 0.93 and 0.94, displaying a uniformly good fit among the simulated
547 years. So, when using the surrogate model at any specific year for a data-model analysis, we
548 should be able to obtain a good approximation. In this study, we are considering annual GPPs.
549 Although the variation of atmospheric drivers between years has an impact on surrogate
550 accuracy, its influence is less strong compared to monthly GPPs, so a uniformly good fit among
551 years is expected.

552 Building a surrogate of the discontinuous response surface, e.g., vegetation turns from
553 alive to dead representing as the GPP jumps from nonzero to zero, is a difficulty for almost all
554 the state-of-the-art surrogate methods. Nevertheless, NNs, attribute to the layered architecture
555 and the nonlinear activation function, usually show better performance compared to other
556 surrogate approaches. To improve the surrogate accuracy for strong nonlinear and discontinuous
557 problems, one strategy is using physics-informed domain decomposition methods to build
558 surrogate models separately in different response surface regimes. This strategy requires the
559 surrogate methods strongly connecting to the simulation model, and the methods are generally
560 problem-specific requiring experts' interaction. Another strategy is increasing the training data to
561 explore complex problems. This strategy requires an increase in computational costs for extra
562 expensive model simulations. In the following section 4, we investigate these two strategies and
563 discuss their influence on surrogate accuracy.

564 **4 Discussion**

565 ESMs are complex whose response surfaces always display strong nonlinearity and
566 discontinuity, casting a challenge to surrogate modeling. In this section, we consider the
567 strategies of physics-informed learning and increase of training data to improve the surrogate



568 accuracy. We conduct two corresponding experiments to investigate our method's performance
569 in application of these two strategies. In experiment I, we divide the parameter space into two
570 parts producing zero GPPs and nonzero GPPs, and we use 20 training data to build surrogates of
571 the 42660 GPPs in the regime generating nonzero GPP samples. In experiment II, we build the
572 surrogates of the 42660 GPPs in the original parameter domain (Figure 3), but with increasing
573 training data of 200 and 1000.

574 We use the results of Case I as a baseline to investigate our method's performance in the
575 two experiments. Figure 12 shows averaged R^2 scores over 30 years at the 1422 locations in
576 experiment I. The figure indicates that without zero GPPs our method can produce a very
577 accurate surrogate at all locations with a uniformly high R^2 score of 0.98. Building the surrogates
578 in the subdomain without zero GPPs not only significantly improves the prediction accuracy in
579 locations originally having poor fit in Case I, but also further improves the prediction accuracy in
580 locations which already have a good fit in Case I. For example, the R^2 score is dramatically
581 improved from 0.79 to 0.97 at location 1345, from 0.96 to 0.99 at location 1046, and from 0.91
582 to 0.98 at location 428. As shown in Figure 13, the NN almost perfectly reproduces sELM
583 simulations at these 3 locations. Experiment I indicates that physics-informed domain
584 decomposition can be a good strategy to improve surrogate accuracy. For smooth problems (e.g.,
585 no sharp jumps from non-zeros to zeros in response surfaces), our method can build a very
586 accurate surrogate model based on a few training data.

587 Figure 14 shows averaged R^2 scores over 30 years at 1422 locations based on 200 and
588 1000 training data in experiment II. The figure indicates that an increase of training data greatly
589 enhances NN prediction accuracy. Adding 10 folds additional data from $N_{\text{train}}=20$ to
590 $N_{\text{train}}=200$, the overall R^2 score improves from 0.93 to 0.98; further increasing N_{train} to 1000,



591 the averaged R^2 score is up to 0.993 with the worst value of 0.96. Although we observe similar
592 nonuniform performance among locations in Figure 14 as in Figure 9, where the locations with
593 zero GPPs have smaller R^2 scores than others, increasing N_{train} significantly improves the
594 accuracy at all locations, especially those originally having poor fits in Case I. For example,
595 when $N_{\text{train}}=200$, most blue-circled locations have R^2 scores above 0.95 and for $N_{\text{train}}=1000$,
596 the R^2 scores at these blue-circled locations are above 0.985 in comparison to the values below
597 0.9 when $N_{\text{train}}=20$. In the examination of the 3 individual locations by comparing Figure 10
598 and Figure 15, we see that at the location of 1046, an increase of N_{train} enables the NN to
599 perfectly predict sELM simulations with negligible MSEs. Even for the location 428 with zero
600 GPPs, more training data can capture the discontinuous behavior better with R^2 score of 0.99 and
601 MSE of 0.003 when $N_{\text{train}}=1000$. The worst location happens at 1345 for all cases due to its
602 highly changed atmospheric drivers. Even so, the increase of N_{train} can still dramatically
603 enhance the NN's capability in simulating the difficult response surface. Experiment II indicates
604 that increasing training data is able to significantly improve the surrogate accuracy. Our method
605 scales well with the increase of training data and greatly improves prediction accuracy as N_{train}
606 increases.

607 The analysis of the two experiments suggests that our method is data-efficient for
608 continuous problems. To improve the surrogate accuracy in discontinuous and highly nonlinear
609 problems, we can use the physical-informed domain decomposition to focus on the continuous
610 and smooth regions of the response surface. If the discontinuity is the inherent feature of the
611 underlying function that we need to surrogate, an increase of training data would be a good
612 solution for surrogate accuracy improvement.



613 Having built a surrogate system of many GPP variables over large spatial and temporal
614 domains provides great flexibility and possibility for subsequent predictive analytics tasks. For
615 example, the surrogate model can be used for analyzing sensitivities of model parameters to any
616 set of spatial and temporal GPP variables, and for parameter optimization and uncertainty
617 quantification based on a single-site or multiple-site, a single-year or multiple-year GPP
618 observations using any defined objective functions. In addition, with the newly collected
619 observations from additional sites or further time periods, we can use the same surrogate system
620 for analysis as long as the QoIs are within the surrogate simulation ranges. In the future study,
621 we will pursue the data-model integration using the constructed surrogate system.

622 **5 Conclusions**

623 In this work, we develop an SVD-enhanced, Bayesian-optimized, and NN-based surrogate
624 method to improve the computational efficiency of large-scale surrogate modeling, so as to
625 advance model-data integration studies in Earth system model simulations. Our method is data
626 efficient in the fact that only 20 model simulations are needed to build an accurate surrogate
627 system. This is a promising result because large Earth system model ensembles are always
628 computationally infeasible, and 20 is a reasonable and affordable number of simulations to
629 consider. In addition, our method is general purpose and can be efficiently applied to a wide
630 range of Earth system problems with different spatial scales (local, regional, or global) at
631 different simulation periods. It is super effective for smooth problems and scaled well for highly
632 nonlinear and discontinuous problems.

633 We apply our surrogate method to a regional ecosystem model. The results indicate that
634 using only 20 model runs, we can build an accurate surrogate system of 42660 spatially- and
635 temporally-varied GPPs with the R^2 score of 0.93 and MSE of 0.02. For locations with robust



636 vegetation growth across the ensemble, our method can almost perfectly predict the model
637 simulations with the R^2 score of 0.96. For locations with low vegetation growth for some
638 parameter samples and large variation in atmospheric drivers that cause discontinuous response
639 surfaces, using physics-informed domain decomposition or the increase of training samples, our
640 method can produce accurate predictions with the R^2 score of 0.97 and 0.96, respectively. This
641 application demonstrates our method's capability in accurately reproducing expensive model
642 simulations based on a few parallel model runs.

643 **Data availability**

644 All the data used in this study are model simulation data, which can be generated by running
645 the sELM.

646 **Code availability**

647 sELM is presented in its 1.0 version, which is realized in the Python language. It is an open-
648 use computer code which can be accessed freely from
649 https://github.com/dmricciuto/OSCM_SciDAC/tree/master/models/simple_ELM. The source
650 code of surrogate modeling using machine learning techniques can be provided upon request via
651 lud1@ornl.gov.

652 **Author contribution**

653 Dan Lu developed the methods and carried them out. Daniel Ricciuto developed the model
654 code and performed the model simulations. Dan Lu prepared the manuscript with contributions
655 from all coauthors.

656 **Acknowledgments**

657 Primary support for this work was provided by the Scientific Discovery through Advanced
658 Computing (SciDAC) program, funded by the U.S. Department of Energy (DOE), Office of



659 Advanced Scientific Computing Research (ASCR) and Office of Biological and Environmental
660 Research (BER). Additional support was provided by BER's Terrestrial Ecosystem Science
661 Scientific Focus Area (TES-SFA) project. The authors are supported by Oak Ridge National
662 Laboratory, which is supported by the DOE under Contract DE-AC05-00OR22725.

663 **References**

- 664 Agarap, A. F. M.: Deep learning using Rectified Linear Units (ReLU),
665 <https://arxiv.org/pdf/1803.08375>, 2018.
- 666 Bardenet, R. and Kegl, B.: Surrogating the surrogate: accelerating Gaussian Process optimization
667 with mixtures, In ICML, 2010.
- 668 Basu A., De, S., Mukherjee, A., and Ullah, E.: Convergence guarantees for rmsprop and adam in
669 nonconvex optimization and their comparison to nesterov acceleration on autoencoders,
670 arXiv preprint arXiv:1807.06766, 2018.
- 671 Bergstra J. S., Bardenet, R., Bengio, Y., and Kegl, B.: Algorithms for hyperparameter
672 optimization, NIPS 24, 2546-2554, 2011.
- 673 Bergstra J., and Bengio, Y.: Random search for hyper-parameter optimization, Journal of
674 Machine Learning Research, 13(1): 281-305, 2012.
- 675 Bergstra, J., Yamins, D., and Cox, D. D.: Hyperopt: A Python library for optimizing the
676 hyperparameters of machine learning algorithms, In Proceedings of the 12th Python in
677 Science Conference, 13-20, 2013.
- 678 Bottou, L.: Stochastic gradient descent tricks, Neural networks: tricks of the trade: 2nd edition,
679 Springer Berlin Heidelberg, 2012.
- 680 Billionis, I., Drewniak, B. A., and Constantinescu, E. M.: Crop physiology calibration in the
681 CLM, Geosci. Model Dev., 8, 1071-1083, 2015.



- 682 Fox, A., Williams, M., Richardson, A. D., Cameron, D., Gove, J. H., Quaife, T., Ricciuto, D.,
683 Reichstein, M., Tomelleri, E., Trudinger, C. M., and Van Wijk, M. T.: The REFLEX
684 project: Comparing different algorithms and implementations for the inversion of a
685 terrestrial ecosystem model against eddy covariance data, *Agric. For. Meteorol.*, 149,
686 1597-1615, 2009.
- 687 Gong, W., Duan, Q., Li, J., Wang, C., Di, Z., Dai, Y., Ye, A., and Miao, C.: Multiobjective
688 parameter optimization of community land model using adaptive surrogate modeling,
689 *Hydrol. Earth Syst. Sci.*, 19, 2409-2425, 2015.
- 690 Huang, M., Ray, J., Hou, Z., Ren, H., Liu, Y., and Swiler, L.: On the applicability of surrogate-
691 based Markov chain Monte Carlo-Bayesian inversion to the Community Land Model:
692 Case studies at flux tower sites, *J. Geophys. Res. Atmos.*, 121, 7548-7563,
693 doi:10.1002/2015JD024339, 2016.
- 694 Kim, H.: Global Soil Wetness Project Phase 3 Atmospheric Boundary Conditions (Experiment
695 1). Data Integration and Analysis System (DIAS), <https://doi.org/10.20783/DIAS.501>,
696 2017.
- 697 Kingma, D. P., and Ba, J.: Adam: a Method for Stochastic Optimization, *International*
698 *Conference on Learning Representations*, 1-13, 2015.
- 699 Lu, D., Ricciuto, D., Walker, A., Safta, C., and Munger W.: Bayesian calibration of terrestrial
700 ecosystem models: a study of advanced Markov chain Monte Carlo methods,
701 *Biogeosciences*, 14, 4295-4314, 2017.
- 702 Lu, D., Ricciuto, D., Stoyanov, M., and Gu, L.: Calibration of the E3SM land model using
703 surrogate-based global optimization. *Journal of Advances in Modeling Earth Systems*,
704 10. <https://doi.org/10.1002/2017MS001134>, 2018.



- 705 Müller, J., Paudel, R., Shoemaker, C. A., Woodbury, J., Wang, Y., and Mahowald, N.: CH4
706 parameter estimation in CLM4.5bgc using surrogate global optimization, *Geosci. Model*
707 *Dev.*, 8, 3285-3310, 2015.
- 708 Niranjan, S., Krause, A., Kakade, A., and Seeger, M.: Gaussian process optimization in the
709 bandit setting: No regret and experimental design. In *Proceedings of the 27th*
710 *International Conference on Machine Learning*, 2010.
- 711 Oleson, K. W., et al.: Technical description of version 4.5 of the Community Land Model
712 (CLM). (NCAR Tech. Note NCAR/TN-5031STR, 420 pp. Boulder, CA: National
713 Center for Atmospheric Research, <https://doi.org/10.5065/D6RR1W7M>, 2013.
- 714 Ray, J., Hou, Z., Huang, M., Sargsyan, K., and Swiler, L.: Bayesian calibration of the
715 Community Land Model using surrogates, *SIAM/ASA J. Uncertain. Quantif.*, 199-233,
716 doi:10.1137/140957998, 2015.
- 717 Razavi, S., Tolson, B. A., and Burn, D. H.: Review of surrogate modeling in water resources,
718 *Water Resour. Res.*, 48, W07401, doi:10.1029/2011WR011527, 2012.
- 719 Ricciuto, D., Sargsyan, K., and Thornton, P.: The impact of parametric uncertainties on
720 biogeochemistry in the E3SM land model. *Journal of Advances in Modeling Earth*
721 *Systems*, 10, 297-319, 2018.
- 722 Sargsyan, K., Safta, C., Najm, H. N., Debusschere, B., Ricciuto, D. M., and Thornton, P.E.:
723 Dimensionality reduction for complex models via Bayesian compressive sensing, *Int. J.*
724 *Uncert. Quant.*, 4, 63-93, 2014.
- 725 Shahriari, B., Swersky, K., Wang, Z., Adams, R. P., and de Freitas, N.: Taking the Human Out of
726 the Loop: A Review of Bayesian Optimization, *Proc. IEEE* 104 (1): 148-175,
727 doi:10.1109/jproc.2015.2494218, 2016.




- 728 Snoek, J., Larochelle, H., and Adams, R. P.: Practical Bayesian optimization of machine learning
729 algorithms, in 26th Annual Conference on Neural Information Processing Systems,
730 2960-2968, 2012.
- 731 Williams, M., Schwarz, P. A., Law, B. E., Irvine, J., and Kurpius, M.: An improved analysis of
732 forest carbon dynamics using data assimilation, *Global Change Biol.*, 11, 89-105, 2005.
- 733 Viana, F. A., Simpson, T.W., Balabanov, V., and Toropov, V.: Metamodeling in
734 multidisciplinary design optimization: How far have we really come?, *AIAA J.*, 52(4),
735 670-690, 2014.
- 736 Yegnanarayana B.: *Artificial neural networks*, PHI Learning Pvt. Ltd, 2009.



737

List of Figures




738

739 Figure 1. Schematic of sELM, where processes are shown using blue boxes with dependencies
 740 on environmental data, 8 uncertain parameter inputs are listed in orange ovals, and model state
 741 variables are indicated by green shapes. Parameters are input to one or more processes as
 742 indicated by blue arrows. Model state variables may be outputs for some processes and input for
 743 other processes as indicated by red arrows.

744


745



746

747 Figure 2. Locations of interest for which we build surrogates of GPP ($\text{gC}/\text{m}^2/\text{day}$) variables;
748 total 1422 locations are considered. The figure shows the sELM simulated annual GPP based on
749 one parameter sample.


750



751

752 Figure 3. We consider 8 uncertain parameter inputs whose ranges are shown as axis limits. The
753 20 training and 1000 test data are randomly drawn from the parameter space.

754




755

756 Figure 4. Singular value decay and the information contained in the first largest singular values.

757 The top 5 singular values contain 97% information of training data matrix with 42660 GPP

758 variables and 20 samples.


759



760

761 Figure 5. Performance of the NNs trained by 20 data with considering the different number of
762 singular value coefficients after SVD.


763



764

765 Figure 6. Changes of loss function values along epochs for training and validation data (a) in
766 Case I which builds surrogates of the 5 singular value coefficients with a simple NN (two hidden
767 layers and each layer has 10 nodes, $N_1=N_2=10$) based on 20 training data ($N_{train}=20$), and (b-e)
768 in Case II which builds surrogates of all outputs with different NN architectures and different
769 training data size.


770



771

772 Figure 7. Comparison of NN performance between Case I: building surrogates of 5 singular
 773 value coefficients ($N_{svd}=5$) after SVD based on 20 training data (red dashed line) and Case II:
 774 building surrogates for all outputs directly with different numbers of training data (red solid
 775 line). Each training data represents one sELM simulation. The right y-axis shows the time in
 776 training the NN in Case II. The time for training the NN in Case I is 4 seconds.


777



778

779 Figure 8. Different sets of NN hyperparameters result in different R^2 score in evaluating the 1000
780 test data. N_l is the number of nodes in hidden layer l , where $l=1, 2$, and 3. lr is the learning rate
781 of Adam algorithm for NN weights optimization.


782



783

784 Figure 9. Averaged R^2 scores over 30 years at 1422 locations in evaluating the 1000 test data
785 based on 20 training samples, where the blue circles identify the locations having zero GPP
786 simulations.


787



788

789 Figure 10. Simulations of annual GPPs ($\text{gC}/\text{m}^2/\text{day}$) from sELM and NN-based surrogate
790 model in evaluating 1000 test data for 30 years at 3 locations, where the NN is trained by 20 data
791 using our method.


792



793

794 Figure 11. Averaged R^2 scores over 1422 locations at 30 years in evaluating the 1000 test data.


795



796

797 Figure 12. Averaged R^2 scores over 30 years at 1422 locations in evaluating the 1000 test data
798 based on 20 training data in experiment I where the samples are generated in a subdomain of the
799 parameter space without zero GPP simulations. The averaged R^2 score is 0.98.


800




801

802 Figure 13. Simulations of annual GPPs ($\text{gC}/\text{m}^2/\text{day}$) from sELM and NN-based surrogate
803 model in evaluating 1000 test data for 30 years at 3 locations in experiment I where the samples
804 are generated in a subdomain of the parameter space without zero GPP simulations.

805



806




807

808 Figure 14. Averaged R^2 scores over 30 years at 1422 locations in evaluating the 1000 test data
809 based on 200 and 1000 training samples, where the blue circles identify the locations having zero
810 GPP simulations.

811



812



813

814 Figure 15. Simulations of annual GPPs ($\text{gC}/\text{m}^2/\text{day}$) from sELM and NN-based surrogate model
815 in evaluating 1000 test data for 30 years at 3 locations, where the NN is trained by 200 and 1000
816 data.

817

