

Interactive comment on “A multi-isotope model for simulating soil organic carbon cycling on an eroding landscape (WATEM_C v1.0)” by Zhengang Wang and Kristof Van Oost

Zhengang Wang and Kristof Van Oost

wangzhg33@mail.sysu.edu.cn

Received and published: 20 July 2020

The authors developed a soil carbon model with coupled processes of decomposition, advection-diffusion and erosion-deposition. The model includes all carbon isotopes and ^{137}Cs . It is a great effort to include all the carbon isotopes in the model. I have several suggestions and concerns below hoping to improve the manuscript.

1. Lack of technical details in the methods section is obvious. To name a few: how did the authors implement plant type change (changes in input, roots and/or else?) how did the authors test Suess effect in the model?

Printer-friendly version

Discussion paper



Answer: A table on the description of various scenarios and how they were performed has been added (Table 2).

How did the authors simulate spatial variability?

Answer: The spatial variability is related to soil redistribution at the landscape scale. A paragraph has been added to describe in detail how the routing of runoff and soil particles are simulated in the model (Lines 142-145).

How did the authors determine the initial conditions of the model?

Answer: A detailed description of the procedure to estimate/set the initial profiles of ^{137}Cs , C pools and C isotopic compositions has been added (Lines 270-280). We believe that this now provides sufficient information for the readers.

What are the depth and depth intervals of the model?

Answer: These are defined by parameters in the model code. Annotations have been added in the R script (reference_scenario.R) to explain the meanings of variables used in the codes. The R script file has been updated.

More descriptions are necessary for ^{137}Cs dynamics, such as equations and parameter values.

Answer: Section 2.2.1 has been revised to include the lateral fluxes of ^{137}Cs due to soil erosion. The decay of ^{137}Cs (Eq. 21) has been added in section 2.2.5 (Lines 258-260).

2.A data-model comparison is necessary for model evaluation. I suggest a direct comparison between model outputs and data in figure 7 and figure 8. For example, plot them together.

Answer: Data presented in Figure 7 and Figure 8 (of last version) have been used for the model calibration together with C content data at these two study sites. The results derived from model calibration have been presented in Figure 1 and Figure 2 in the

[Printer-friendly version](#)[Discussion paper](#)

revised manuscript. Changes have also been made in Methods (Lines 113-132, Lines 291-317), Results (Lines 336-342), and Discussion (Lines 452-453) sections.

3. Routine modeling activities such as sensitivity and uncertainty analysis are needed for model evaluations. Relative importance of the three main processes (decomposition, advection-diffusion, and erosion-deposition) need to be shown in some way.

Answer: Thank you for this valuable suggestion. In response to this comment, the Fourier Amplitude Sensitivity Test (FAST) has been applied to the model to explore the importance of C decomposition, advection-diffusion and erosion-deposition in controlling C, $\delta^{13}\text{C}$ and $\Delta^{14}\text{C}$ profiles. The results is presented in Figure 7. Changes have also been made in Methods (Lines 318-327), Results (Lines 366-377), Discussion (Lines 454-459) and Conclusion (Lines 486-488) sections.

4. An introduction and discussion of progress in model development in carbon isotopes would be very relevant.

Answer: A paragraph on a review of progress in model development in carbon isotopes have been added (Lines 91-102).

5. The results could use some more work. For example, I would not use current figure 1 as the first figure. It is not your central figure. I would first show some figures in model-data comparisons.

Answer: Figure 1 has been removed from the revised manuscript. Figures on model-data (Figures 1 and 2) has been shown first as suggested (see the reply to Point 2 above).

A few more comments:

1. What is WATEM_C short for? I did not find its full name throughout the text.

Answer: The abbreviation has been explained (Line 136).

2. Lines 100-105: L and S are slope steep and length factors, or the other way around?

Answer: It is the other way around, and it has been corrected (Line 145).

3. Line 211: developED

Answer: It has been corrected as suggested (Line 265).

4. Would a table be helpful for presenting all the modeling scenarios?

Answer: A table including descriptions and implementation of model scenarios has been added (Table 2). Relevant revisions has also been done in the text (Line 282).

5. A, S, and P in equations 7, 8, and 9: are not they carbon concentration (in the unit of for example, gC/m³) instead of carbon content? Because the authors model them with explicit depth. Please clarify.

Answer: The reviewer is correct that A, S and P should be the content of various C pools. Similarly, the unit of C input into a given depth has been changed from Mg C ha⁻¹ yr⁻¹ to Mg C yr⁻¹ (Lines 182, and 183).

6. Equation 18: the terms on the right side are supposed to be partial differentials and $K(z)$ is supposed to be inside the second-order differential due to the fact that K changes with z .

Answer: Eq. 18 has been revised as suggested.

7. what are the K values for Fig. 1c? and similar issues for other relevant figures.

Answer: Values of relevant parameters have been added in the figures (Figures 3-6 in the revised manuscript). We also extended Table 1 and added Tables 2 and 3 to display more information on parameter values of the model.

8. I am surprised to see lack of depth dependence of ^{13}C in Scenario 1. (Fig. 3a). Could the slower decomposition and lower carbon input along depth result in changes in ^{13}C with depth, like ^{12}C and ^{14}C ? Please clarify.

Answer: Figure 6a (in the revised manuscript) shows the vertical variation of $\delta^{13}\text{C}$

Printer-friendly version

Discussion paper



values rather ^{13}C content. In Scenario 1, slower decomposition and lower carbon input along depth result in changes in ^{13}C with depth, but ^{12}C has similar changes with soil depth, and therefore the ^{13}C composition ($\delta^{13}\text{C}$) does not change with soil depth. A sentence has been added to explain this (Line 409).

9. Fig. 6 is difficult to read. I'd suggest the authors use colored scheme.

Answer: The figure has been changed to color maps (Figure 8 in the revised version).

10. Line 280: negligence instead of negelation

Answer: It has been replaced with neglecton (Line 408).

Interactive comment on Geosci. Model Dev. Discuss., <https://doi.org/10.5194/gmd-2019-217>, 2019.

Printer-friendly version

Discussion paper

