

Interactive comment on “Effects of Transient Processes for Thermal Simulations of the Central European Basin” by Denise Degen and Mauro Cacace

Denise Degen and Mauro Cacace

cacace@gfz-potsdam.de

Received and published: 6 January 2021

First of all, we would like to thank RC1 for all points raised which helped us to improve not only the readability of the manuscript but its scientific merit. In the attachment to this post, you will find a first file (RC1_revision.pdf) where we detail our point by point revision, each RC1's comments is followed by our answers (highlighted in a different colour). We also attached three figures (two about the details of the geological model and one of a table summarizing the properties plus geological information) that we added as Appendix material to the revised version of our manuscript as requested both by RC1 and RC2. Please also refer to the revised manuscript in this regard.

Printer-friendly version

Discussion paper



Please also note the supplement to this comment:

<https://gmd.copernicus.org/preprints/gmd-2020-204/gmd-2020-204-AC1-supplement.pdf>

Interactive comment on Geosci. Model Dev. Discuss., <https://doi.org/10.5194/gmd-2020-204>, 2020.

GMDD

Interactive
comment

Printer-friendly version

Discussion paper






Fig. 1. base maps of the main geological units in the 3D CEBS geological model

Printer-friendly version

Discussion paper






Fig. 2. selected geoloigcal profiles across the 3D CEBS model

Printer-friendly version

Discussion paper



Table A1. Geometrical and rock physical properties of the different units integrated in the 3D structural model. Symbols listed: h (av)=average unit thickness, h (max)=maximum unit thickness, λ =thermal conductivity, H =heat production rate, ρ =density, and c_p =specific heat capacity. The unit volume has been computed based on the average thickness of each unit.

Acronym -	Layer -	main lithology -	h (av) km	h (max) km	volume $10^5 km^3$	λ $W m^{-1} K^{-1}$	H $\mu W m^{-3}$	$\rho \times c_p$ $MJ m^{-3} K^{-1}$
CE	Tertiary (Cenozoic)	sand, silt and clay	0.35	4.7	6.63	1.5 ^a	0.7 ^{??}	2.95 ^b
CR	Cretaceous	limestone with marl	0.32	3.5	6.05	1.95 ^{??}	1.0 ^{??}	2.80 ^{??}
J	Jurassic	claystone with silt- and sandstone	0.2	4.45	4.05	2.1 ^{??}	1.6 ^{??}	3.19 ^{??}
T	Triassic	silt- and sandstone	0.5	8.9	9.85	2.1 ^{??}	1.6 ^{??}	2.90 ^{??}
Z1	Permian Salt	rock salt	0.24	8.85	4.61	3.5 ^{??}	0.3 ^{??}	1.81 ^{??}
Z2	Permian Carbonates	gypsum and carbonate	0.06	2.2	1.13	1.95 ^{??}	0.8 ^{??}	2.51 ^c
R	Rotliegend Sediments	claystone with silt- and sandstone	0.13	2.25	2.46	3 ^{??}	1.5 ^{??}	2.67 ^d
PCV	Permo-Carboniferous Volcanics	rhyolite and andesite	0.045	2.5	0.85	2.5 ^{??}	2.4 ^{??}	2.67 ^{??}
PPR	Pre-Permian Rocks	strongly compacted clastics	1.8	14.9	34.8	2.9 ^{??}	1.5 ^{??}	2.4 ^{e /}
BG	Bohemian Granite	granite and diorite	0.056	12.09	1.06	3.1 ^{??}	2.9 ^{??}	2.4 ^{??} ^{??}
VUCC	Variscan Upper Crystalline Crust	granite and diorite	1.8	36.7	34.4	2.8 ^{??}	1.3 ^{??}	2.5 ^{??} ^{??}
UC,L	Upper Crust Laurentia	granite and diorite	1.5	33.7	28.9	2.8 ^{??}	1.2 ^{??}	2.5 ^{??} ^{??}
UC, A	Upper Crust Avalonia	granite and diorite	6.6	34.3	125	2.9 ^{??}	1.3 ^{??}	2.5 ^{??} ^{??}
UC, B	Upper Crust Baltica	granite and diorite	13.5	40	237	2.75 ^{??}	0.9 ^{??}	2.5 ^{??} ^{??}
LC	Lower Crust	gabbro	8.7	37.2	165	2.7 ^{??}	0.8 ^{??}	2.6 ^{??} ^{??}
LM	Lithospheric Mantle	peridotite	111	182	2100	3.95 ^{??}	0.03 ^{??}	3.86 ^{??} ^{??}

^a(?)

^b(?)

^c(?)

^d(?)

^e (?)

[/] (?)

^ε (?)

Fig. 3. Table geological and properties

Printer-friendly version

Discussion paper

