

The Chemical Mechanism of SCAV

Holger Tost & Rolf Sander & Astrid Kerkweg

tost@mpch-mainz.mpg.de, sander@mpch-mainz.mpg.de, akerkweg@mpch-mainz.mpg.de

Air Chemistry Department, Max-Planck Institute of Chemistry, PO Box 3060, 55020 Mainz, Germany

(mechanism generated on 11.05.2015)

Table 1: Heterogeneous reactions

#	labels	reaction	rate coefficient	reference
H1000f	TrAraSc	$\text{O}_2 \rightarrow \text{O}_2(\text{aq})$	$k_{\text{exf}}(\text{KPP_O2})$	see note
H1000b	TrAraSc	$\text{O}_2(\text{aq}) \rightarrow \text{O}_2$	$k_{\text{exb}}(\text{KPP_O2})$	see note
H1001f	TrAraMblScScm	$\text{O}_3 \rightarrow \text{O}_3(\text{aq})$	$k_{\text{exf}}(\text{KPP_O3})$	see note
H1001b	TrAraMblScScm	$\text{O}_3(\text{aq}) \rightarrow \text{O}_3$	$k_{\text{exb}}(\text{KPP_O3})$	see note
H2100f	TrAraSc	$\text{OH} \rightarrow \text{OH}(\text{aq})$	$k_{\text{exf}}(\text{KPP_OH})$	see note
H2100b	TrAraSc	$\text{OH}(\text{aq}) \rightarrow \text{OH}$	$k_{\text{exb}}(\text{KPP_OH})$	see note
H2101f	TrAraSc	$\text{HO}_2 \rightarrow \text{HO}_2(\text{aq})$	$k_{\text{exf}}(\text{KPP_H02})$	see note
H2101b	TrAraSc	$\text{HO}_2(\text{aq}) \rightarrow \text{HO}_2$	$k_{\text{exb}}(\text{KPP_H02})$	see note
H2102f	TrAraMblScScm	$\text{H}_2\text{O}_2 \rightarrow \text{H}_2\text{O}_2(\text{aq})$	$k_{\text{exf}}(\text{KPP_H202})$	see note
H2102b	TrAraMblScScm	$\text{H}_2\text{O}_2(\text{aq}) \rightarrow \text{H}_2\text{O}_2$	$k_{\text{exb}}(\text{KPP_H202})$	see note
H3100f	TrAraNSc	$\text{NO} \rightarrow \text{NO}(\text{aq})$	$k_{\text{exf}}(\text{KPP_N0})$	see note
H3100b	TrAraNSc	$\text{NO}(\text{aq}) \rightarrow \text{NO}$	$k_{\text{exb}}(\text{KPP_N0})$	see note
H3101f	TrAraNSc	$\text{NO}_2 \rightarrow \text{NO}_2(\text{aq})$	$k_{\text{exf}}(\text{KPP_N02})$	see note
H3101b	TrAraNSc	$\text{NO}_2(\text{aq}) \rightarrow \text{NO}_2$	$k_{\text{exb}}(\text{KPP_N02})$	see note
H3102f	TrAraNSc	$\text{NO}_3 \rightarrow \text{NO}_3(\text{aq})$	$k_{\text{exf}}(\text{KPP_N03})$	see note
H3102b	TrAraNSc	$\text{NO}_3(\text{aq}) \rightarrow \text{NO}_3$	$k_{\text{exb}}(\text{KPP_N03})$	see note
H3200f	TrAraNMblScScm	$\text{NH}_3 \rightarrow \text{NH}_3(\text{aq})$	$k_{\text{exf}}(\text{KPP_NH3})$	see note
H3200b	TrAraNMblScScm	$\text{NH}_3(\text{aq}) \rightarrow \text{NH}_3$	$k_{\text{exb}}(\text{KPP_NH3})$	see note
H3201	TrAraMblNScScm	$\text{N}_2\text{O}_5 \rightarrow \text{HNO}_3(\text{aq}) + \text{HNO}_3(\text{aq})$	$k_{\text{exf_N205}*C}(\text{KPP_H20_1})$	Behnke et al. (1994), Behnke et al. (1997)
H3202f	TrAraNSc	$\text{HONO} \rightarrow \text{HONO}(\text{aq})$	$k_{\text{exf}}(\text{KPP_HONO})$	see note
H3202b	TrAraNSc	$\text{HONO}(\text{aq}) \rightarrow \text{HONO}$	$k_{\text{exb}}(\text{KPP_HONO})$	see note
H3203f	TrAraMblNScScm	$\text{HNO}_3 \rightarrow \text{HNO}_3(\text{aq})$	$k_{\text{exf}}(\text{KPP_HNO3})$	see note
H3203b	TrAraMblNScScm	$\text{HNO}_3(\text{aq}) \rightarrow \text{HNO}_3$	$k_{\text{exb}}(\text{KPP_HNO3})$	see note
H3204f	TrAraNSc	$\text{HNO}_4 \rightarrow \text{HNO}_4(\text{aq})$	$k_{\text{exf}}(\text{KPP_HNO4})$	see note
H3204b	TrAraNSc	$\text{HNO}_4(\text{aq}) \rightarrow \text{HNO}_4$	$k_{\text{exb}}(\text{KPP_HNO4})$	see note

Table 1: Heterogeneous reactions

#	labels	reaction	rate coefficient	reference
H4100f	TrAraMblScScm	$\text{CO}_2 \rightarrow \text{CO}_2(\text{aq})$	$k_{\text{exf}}(\text{KPP_CO2})$	see note
H4100b	TrAraMblScScm	$\text{CO}_2(\text{aq}) \rightarrow \text{CO}_2$	$k_{\text{exb}}(\text{KPP_CO2})$	see note
H4101f	TrAraScScm	$\text{HCHO} \rightarrow \text{HCHO}(\text{aq})$	$k_{\text{exf}}(\text{KPP_HCHO})$	see note
H4101b	TrAraScScm	$\text{HCHO}(\text{aq}) \rightarrow \text{HCHO}$	$k_{\text{exb}}(\text{KPP_HCHO})$	see note
H4102f	TrAraSc	$\text{CH}_3\text{O}_2 \rightarrow \text{CH}_3\text{OO}(\text{aq})$	$k_{\text{exf}}(\text{KPP_CH3O2})$	see note
H4102b	TrAraSc	$\text{CH}_3\text{OO}(\text{aq}) \rightarrow \text{CH}_3\text{O}_2$	$k_{\text{exb}}(\text{KPP_CH3O2})$	see note
H4103f	TrAraScScm	$\text{HCOOH} \rightarrow \text{HCOOH}(\text{aq})$	$k_{\text{exf}}(\text{KPP_HCOOH})$	see note
H4103b	TrAraScScm	$\text{HCOOH}(\text{aq}) \rightarrow \text{HCOOH}$	$k_{\text{exb}}(\text{KPP_HCOOH})$	see note
H4104f	TrAraScScm	$\text{CH}_3\text{OOH} \rightarrow \text{CH}_3\text{OOH}(\text{aq})$	$k_{\text{exf}}(\text{KPP_CH3OOH})$	see note
H4104b	TrAraScScm	$\text{CH}_3\text{OOH}(\text{aq}) \rightarrow \text{CH}_3\text{OOH}$	$k_{\text{exb}}(\text{KPP_CH3OOH})$	see note
H4105f	TrAraSc	$\text{CH}_3\text{OH} \rightarrow \text{CH}_3\text{OH}(\text{aq})$	$k_{\text{exf}}(\text{KPP_CH3OH})$	see note
H4105b	TrAraSc	$\text{CH}_3\text{OH}(\text{aq}) \rightarrow \text{CH}_3\text{OH}$	$k_{\text{exb}}(\text{KPP_CH3OH})$	see note
H4200f	TrAraCScScm	$\text{CH}_3\text{COOH} \rightarrow \text{CH}_3\text{COOH}(\text{aq})$	$k_{\text{exf}}(\text{KPP_CH3CO2H})$	see note
H4200b	TrAraCScScm	$\text{CH}_3\text{COOH}(\text{aq}) \rightarrow \text{CH}_3\text{COOH}$	$k_{\text{exb}}(\text{KPP_CH3CO2H})$	see note
H4201f	TrAraCSc	$\text{CH}_3\text{CHO} \rightarrow \text{CH}_3\text{CHO}(\text{aq})$	$k_{\text{exf}}(\text{KPP_CH3CHO})$	see note
H4201b	TrAraCSc	$\text{CH}_3\text{CHO}(\text{aq}) \rightarrow \text{CH}_3\text{CHO}$	$k_{\text{exb}}(\text{KPP_CH3CHO})$	see note
H4202f	TrAraCSc	$\text{PAN} \rightarrow \text{PAN}(\text{aq})$	$k_{\text{exf}}(\text{KPP_PAN})$	see note
H4202b	TrAraCSc	$\text{PAN}(\text{aq}) \rightarrow \text{PAN}$	$k_{\text{exb}}(\text{KPP_PAN})$	see note
H4300f	TrAraCSc	$\text{CH}_3\text{COCH}_3 \rightarrow \text{CH}_3\text{COCH}_3(\text{aq})$	$k_{\text{exf}}(\text{KPP_CH3COCH3})$	see note
H4300b	TrAraCSc	$\text{CH}_3\text{COCH}_3(\text{aq}) \rightarrow \text{CH}_3\text{COCH}_3$	$k_{\text{exb}}(\text{KPP_CH3COCH3})$	see note
H6000f	TrAraClMblSc	$\text{Cl}_2 \rightarrow \text{Cl}_2(\text{aq})$	$k_{\text{exf}}(\text{KPP_Cl2})$	see note
H6000b	TrAraClMblSc	$\text{Cl}_2(\text{aq}) \rightarrow \text{Cl}_2$	$k_{\text{exb}}(\text{KPP_Cl2})$	see note
H6200f	TrAraClMblScScm	$\text{HCl} \rightarrow \text{HCl}(\text{aq})$	$k_{\text{exf}}(\text{KPP_HCl})$	see note
H6200b	TrAraClMblScScm	$\text{HCl}(\text{aq}) \rightarrow \text{HCl}$	$k_{\text{exb}}(\text{KPP_HCl})$	see note
H6201f	TrAraClMblSc	$\text{HOCl} \rightarrow \text{HOCl}(\text{aq})$	$k_{\text{exf}}(\text{KPP_HOCl})$	see note
H6201b	TrAraClMblSc	$\text{HOCl}(\text{aq}) \rightarrow \text{HOCl}$	$k_{\text{exb}}(\text{KPP_HOCl})$	see note
H7000f	TrAraBrMblSc	$\text{Br}_2 \rightarrow \text{Br}_2(\text{aq})$	$k_{\text{exf}}(\text{KPP_Br2})$	see note
H7000b	TrAraBrMblSc	$\text{Br}_2(\text{aq}) \rightarrow \text{Br}_2$	$k_{\text{exb}}(\text{KPP_Br2})$	see note
H7200f	TrAraBrMblScScm	$\text{HBr} \rightarrow \text{HBr}(\text{aq})$	$k_{\text{exf}}(\text{KPP_HBr})$	see note
H7200b	TrAraBrMblScScm	$\text{HBr}(\text{aq}) \rightarrow \text{HBr}$	$k_{\text{exb}}(\text{KPP_HBr})$	see note
H7201f	TrAraBrMblSc	$\text{HOBr} \rightarrow \text{HOBr}(\text{aq})$	$k_{\text{exf}}(\text{KPP_HOBr})$	see note
H7201b	TrAraBrMblSc	$\text{HOBr}(\text{aq}) \rightarrow \text{HOBr}$	$k_{\text{exb}}(\text{KPP_HOBr})$	see note
H7600f	TrAraClBrMblSc	$\text{BrCl} \rightarrow \text{BrCl}(\text{aq})$	$k_{\text{exf}}(\text{KPP_BrCl})$	see note
H7600b	TrAraClBrMblSc	$\text{BrCl}(\text{aq}) \rightarrow \text{BrCl}$	$k_{\text{exb}}(\text{KPP_BrCl})$	see note
H9100f	TrAraSMblScScm	$\text{SO}_2 \rightarrow \text{SO}_2(\text{aq})$	$k_{\text{exf}}(\text{KPP_SO2})$	see note

Table 1: Heterogeneous reactions

#	labels	reaction	rate coefficient	reference
H9100b	TrAraSMblScScm	$\text{SO}_2(\text{aq}) \rightarrow \text{SO}_2$	$k_{\text{exb}}(\text{KPP_SO2})$	see note
H9200	TrAraSMblScScm	$\text{H}_2\text{SO}_4 \rightarrow \text{H}_2\text{SO}_4(\text{aq})$	$k_{\text{exf}}(\text{KPP_H2SO4})$	see note
H9400f	TrAraSSc	$\text{DMSO} \rightarrow \text{DMSO}(\text{aq})$	$k_{\text{exf}}(\text{KPP_DMSO})$	see note
H9400b	TrAraSSc	$\text{DMSO}(\text{aq}) \rightarrow \text{DMSO}$	$k_{\text{exb}}(\text{KPP_DMSO})$	see note
H9401	TrAraSMblSc	$\text{CH}_3\text{SO}_3\text{H} \rightarrow \text{CH}_3\text{SO}_3^-(\text{aq}) + \text{H}^+(\text{aq})$	$k_{\text{exf}}(\text{KPP_CH3SO3H})$	see note
H9400f	TrAraSMblScScm	$\text{SO}_2\text{t} \rightarrow \text{SO}_2\text{t}$	$k_{\text{exf}}(\text{KPP_SO2t})$	see note
H9400b	TrAraSMblScScm	$\text{SO}_2\text{t} \rightarrow \text{SO}_2\text{t}$	$k_{\text{exb}}(\text{KPP_SO2t})$	see note
H9450f	TrAraSMblScScm	$\text{NH}_5\text{OW} \rightarrow \text{NH}_5\text{OW}$	$k_{\text{exf}}(\text{KPP_NH5OW})$	see note
H9450b	TrAraSMblScScm	$\text{NH}_5\text{OW} \rightarrow \text{NH}_5\text{OW}$	$k_{\text{exb}}(\text{KPP_NH5OW})$	see note

*Notes:

The forward (k_{exf}) and backward (k_{exb}) rate coefficients are calculated in the file `messy_scav_base.f90` using the accommodation coefficients in subroutine `scav_alpha` and Henry's law constants in subroutine `scav_henry`.

k_{mt} = mass transfer coefficient

lwc = liquid water content of aerosol mode

$f_{\text{het}}(X, Y) = k_{\text{mt}}(X) \times \text{lwc} \times f(Y)[Y]/\text{Het}_T$, with $f(\text{H}_2\text{O}) = 1$, $f(\text{Cl}^-) = 5.0\text{E}2$, and $f(\text{Br}^-) = 3.0\text{E}5$, $[Y]$ = concentration of Y ; $\text{Het}_T = [\text{H}_2\text{O}] + f(\text{Cl}^-)[\text{Cl}^-] + f(\text{Br}^-)[\text{Br}^-]$

H6301, H6302, H7601: The total uptake is determined by $k_{\text{mt}}(\text{ClNO}_3)$. The relative rates are assumed to be the same as for N_2O_5 (H3201, H6300, H7300).


H7301, H7302, H7602: The total uptake is determined by $k_{\text{mt}}(\text{BrNO}_3)$. The relative rates are assumed to be the same as for N_2O_5 (H3201, H6300, H7300).

Table 2: Acid-base and other equilibria

#	labels	reaction	$K_0[M^{m-n}]$	$-\Delta H/R[K]$	reference
EQ20	TrAraSc	$\text{HO}_2 \rightleftharpoons \text{O}_2^- + \text{H}^+$	1.6E-5		Weinstein-Lloyd and Schwartz (1991)
EQ21	TrAraMblScScm	$\text{H}_2\text{O} \rightleftharpoons \text{H}^+ + \text{OH}^-$	1.0E-16	-6716	Chameides (1984)
EQ30	TrAraMblNScScm	$\text{NH}_4^+ \rightleftharpoons \text{H}^+ + \text{NH}_3$	5.88E-10	-2391	Chameides (1984)
EQ31	TrAraNSc	$\text{HONO} \rightleftharpoons \text{H}^+ + \text{NO}_2^-$	5.1E-4	-1260	Schwartz and White (1981)
EQ32	TrAraMblNScScm	$\text{HNO}_3 \rightleftharpoons \text{H}^+ + \text{NO}_3^-$	15	8700	Davis and de Bruin (1964)
EQ33	TrAraNSc	$\text{HNO}_4 \rightleftharpoons \text{NO}_4^- + \text{H}^+$	1.E-5		Warneck (1999)
EQ40	TrAraMblScScm	$\text{CO}_2 \rightleftharpoons \text{H}^+ + \text{HCO}_3^-$	4.3E-7	-913	Chameides (1984)
EQ41	TrAraScScm	$\text{HCOOH} \rightleftharpoons \text{H}^+ + \text{HCOO}^-$	1.8E-4		Weast (1980)
EQ42	TrAraCScScm	$\text{CH}_3\text{COOH} \rightleftharpoons \text{H}^+ + \text{CH}_3\text{COO}^-$	1.75E-5	-46	see note
EQ61	TrAraClMblScScm	$\text{HCl} \rightleftharpoons \text{H}^+ + \text{Cl}^-$	1.7E6	6896	Marsh and McElroy (1985)
EQ62	TrAraClSc	$\text{HOCl} \rightleftharpoons \text{H}^+ + \text{ClO}^-$	3.2E-8		Lax (1969)
EQ71	TrAraBrMblScScm	$\text{HBr} \rightleftharpoons \text{H}^+ + \text{Br}^-$	1.0E9		Lax (1969)
EQ72	TrAraBrSc	$\text{HOBr} \rightleftharpoons \text{H}^+ + \text{BrO}^-$	2.3E-9	-3091	Kelley and Tartar (1956)
EQ90	TrAraSMblScScm	$\text{SO}_2 \rightleftharpoons \text{H}^+ + \text{HSO}_3^-$	1.7E-2	2090	Chameides (1984)
EQ91	TrAraSMblScScm	$\text{HSO}_3^- \rightleftharpoons \text{H}^+ + \text{SO}_3^{2-}$	6.0E-8	1120	Chameides (1984)
EQ92	TrAraSMblScScm	$\text{HSO}_4^- \rightleftharpoons \text{H}^+ + \text{SO}_4^{2-}$	1.2E-2	2720	Seinfeld and Pandis (1998)
EQ93	TrAraSMblScScm	$\text{H}_2\text{SO}_4 \rightleftharpoons \text{H}^+ + \text{HSO}_4^-$	1.0E3		Seinfeld and Pandis (1998)

*Notes:

EQ82 and EQ83: Thermodynamic calculations on the IBr/ICl equilibrium according to the data tables from Wagman et al. (1982):



$$\frac{\Delta G}{[\text{kJ/mol}]} = -4.2 - 131.228 - (-17.1 - 103.96) = -14.368$$

$$K = \frac{[\text{IBr}] \times [\text{Cl}^-]}{[\text{ICl}] \times [\text{Br}^-]} = \exp\left(\frac{-\Delta G}{RT}\right) = \exp\left(\frac{14368}{8.314 \times 298}\right) = 330$$

This means we have equal amounts of IBr and ICl when the $[\text{Cl}^-]/[\text{Br}^-]$ ratio equals 330.

Table 3: Aqueous phase reactions

#	labels	reaction	$k_0 [M^{1-n}s^{-1}]$	$-E_a/R[K]$	reference
A1000	TrAraSc	$O_3 + O_2^- \rightarrow OH + OH^-$	1.5E9		Sehested et al. (1983)
A2100	TrAraSc	$OH + O_2^- \rightarrow OH^-$	1.0E10		Sehested et al. (1968)
A2101	TrAraSc	$OH + OH \rightarrow H_2O_2$	5.5E9		Buxton et al. (1988)
A2102	TrAraSc	$HO_2 + O_2^- \rightarrow H_2O_2 + OH^-$	1.0E8	-900	Christensen and Sehested (1983)
A2103	TrAraSc	$HO_2 + OH \rightarrow H_2O$	7.1E9		Sehested et al. (1968)
A2104	TrAraSc	$HO_2 + HO_2 \rightarrow H_2O_2$	9.7E5	-2500	Christensen and Sehested (1983)
A2105	TrAraSc	$H_2O_2 + OH \rightarrow HO_2$	2.7E7	-1684	Christensen et al. (1982)
A3100	TrAraNSc	$NO_2^- + O_3 \rightarrow NO_3^-$	5.0E5	-6950	Damschen and Martin (1983)
A3101	TrAraNSc	$NO_2 + NO_2 \rightarrow HNO_3 + HONO$	1.0E8		Lee and Schwartz (1981)
A3102	TrAraNSc	$NO_4^- \rightarrow NO_2^-$	8.0E1		Warneck (1999)
A3200	TrAraNSc	$NO_2 + HO_2 \rightarrow HNO_4$	1.8E9		Warneck (1999)
A3201	TrAraNSc	$NO_2^- + OH \rightarrow NO_2 + OH^-$	1.0E10		Wingenter et al. (1999)
A3202	TrAraNSc	$NO_3 + OH^- \rightarrow NO_3^- + OH$	8.2E7	-2700	Exner et al. (1992)
A3203	TrAraNSc	$HONO + OH \rightarrow NO_2$	1.0E10		Barker et al. (1970)
A3204	TrAraNSc	$HONO + H_2O_2 \rightarrow HNO_3$	4.6E3	-6800	Damschen and Martin (1983)
A4100	TrAraSc	$CO_3^- + O_2^- \rightarrow HCO_3^- + OH^-$	6.5E8		Ross et al. (1992)
A4101	TrAraSc	$CO_3^- + H_2O_2 \rightarrow HCO_3^- + HO_2$	4.3E5		Ross et al. (1992)
A4102	TrAraSc	$HCOO^- + CO_3^- \rightarrow 2 HCO_3^- + HO_2$	1.5E5		Ross et al. (1992)
A4103	TrAraSc	$HCOO^- + OH \rightarrow OH^- + HO_2 + CO_2$	3.1E9	-1240	Chin and Wine (1994)
A4104	TrAraSc	$HCO_3^- + OH \rightarrow CO_3^-$	8.5E6		Ross et al. (1992)
A4105	TrAraSc	$HCHO + OH \rightarrow HCOOH + HO_2$	7.7E8	-1020	Chin and Wine (1994)
A4106	TrAraSc	$HCOOH + OH \rightarrow HO_2 + CO_2$	1.1E8	-991	Chin and Wine (1994)
A4107	TrAraSc	$CH_3OO + O_2^- \rightarrow CH_3OOH + OH^-$	5.0E7		Jacob (1986)
A4108	TrAraSc	$CH_3OO + HO_2 \rightarrow CH_3OOH$	4.3E5		Jacob (1986)
A4109	TrAraSc	$CH_3OH + OH \rightarrow HCHO + HO_2$	9.7E8		Buxton et al. (1988)
A4110a	TrAraSc	$CH_3OOH + OH \rightarrow CH_3OO$	2.7E7	-1715	Jacob (1986)
A4110b	TrAraSc	$CH_3OOH + OH \rightarrow HCHO + OH$	1.1E7	-1715	Jacob (1986)
A9100	TrAraSSc	$SO_3^- + O_2 \rightarrow SO_5^-$	1.5E9		Huie and Neta (1987)
A9101	TrAraSMblScScm	$SO_3^{2-} + O_3 \rightarrow SO_4^{2-}$	1.5E9	-5300	Hoffmann (1986)
A9102	TrAraSSc	$SO_4^- + O_2^- \rightarrow SO_4^{2-}$	3.5E9		Jiang et al. (1992)
A9103	TrAraSSc	$SO_4^- + SO_3^{2-} \rightarrow SO_3^- + SO_4^{2-}$	4.6E8		Huie and Neta (1987)
A9104	TrAraSSc	$SO_3^- + O_2^- \rightarrow HSO_5^- + OH^-$	2.3E8		Buxton et al. (1996)
A9200	TrAraSSc	$SO_3^{2-} + OH \rightarrow SO_3^- + OH^-$	5.5E9		Buxton et al. (1988)
A9201	TrAraSSc	$SO_4^- + OH \rightarrow HSO_5^-$	1.0E9		Jiang et al. (1992)

Table 3: Aqueous phase reactions (...continued)

#	labels	reaction	$k_0 [M^{1-n}s^{-1}]$	$-E_a/R[K]$	reference
A9202	TrAraSSc	$SO_4^- + HO_2 \rightarrow SO_4^{2-} + H^+$	3.5E9		Jiang et al. (1992)
A9203	TrAraSSc	$SO_4^- + H_2O \rightarrow SO_4^{2-} + H^+ + OH$	1.1E1	-1110	Herrmann et al. (1995)
A9204	TrAraSSc	$SO_4^- + H_2O_2 \rightarrow SO_4^{2-} + H^+ + HO_2$	1.2E7		Wine et al. (1989)
A9205	TrAraSSc	$HSO_3^- + O_2 \rightarrow SO_4^{2-} + OH$	3.0E3		see note
A9206	TrAraSMblScScm	$HSO_3^- + O_3 \rightarrow SO_4^{2-} + H^+$	3.7E5	-5500	Hoffmann (1986)
A9207	TrAraSSc	$HSO_3^- + OH \rightarrow SO_3^-$	4.5E9		Buxton et al. (1988)
A9208	TrAraSSc	$HSO_3^- + HO_2 \rightarrow SO_4^{2-} + OH + H^+$	3.0E3		see note
A9209	TrAraSMblScScm	$HSO_3^- + H_2O_2 \rightarrow SO_4^{2-} + H^+$	5.2E6	-3650	Martin and Damschen (1981)
A9210	TrAraSSc	$HSO_3^- + SO_4^- \rightarrow SO_3^- + SO_4^{2-} + H^+$	8.0E8		Huie and Neta (1987)
A9212	TrAraSSc	$HSO_3^- + HSO_5^- \rightarrow 2 SO_4^{2-} + 2 H^+$	7.1E6		Betterton and Hoffmann (1988)
A9300	TrAraSSc	$SO_3^{2-} + NO_2 \rightarrow SO_4^{2-} + 2 HONO - NO_2$	2.0E7		Clifton et al. (1988)
A9301	TrAraSSc	$SO_4^- + NO_3^- \rightarrow SO_4^{2-} + NO_3$	5.0E4		Exner et al. (1992)
A9302	TrAraSSc	$SO_4^{2-} + NO_3 \rightarrow NO_3^- + SO_4^-$	1.0E5		Logager et al. (1993)
A9303	TrAraSSc	$HSO_3^- + NO_2 \rightarrow HSO_4^- + 2 HONO - NO_2$	2.0E7		Clifton et al. (1988)
A9304	TrAraSSc	$HSO_3^- + NO_3 \rightarrow SO_3^- + NO_3^- + H^+$	1.4E9	-2000	Exner et al. (1992)
A9305	TrAraSSc	$HSO_3^- + HNO_4 \rightarrow HSO_4^- + NO_3^- + H^+$	3.1E5		Warneck (1999)
A9400	TrAraSSc	$SO_3^{2-} + HCHO \rightarrow CH_2OH SO_3^- + OH^-$	1.4E4		Boyce and Hoffmann (1984)
A9401	TrAraSSc	$SO_3^{2-} + CH_3OOH \rightarrow SO_4^{2-} + CH_3OH$	1.6E7	-3800	Lind et al. (1987)
A9402	TrAraSSc	$HSO_3^- + HCHO \rightarrow CH_2OH SO_3^-$	4.3E-1		Boyce and Hoffmann (1984)
A9403	TrAraSSc	$HSO_3^- + CH_3OOH \rightarrow SO_4^{2-} + H^+ + CH_3OH$	1.6E7	-3800	Lind et al. (1987)
A9404	TrAraSSc	$CH_2OH SO_3^- + OH^- \rightarrow SO_3^{2-} + HCHO$	3.6E3		Seinfeld and Pandis (1998)

A6102: Jacobi (1996) found an upper limit of 6E9 and cite an upper limit from another study of 2E9. Here, we set the rate coefficient to 1E9.

A6301: There is also an earlier study by Exner et al. (1992) which found a smaller rate coefficient but did not consider the back reaction.

A7400: assumed to be the same as for $Br_2^- + H_2O_2$.

A9106: see also: (Huie and Neta, 1987; Warneck, 1991). If this reaction produces a lot of SO_4^- , it will have an effect. However, we currently assume only the stable $S_2O_8^{2-}$ as product.

A9205: D. Sedlak, pers. comm. (1993)

A9208: D. Sedlak, pers. comm. (1993)

A9105: The rate coefficient for the sum of the paths (leading to either HSO_5^- or SO_4^{2-}) is from Huie and Neta (1987), the ratio 0.28/0.72 is from Deister and Warneck (1990).

A9605: assumed to be the same as for $SO_3^{2-} + HOCl$.

A9705: assumed to be the same as for $SO_3^{2-} + HOBr$.

Table 4: Photolysis reactions

#	labels	reaction	rate coefficient	reference
PH2100	TrAraScJ	$\text{H}_2\text{O}_2 + h\nu \rightarrow 2 \text{ OH}$	$\text{JX}(\text{ip_H202}) * 2.33$	see note

*Notes: J-values are calculated with an external module and then supplied to the SCAV chemistry

References

- Barker, G. C., Fowles, P., and Stringer, B.: Pulse radiolytic induced transient electrical conductance in liquid solutions, *Trans. Faraday Soc.*, 66, 1509–1519, 1970.
- Behnke, W., Scheer, V., and Zetzsch, C.: Production of BrNO_2 , Br_2 and ClNO_2 from the reaction between sea spray aerosol and N_2O_5 , *J. Aerosol Sci.*, 25, S277–S278, 1994.
- Behnke, W., George, C., Scheer, V., and Zetzsch, C.: Production and decay of ClNO_2 from the reaction of gaseous N_2O_5 with NaCl solution: Bulk and aerosol experiments, *J. Geophys. Res.*, 102D, 3795–3804, 1997.
- Betterton, E. A. and Hoffmann, M. R.: Oxidation of aqueous SO_2 by peroxymonosulfate, *J. Phys. Chem.*, 92, 5962–5965, 1988.
- Boyce, S. D. and Hoffmann, M. R.: Kinetics and mechanism of the formation of hydroxymethanesulfonic acid at low pH, *J. Phys. Chem.*, 88, 4740–4746, 1984.
- Buxton, G. V., Greenstock, C. L., Helman, W. P., and Ross, A. B.: Critical review of rate constants for reactions of hydrated electrons, hydrogen atoms and hydroxyl radicals ($\cdot\text{OH}/\cdot\text{O}^-$) in aqueous solution, *J. Phys. Chem. Ref. Data*, 17, 513–886, 1988.
- Buxton, G. V., McGowan, S., Salmon, G. A., Williams, J. E., and Wood, N. D.: A study of the spectra and reactivity of oxysulphur-radical anions involved in the chain oxidation of S(IV) : A pulse and γ -radiolysis study, *Atmos. Environ.*, 30, 2483–2493, 1996.
- Chameides, W. L.: The photochemistry of a remote marine stratiform cloud, *J. Geophys. Res.*, 89D, 4739–4755, 1984.
- Chin, M. and Wine, P. H.: A temperature-dependent competitive kinetics study of the aqueous-phase reactions of OH radicals with formate, formic acid, acetate, acetic acid, and hydrated formaldehyde, in: *Aquatic and Surface Photochemistry*, edited by Helz, G. R., Zepp, R. G., and Crosby, D. G., pp. 85–96, A. F. Lewis, NY, 1994.
- Christensen, H. and Sehested, K.: HO_2 and O_2^- radicals at elevated temperatures, *J. Phys. Chem.*, 92, 3007–3011, 1988.
- Christensen, H., Sehested, K., and Corfitzen, H.: Reactions of hydroxyl radicals with hydrogen peroxide at ambient and elevated temperatures, *J. Phys. Chem.*, 86, 1588–1590, 1982.
- Clifton, C. L., Altstein, N., and Huie, R. E.: Rate constant for the reaction of NO_2 with sulfur(IV) over the pH range 5.3–13, *Environ. Sci. Technol.*, 22, 586–589, 1988.
- Damschen, D. E. and Martin, L. R.: Aqueous aerosol oxidation of nitrous acid by O_2 , O_3 and H_2O_2 , *Atmos. Environ.*, 17, 2005–2011, 1983.
- Davis, Jr., W. and de Bruin, H. J.: New activity coefficients of 0–100 per cent aqueous nitric acid, *J. Inorg. Nucl. Chem.*, 26, 1069–1083, 1964.
- Deister, U. and Warneck, P.: Photooxidation of SO_3^{2-} in aqueous solution, *J. Phys. Chem.*, 94, 2191–2198, 1990.
- Exner, M., Herrmann, H., and Zellner, R.: Laser-based studies of reactions of the nitrate radical in aqueous solution, *Ber. Bunsenges. Phys. Chem.*, 96, 470–477, 1992.
- Herrmann, H., Reese, A., and Zellner, R.: Time resolved UV/VIS diode array absorption spectroscopy of SO_x^- ($x=3, 4, 5$) radical anions in aqueous solution, *J. Mol. Struct.*, 348, 183–186, 1995.
- Hoffmann, M. R.: On the kinetics and mechanism of oxidation of aquated sulfur dioxide by ozone, *Atmos. Environ.*, 20, 1145–1154, 1986.
- Huie, R. E. and Neta, P.: Rate constants for some oxidations of S(IV) by radicals in aqueous solutions, *Atmos. Environ.*, 21, 1743–1747, 1987.
- Jacob, D. J.: Chemistry of OH in remote clouds and its role in the production of formic acid and peroxy-monosulfate, *J. Geophys. Res.*, 91D, 9807–9826, 1986.
- Jacobi, H.-W.: Kinetische Untersuchungen und Modellrechnungen zur troposphärischen Chemie von Radikalanionen und Ozon in wässriger Phase, Ph.D. thesis, Universität GH Essen, FRG, 1996.
- Jiang, P.-Y., Katsumura, Y., Nagaishi, R., Domae, M., Ishikawa, K., Ishigure, K., and Yoshida, Y.: Pulse radiolysis study of concentrated sulfuric acid solutions. Formation mechanism, yield and reactivity of sulfate radicals, *J. Chem. Soc. Faraday Trans.*, 88, 1653–1658, 1992.
- Kelley, C. M. and Tartar, H. V.: On the system: bromine-water, *J. Am. Chem. Soc.*, 78, 5752–5756, 1956.
- Lax, E.: *Taschenbuch für Chemiker und Physiker*, Springer Verlag, Berlin, 1969.
- Lee, Y.-N. and Schwartz, S. E.: Reaction kinetics of nitrogen dioxide with liquid water at low partial pressure, *J. Phys. Chem.*, 85, 840–848, 1981.
- Lind, J. A., Lazrus, A. L., and Kok, G. L.: Aqueous phase oxidation of sulfur(IV) by hydrogen peroxide, methylhydroperoxide, and peroxyacetic acid, *J. Geophys. Res.*, 92D, 4171–4177, 1987.

- Logager, T., Sehested, K., and Holcman, J.: Rate constants of the equilibrium reactions $\text{SO}_4 + \text{HNO}_3 \rightleftharpoons \text{HSO}_4^- + \text{NO}_3$ and $\text{SO}_4 + \text{NO}_3 \rightleftharpoons \text{SO}_4^{2-} + \text{NO}_3$, *Radiat. Phys. Chem.*, 41, 539–543, 1993.
- Marsh, A. R. W. and McElroy, W. J.: The dissociation constant and Henry’s law constant of HCl in aqueous solution, *Atmos. Environ.*, 19, 1075–1080, 1985.
- Martin, L. R. and Damschen, D. E.: Aqueous oxidation of sulfur dioxide by hydrogen peroxide at low pH, *Atmos. Environ.*, 15, 1615–1621, 1981.
- Ross, A. B., Mallard, W. G., Helman, W. P., Bielski, B. H. J., Buxton, G. V., Cabelli, D. E., Greenstock, C. L., Huie, R. E., and Neta, P.: NDRL-NIST Solution Kinetics Database: - Ver. 1, National Institute of Standards and Technology, Gaithersburg, MD, 1992.
- Schwartz, S. E. and White, W. H.: Solubility equilibria of the nitrogen oxides and oxyacids in dilute aqueous solution, in: *Advances in Environmental Science and Engineering*, edited by Pfafflin, J. R. and Ziegler, E. N., vol. 4, pp. 1–45, Gordon and Breach Science Publishers, NY, 1981.
- Sehested, K., Rasmussen, O. L., and Fricke, H.: Rate constants of OH with HO_2 , O_2^- , and H_2O_2^+ from hydrogen peroxide formation in pulse-irradiated oxygenated water, *J. Phys. Chem.*, 72, 626–631, 1968.
- Sehested, K., Holcman, J., and Hart, E. J.: Rate constants and products of the reactions of e_{aq}^- , O_2^- and H with ozone in aqueous solutions, *J. Phys. Chem.*, 87, 1951–1954, 1983.
- Seinfeld, J. H. and Pandis, S. N.: *Atmospheric Chemistry and Physics*, John Wiley & Sons, Inc., 1998.
- Wagman, D. D., Evans, W. H., Parker, V. B., Schumm, R. H., Halow, I., Bailey, S. M., Churney, K. L., and Nuttall, R. L.: The NBS tables of chemical thermodynamic properties; Selected values for inorganic and C_1 and C_2 organic substances in SI units, *J. Phys. Chem. Ref. Data*, 11, suppl. 2, 1982.
- Warneck, P.: Chemical reactions in clouds, *Fresenius J. Anal. Chem.*, 340, 585–590, 1991.
- Warneck, P.: The relative importance of various pathways for the oxidation of sulfur dioxide and nitrogen dioxide in sunlit continental fair weather clouds, *Phys. Chem. Chem. Phys.*, 1, 5471–5483, 1999.
- Weast, R. C., ed.: *CRC Handbook of Chemistry and Physics*, 61st Edition, CRC Press, Inc., Boca Raton, FL, 1980.
- Weinstein-Lloyd, J. and Schwartz, S. E.: Low-intensity radiolysis study of free-radical reactions in cloudwater: H_2O_2 production and destruction, *Environ. Sci. Technol.*, 25, 791–800, 1991.
- Wine, P. H., Tang, Y., Thorn, R. P., Wells, J. R., and Davis, D. D.: Kinetics of aqueous phase reactions of the SO_4^- radical with potential importance in cloud chemistry, *J. Geophys. Res.*, 94D, 1085–1094, 1989.
- Wingenter, O. W., Sive, B. C., Blake, N. J., and Rowland, F. S.: Atomic chlorine concentrations determined from ethane and hydroxyl measurements made over the Central Pacific Ocean, *Eos, Trans. AGU (Abstract Supplement)*, 80/46, F149–F150, 1999.